

100%



PRODUCED
BY & OWNED

PostgreSQL Data Model

for use with Invantive SQL

24.0



Copyright

(C) Copyright 2004-2025 Invantive Software B.V., the Netherlands. All rights reserved.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of the publisher.

Despite all the care taken in the compilation of this text, neither the author nor the publisher can accept liability for any damage, which might result from any error, which might appear in this publication.

This manual is a reference guide intended to clarify usage. If data in the sample images match data in your system, the similarity is coincidental.

Important Safety and Usage Information

Intended Use and Limitations: This software, developed by Invantive, is designed to support a variety of business and information technology data processing functions, such as accounting, financial reporting and sales reporting. It is important to note that this software is not designed, tested, or approved for use in environments where malfunction or failure could lead to life-threatening situations or severe physical or environmental damage. This includes, but is not limited to:

- Nuclear facilities: The software should not be used for operations or functions related to the control, maintenance, or operation of nuclear facilities.
- Defense and Military Applications: This software is not suitable for use in defense-related applications, including but not limited to weapon control, military strategy planning, or any other aspects of national defense.
- Aviation: The software is not intended for use in the operation, navigation, or communication systems of any aircraft or air traffic control environments.
- Healthcare and Medicine Production: This software should not be utilized for medical device operation, patient data analysis for critical health decisions, pharmaceutical production, or medical research where its failure or malfunction could impact patient health.
- Chemical and Hazardous Material Handling: This software is not intended for the management, control, or operational aspects of chemical plants or hazardous material handling facilities. Any malfunction in software used in these settings could result in dangerous chemical spills, explosions, or environmental disasters.
- Transportation and Traffic Control Systems: The software should not be used for the control, operation, or management of transportation systems, including railway signal controls, subway systems, or traffic light management. Malfunctions in such critical systems could lead to severe accidents and endanger public safety.
- Energy Grid and Utility Control Systems: This software is not designed for the control or operation of energy grid systems, including electrical substations, renewable energy control systems, or water utility control systems. The failure of software in these areas could lead to significant power outages, water supply disruptions, or other public utility failures, potentially endangering communities and causing extensive damage.
- Other High-Risk Environments: Any other critical infrastructure and environments where a failure of the software could result in significant harm to individuals or the environment.

User Responsibility: Users must ensure that they understand the intended use of the software and refrain from deploying it in any setting that falls outside of its designed purpose. It is the responsibility of the user to assess the suitability of the software for their intended application, especially in any scenarios that might pose a risk to life, health, or the environment.

Disclaimer of Liability: Invantive disclaims any responsibility for damage, injury, or legal consequences resulting from the use or misuse of this software in prohibited or unintended applications.

Contents

1	Provider PostgreSql: PostgreSQL.	1
2	Catalog: Database	2
2.1	Schemas	2
2.1.1	Schema: Invantive	2
2.1.2	Schema: Native	3
	Index	5

1 Provider PostgreSql: PostgreSQL.

PostgreSQL.

Code for use in settings.xml: PostgreSql

Alias: pg

Status: Production

Available in Editions: Paid

Additional Driver to install: <https://support.invantive.com/download-driver-postgresql>

Provider Attributes

The following provider attributes are available for PostgreSql:

Code	Description	Default Value	Set from Connection String	Set from SQL-Statement	Set from Provider's File
bulk-insert-page-size-rows	Number of rows to insert per page when bulk inserting	1000	✓	✓	✓
command-timeout-sec	Number of seconds after which a command times out.		✓	✓	✓
database	Database to open when connecting.		✓	✓	✓
force-case-sensitive-identifiers	Consider identifiers as case-sensitive independent of the platform capabilities.	False	✓	✓	✓
forced-casing-identifiers	Forced casing of identifiers. Choose from Unset, Lower, Upper and Mixed.		✓	✓	✓
invantive-sql-forward-filters-to-data-containers	Whether to forward filters to data containers.	True	✓	✓	✓
invantive-sql-shuffle-fetch-results-data-containers	Whether to shuffle results fetched from data containers.	False	✓	✓	✓
invantive-use-cache	Whether to cache the results of a query.	True	✓	✓	✓
maximum-length-identifiers	Non-default maximum length in characters of identifier names.		✓	✓	✓
maximum-number-of-pooled-connections	Maximum number of concurrent pooled connections.		✓	✓	✓
maximum-sleep-acquire-pooled-connection-ms	Maximum time in ms to wait for acquiring a free connection from a pool of connections.	30000	✓	✓	✓
maximum-sleep-acquire-unpooled-connection-ms	Maximum time in ms to wait for acquire a free connection when there is no connection pooling.	60000	✓	✓	✓
npgsql-log	Whether to log messages of the npgsql provider	False	✓	✓	✓
preferred-number-of-pooled-connections	Preferred number of concurrent pooled connections.		✓	✓	✓
prefix-bind-variable-in-list	Prefix for bind variables used in an IN-list	i	✓	✓	✓
prefix-bind-variable-normal	Prefix for bind variables used in all cases except in an IN-list	w	✓	✓	✓
prefix-renamed-columns	Prefix appended to columns whose names occur multiple times in the column list of a	column	✓	✓	✓

Code	Description	Default Value	Set from Connection String	Set from Set SQL-Statement	Set from Providers File
	query				
pre-request-delay-ms	Pre-request delay in milliseconds per request.	0	✓	✓	✓
requests-parallel-max	Maximum number of parallel data requests from individual partitions on the data container.	32	✓	✓	✓
slot-based-rate-limit-length-ms	Length in ms of a slot-based rate limit.	60000	✓		✓
slot-based-rate-limit-slots	Number of slots of a slot-based rate limit. Null means no slot-based rate limit		✓		✓
standardize-identifiers	Rewrite all identifiers to the preferred standards as configured by standardize-identifiers-casing and maximum-length-identifiers.	True	✓	✓	✓
standardize-identifiers-casing	Rewrite all identifiers to the recommended standard platform-specific casing when changing a data model on a case-dependent platform.	True	✓	✓	✓
trace-native-calls	Trace native calls to data container backend.	False	✓	✓	✓

2 Catalog: Database

2.1 Schemas

2.1.1 Schema: Invantive

2.1.1.1 Tables

PooledConnections: Pooled Connections

Catalog: Database

Schema: Invantive

Label: Pooled Connections

Table Columns

Name	Data Type	Label	Nullable	Documentation
COUNT_TIMES_USED	int32	Number of Times Used		
CREATED	datetime	Date Created		
CURRENT_CONTEXT_DESCRIPTION	string(240)	Current Context Description		
CURRENT_CONTEXT_NATURAL_KEY	string(240)	Current Context Natural Key		
CURRENT_CONTEXT_USER_LOG_ON_CODE	string(240)	Current Context User Log On Code		
DATABASE	string(240)	Database		
DURATION_USED_MS	int32	Duration Used (ms)		
ID	int32	ID		
IS_FREE	boolean	Is Free		

Name	Data Type	Label	Nullable	Documentation
LAST_USE_DURATION_MS	int32	Last Use Duration (ms)		
LAST_USE_END	datetime	Last Use End		
LAST_USE_START	datetime	Last Use Start		
PREVIOUS_CONTEXT_DESCRIPTIONS	string(240)	Previous Context Descriptions		

2.1.2 Schema: Native

2.1.2.1 Tables

NativePlatformScalarRequests: Native Platform Scalar Requests

Catalog: Database

Schema: Native

Label: Native Platform Scalar Requests

Table Columns

Name	Data Type	Label	Nullable	Documentation
CONTENT_TYPE	string(240)	itgen_content_type	<input checked="" type="checkbox"/>	
DATE_ENDED	datetime	itgen_end_date	<input type="checkbox"/>	
DATE_STARTED	datetime	Start Date	<input type="checkbox"/>	
DRY_RUN	boolean	Run without Actions	<input type="checkbox"/>	
ERROR_MESSAGE_CODE	string(30)	Error Message Code	<input checked="" type="checkbox"/>	
ERROR_MESSAGE_TEXT	string(4000)	Error Message Text	<input checked="" type="checkbox"/>	
HTTP_DISK_CACHE_MAX_AGE_SEC	int32	HTTP Disk Cache Maximum Age (sec)	<input checked="" type="checkbox"/>	Maximum age in seconds of HTTPdisk cache entries to be used.
HTTP_DISK_CACHE_SAVE	boolean	Save HTTP Disk Cache	<input checked="" type="checkbox"/>	Whether results can be stored in HTTP disk cache.
HTTP_DISK_CACHE_USE	boolean	Use HTTP Disk Cache	<input checked="" type="checkbox"/>	Whether results can be fetched from HTTP disk cache.
HTTP_MEMORY_CACHE_MAX_AGE_SEC	int32	HTTP Memory Cache Maximum Age (sec)	<input checked="" type="checkbox"/>	Maximum age in seconds of HTTP memory cache entries to be used.
HTTP_MEMORY_CACHE_SAVE	boolean	Save HTTP Memory Cache	<input checked="" type="checkbox"/>	Whether results can be stored in HTTP memory cache.
HTTP_MEMORY_CACHE_USE	boolean	Use HTTP Memory Cache	<input checked="" type="checkbox"/>	Whether results can be fetched from HTTP memory cache.
ORIG_SYSTEM_GROUP	string(4000)	Original System Group	<input checked="" type="checkbox"/>	
ORIG_SYSTEM_REFERENCE	string(4000)	Original System Reference	<input checked="" type="checkbox"/>	
PAYLOAD_TEXT	string	Payload	<input checked="" type="checkbox"/>	
RESULT	string(4000)	Result	<input checked="" type="checkbox"/>	
SUCCESSFUL	boolean	Successful	<input type="checkbox"/>	
TIMEOUT_SEC	int32	Timeout (sec)	<input checked="" type="checkbox"/>	Timeout in seconds.

Name	Data Type	Label	Nullable	Documentation
TRANSACTION_ID	int32	Transaction ID	<input type="checkbox"/>	Incrementing ID of the transaction.
URL	string(4000)	URL	<input checked="" type="checkbox"/>	

Index

- B -

bulk-insert-page-size-rows 1

- C -

command-timeout-sec 1
 CONTENT_TYPE 3
 COUNT_TIMES_USED 2
 CREATED 2
 Current Context Description 2
 Current Context Natural Key 2
 Current Context User Log On Code 2
 CURRENT_CONTEXT_DESCRIPTION 2
 CURRENT_CONTEXT_NATURAL_KEY 2
 CURRENT_CONTEXT_USER_LOG_ON_CODE

- D -

Database 1, 2
 Date Created 2
 DATE_ENDED 3
 DATE_STARTED 3
 DRY_RUN 3
 Duration Used (ms) 2
 DURATION_USED_MS 2

- E -

Error Message Code 3
 Error Message Text 3
 ERROR_MESSAGE_CODE 3
 ERROR_MESSAGE_TEXT 3

- F -

force-case-sensitive-identifiers 1
 forced-casing-identifiers 1

- H -

HTTP Disk Cache Maximum Age (sec) 3
 HTTP Memory Cache Maximum Age (sec) 3
 HTTP_DISK_CACHE_MAX_AGE_SEC 3
 HTTP_DISK_CACHE_SAVE 3

HTTP_DISK_CACHE_USE 3
 HTTP_MEMORY_CACHE_MAX_AGE_SEC 3
 HTTP_MEMORY_CACHE_SAVE 3
 HTTP_MEMORY_CACHE_USE 3

- I -

ID 2
 invantive-sql-forward-filters-to-data-containers 1
 invantive-sql-shuffle-fetch-results-data-containers 1
 invantive-use-cache 1
 Is Free 2
 IS_FREE 2

- L -

Last Use Duration (ms) 2
 Last Use End 2
 Last Use Start 2
 LAST_USE_DURATION_MS 2
 LAST_USE_END 2
 LAST_USE_START 2

- M -

maximum-length-identifiers 1
 maximum-number-of-pooled-connections 1
 maximum-sleep-acquire-pooled-connection-ms 1
 maximum-sleep-acquire-unpooled-connection-ms 1

- N -

Native Platform Scalar Requests 3
 NativePlatformScalarRequests 3
 npgsql-log 1
 Number of Times Used 2

- O -

ORIG_SYSTEM_GROUP 3
 ORIG_SYSTEM_REFERENCE 3
 Original System Group 3
 Original System Reference 3

- P -

Payload 3
 PAYLOAD_TEXT 3
 pg 1

Pooled Connections 2
PooledConnections 2
PostgreSql 1, 2, 3
preferred-number-of-pooled-connections 1
prefix-bind-variable-in-list 1
prefix-bind-variable-normal 1
prefix-renamed-columns 1
pre-request-delay-ms 1
Previous Context Descriptions 2
PREVIOUS_CONTEXT_DESCRIPTIONS 2

- R -

requests-parallel-max 1
Result 3
Run without Actions 3

- S -

Save HTTP Disk Cache 3
Save HTTP Memory Cache 3
slot-based-rate-limit-length-ms 1
slot-based-rate-limit-slots 1
standardize-identifiers 1
standardize-identifiers-casing 1
Start Date 3
Successful 3
SUCCESSFUL 3

- T -

Timeout (sec) 3
TIMEOUT_SEC 3
trace-native-calls 1
Transaction ID 3
TRANSACTION_ID 3

- U -

URL 3
Use HTTP Disk Cache 3
Use HTTP Memory Cache 3



invantive the **SQL** company

Invantive B.V.
Biesteweg 11
3849 RD Hierden
the Netherlands

Tel: +31 88 00 26 500
Fax: +31 84 22 58 178
info@invantive.com
invantive.com

IBAN NL25 BUNQ 2098 2586 07
Chamber of Industry and Commerce
13031406
VAT NL812602377B01
RSIN 8122602377
Managing Director: Guido Leenders
Registered office: Roermond