

# WORKSURFACES

September 2025 Price List

**AIS**

**PRODUCT INFORMATION**

Universal Worksurfaces Statement of Line . . . . . 3  
Universal Worksurface Finish Options . . . . . 4  
Universal Worksurfaces Product Details . . . . . 5  
Universal Worksurfaces Grommet Specifications . . . . . 7

**Worksurfaces**


Rectangular Worksurfaces . . . . . 9  
Rectangular Worksurfaces for Height Adjustable Tables . . . . . 11  
System Specific Extended Rectangular Worksurfaces . . . . . 12  
System Specific Bullpen Surfaces . . . . . 13  
Radius Rectangle Surfaces . . . . . 14  
Rectilinear and Extended Rectilinear Corners . . . . . 15  
Curvilinear Corners . . . . . 16  
Cockpit Corners. . . . . 17  
Extended Curvilinear Corner Worksurfaces. . . . . 18  
D-Tops . . . . . 24  
P Top Surfaces . . . . . 25  
System Specific Spanner Half Moons . . . . . 26  
Rounds and 120° Corners . . . . . 27  
Shelf Surfaces and Rectangular / Radius Transactions. . . . . 28  
Grommet Hole Covers . . . . . 29

**WARRANTY & TERMS AND CONDITIONS**


For Warranty & Terms and Conditions please visit:  
<https://www.ais-inc.com>

WORKSURFACES


2MM EDGE WORKSURFACES




Rectangular Worksurfaces




Extended Rectangular Worksurfaces  
System Specific




Bullpen Surfaces  
System Specific




Radius Rectangle Surfaces




Standard Rectilinear Corners Type B




Extended Rectilinear Corners  
Left or Right Hand




Curvilinear Corners Type A




Standard Curvilinear Corners Type B




Cockpit Corner




Cockpit Corner Returns  
Left or Right Hand




Extended Curvilinear Corners  
Left or Right Hand




Depth Transition Curvilinear Corners




D-Top



P-Top  
Left or Right Hand




Spanner Half Moons  
System Specific



Rounds




Standard 120° C, 90° L, 90° R Corner



Shelf Surface



Rectangular Transaction



Radius Transaction

## Worksurface Laminate Options

WORKSURFACE LAMINATE OPTIONS	
Name	Grade
Absolute Acajou	A
Aimtoo Savatre	A
Black	A
Brazilwood	A
Chalk	A
Corporate Walnut	A
Dark Rum Cherry	A
Field Elm	A
Grand Cherry	A
Grey Elm	A
Landmark	A
Leave Likatre	A
Linen	A
Looks Likatre	A
Maritime Dune	A
Midwest Maple	A
Neo Walnut	A
Phantom Ecrú	A
Phantom Pearl	A
Storm	A
Summer Drops	A
True White	A
Trytoo Savatre	A
White Chocolate	A
Asian Night	B
Asian Sand	B
Beige Granite	B
Colombian Walnut	B

WORKSURFACE LAMINATE OPTIONS	
Name	Grade
Fonthill Pear	B
Grey Mesh	B
Gridlock in L.A.	B
Madagascar	B
Mahogany Clove	B
Monticello Maple	B
Nightfall	B
Paris White Potteryware	B
Pewter Mesh	B
Recon Oak	B
Shadow	B
Sunset	B
Titanium EV	B
Tungsten EV	B
White Spektrum	B
Windswept Pewter	B
Yorkshire Cherry	B
Ebony	C
Bright White (Writable Surface)	C
Pecan Woodline	C
Strand Burnt	C
Strand Wedge	C
Strand Wheat	C
Twill Earthen	C
Twill Graphite	C
Twill Sarum	C
Warm White	C

EDGE BAND OPTIONS		
Name	Color Code	Grade
Absolute Acajou	AA	A
Aimtoo Savatre	AS	A
Black	BK	A
Brazilwood	BZ	A
Chalk	CK	A
Corporate Walnut	CT	A
Dark Rum Cherry	DR	A
Dark Tone	DT	A
Field Elm	FE	A
Grand Cherry	GC	A
Grey Elm	GE	A
Grey Value 1	GV1	A
Landmark	LM	A
Leave Likatre	LV	A

EDGE BAND OPTIONS		
Name	Color Code	Grade
Light Tone	LT	A
Linen	LN	A
Looks Likatre	LK	A
Maritime Dune	MD	A
Medium Tone	MT	A
Midwest Maple	MM	A
Neo Walnut	NW	A
Phantom Ecrú	PE	A
Phantom Pearl	PP	A
Satin White / True White	SW/TW	A
Storm	ST	A
Summer Drops	SD	A
Trytoo Savatre	TS	A
White Chocolate	WC	A

### Custom Edgeband Options


- Custom match non-standard edgebands must be submitted as a special. Pricing varies based on edge thickness and finish.
- Minimum order size for any custom color is \$75,000.00 list. Extended lead-time will apply.

At AIS, we take great pride in offering a diverse selection of high-quality materials including but not limited to textiles, laminates, PET, mesh, etc. However, AIS cannot guarantee uniformity in dye lots across different production runs. As such, AIS is not liable for any variations in dye lots or color discrepancies in any of our products that may occur between orders. We encourage customers to review samples for color and texture matching prior to purchase. We are committed to providing exceptional products and are confident that our selection of textiles will meet your expectations for both aesthetic appeal and durability.

Universal Worksurfaces Product Details

**Product Detail 1**  
**2mm Edge Details**


2 mm edge banding (approximately 3/32") is made of flexible, dent resistant ABS. Impregnated colors match panel trim colors and help to reduce visible scratches. Edges are rounded/beveled for comfort. 2mm edging is available on all worksurface shapes. All surfaces shown are 2mm unless noted otherwise.



**Universal Worksurfaces Product Details**



**Product Detail 2**  
**Worksurfaces for Height Adjustable Tables**

Worksurfaces for Height Adjustable Tables require a 1" gap on all sides to prevent pinch points. When placing two Worksurfaces for Height Adjustable Tables side-by-side each worksurface requires the 1" gap resulting in a 2" gap between worksurfaces. See examples below.



**Product Detail 3**  
**Curvilinear Corner Part Number Nomenclature**


Curvilinear Corner part numbers are read from the seated position starting on the left and reading clockwise regardless of handedness.



Universal Worksurfaces Grommet Specifications

RECTANGULAR GROMMET OPTIONS


Option	Location	List
A	No Grommets	-
B	Location 1	+38
C	Location 2	+38
D	Location 3	+38
E	Locations 2 and 3	+76
F	Locations 1, 2 and 3	+114
G	Locations 1 and 2	+76
H	Locations 1 and 3	+76
I	Location 4	+38
J	Location 5	+38
K	Locations 4 and 5	+76
L	Locations 1, 4 and 5	+114
M	Locations 1 and 4	+76
N	Locations 1 and 5	+76



Applies to: Rectangulars, Extended Rectangulars, Cockpit Returns, 120° Returns

CORNER GROMMET OPTIONS


Option	Location	List
A	No Grommets	-
B	Location 1 (Default)	-
C	Location 1 and 2	+38
D	Location 1 and 3	+38
E	Locations 1, 2 and 3	+76



Applies to: All Corners (Rectilinear, Curvilinear, Depth Transitions, Cockpit Corners, 120° Corners, 135° Corners, Corner Keyboards)

RADIUS RECTANGULAR OPTIONS

Option	Location	List
A	No Grommets	-
B	Location 1	+38



Applies to: Freestanding use only

Notes


- Grommet holes are 2 3/4" outside diameter with a 2 5/8" inside diameter (inside sleeve).
- Grommet covers are available in either grey or black and are included with grommet options.
- Grommet covers may also be purchased separately.
- Specification tip:
  - Options 1, 2 and 3 for use with panel systems.
  - Options 1, 4 and 5 for use with freestanding supports.

**Grommet Specifications**

**EXTENDED LEFT HAND CORNER GROMMET OPTIONS**

Option	Location	List
A	No Grommets	-
B	Location 1 (Default)	-
C	Location 1 and 2	+38
D	Location 1 and 4	+38
E	Locations 1 and 3*	+38
F	Locations 1, 2 and 4	+76
G	Locations 1, 3 and 4*	+76

\*Available on 72" Wide only.




**Applies to:** All Extended Left Hand Corners (Rectilinears, Curvilinears, Depth Transitions, 120° Corners, 135° Corners). Excludes all Extended D-Tops.

**EXTENDED RIGHT HAND CORNER GROMMET OPTIONS**

Option	Location	List
A	No Grommets	-
B	Location 1 (Default)	-
C	Location 1 and 2	+38
D	Location 1 and 4	+38
E	Locations 1 and 3*	+38
F	Locations 1, 2 and 4	+76
G	Locations 1, 3 and 4*	+76


\*Available on 72" Wide only.



**Applies to:** All Extended Right Hand Corners (Rectilinears, Curvilinears, Depth Transitions, 120° Corners, 135° Corners). Excludes all Extended D-Tops.

**D-TOP GROMMET OPTIONS**


Option	Location	List
A	No Grommets	-
B	Location 1	+38
C	Location 2	+38
D	Locations 1 and 2	+76



**Applies to:** D-Tops

**P-TOP GROMMET OPTIONS**

Option	Location	List
A	No Grommets	-
B	Location 1	+38
C	Location 2	+38
D	Locations 1 and 2	+76



**Applies to:** P-Tops

**Notes**

- Grommet holes are 2 3/4" outside diameter with a 2 5/8" inside diameter (inside sleeve).
- Grommet covers are available in either grey or black and are included with grommet options.
- Grommet covers may also be purchased separately.

**Rectangular Worksurfaces**

**18" DEEP RECTANGULAR WORKSURFACES**

D	W	Model Number	List	Grade C Laminate
18	18	W-WS1818	373	+21
18	24	W-WS1824	405	+21
18	30	W-WS1830	488	+28
18	36	W-WS1836	528	+28
18	42	W-WS1842	575	+30
18	48	W-WS1848	624	+33
18	54	W-WS1854	696	+41
18	60	W-WS1860	768	+41
18	66	W-WS1866	873	+46
18	72	W-WS1872	903	+51
18	78	W-WS1878	1,020	+58
18	84	W-WS1884	1,091	+58
18	90	W-WS1890	1,149	+68
18	96	W-WS1896	1,277	+68

**24" DEEP RECTANGULAR WORKSURFACES**


D	W	Model Number	List	Grade C Laminate
24	24	W-WS2424	411	+21
24	30	W-WS2430	491	+25
24	36	W-WS2436	534	+28
24	42	W-WS2442	580	+30
24	48	W-WS2448	630	+33
24	54	W-WS2454	700	+41
24	60	W-WS2460	772	+41
24	66	W-WS2466	877	+46
24	72	W-WS2472	960	+51
24	78	W-WS2478	1,025	+54
24	84	W-WS2484	1,097	+58
24	90	W-WS2490	1,111	+68
24	96	W-WS2496	1,281	+68

**30" DEEP RECTANGULAR WORKSURFACES**

D	W	Model Number	List	Grade C Laminate
30	24	W-WS3024	491	+25
30	30	W-WS3030	577	+30
30	36	W-WS3036	629	+34
30	42	W-WS3042	745	+39
30	48	W-WS3048	806	+42
30	54	W-WS3054	935	+50
30	60	W-WS3060	935	+50
30	66	W-WS3066	1,055	+56
30	72	W-WS3072	1,147	+61
30	78	W-WS3078	1,390	+69
30	84	W-WS3084	1,616	+87
30	90	W-WS3090	1,641	+96
30	96	W-WS3096	1,790	+96

**36" DEEP RECTANGULAR WORKSURFACES**

D	W	Model Number	List	Grade C Laminate
36	24	W-WS3624	534	+28
36	30	W-WS3630	646	+34
36	36	W-WS3636	756	+40
36	42	W-WS3642	938	+50
36	48	W-WS3648	1,007	+53
36	54	W-WS3654	1,152	+61
36	60	W-WS3660	1,275	+68
36	66	W-WS3666	1,344	+72
36	72	W-WS3672	1,496	+80
36	78	W-WS3678	1,653	+88
36	84	W-WS3684	1,791	+96
36	90	W-WS3690	1,833	+99
36	96	W-WS3696	1,988	+99



**Specify**


- Laminate Selection
- Color Selection for 2mm Edge
- Additional Grommet Locations (+38)
- Grommet Cover Color (if applicable)

**Notes**

- Worksurface support hardware is specified separately.
- Grommet holes with covers are specified as options.
- It is highly recommended that a center support be used on all worksurfaces greater than 48" width.
- When spanning panel connections with a worksurface greater than 48" wide, an additional center cantilever is recommended for added support. Otherwise, a U-channel is recommended for additional center worksurface support.
- It is not recommended that 36", 42" and 48" deep worksurfaces be cantilevered to panels.
- If these size depths must be panel hung, it is highly recommended that an additional front support, such as a combination leg or full laminate support panel, also be specified.

**Rectangular Worksurfaces**

42" DEEP RECTANGULAR WORKSURFACES					48" DEEP RECTANGULAR WORKSURFACES				
D	W	Model Number	List	Grade C Laminate	D	W	Model Number	List	Grade C Laminate
42	24	W-WS4224	552	+30	48	24	W-WS4824	630	+33
42	30	W-WS4230	674	+39	48	30	W-WS4830	806	+42
42	36	W-WS4236	793	+50	48	36	W-WS4836	1,007	+53
42	42	W-WS4242	979	+52	48	42	W-WS4842	1,070	+57
42	48	W-WS4248	1,046	+57	48	48	W-WS4848	1,131	+60
42	54	W-WS4254	1,203	+63	48	54	W-WS4854	1,273	+68
42	60	W-WS4260	1,495	+67	48	60	W-WS4860	1,260	+67
42	66	W-WS4266	1,402	+68	48	66	W-WS4866	1,402	+75
42	72	W-WS4272	1,569	+77	48	72	W-WS4872	1,436	+77
42	84	W-WS4284	1,871	+96	48	84	W-WS4884	1,802	+97
42	90	W-WS4290	2,047	+99	48	90	W-WS4890	2,008	+99
42	96	W-WS4296	1,926	+99	48	96	W-WS4896	1,856	+99




Specify	Notes
<ul style="list-style-type: none"> <li>• Laminate Selection</li> <li>• Color Selection for 2mm Edge</li> <li>• Additional Grommet Locations (+38)</li> <li>• Grommet Cover Color (if applicable)</li> </ul>	<ul style="list-style-type: none"> <li>• Worksurface support hardware is specified separately.</li> <li>• Grommet holes with covers are specified as options.</li> <li>• It is highly recommended that a center support be used on all worksurfaces greater than 48" width.</li> <li>• When spanning panel connections with a worksurface greater than 48" wide, an additional center cantilever is recommended for added support. Otherwise, a U-channel is recommended for additional center worksurface support.</li> <li>• It is not recommended that 36", 42" and 48" deep worksurfaces be cantilevered to panels.</li> <li>• If these size depths must be panel hung, it is highly recommended that an additional front support, such as a combination leg or full laminate support panel, also be specified.</li> </ul>

Rectangular Worksurfaces for Height Adjustable Tables

RECTANGULAR WORKSURFACES FOR HEIGHT ADJUSTABLE TABLES

D <sup>1</sup>	W <sup>1</sup>	Model Number	List
23	46	W-WS2346	630
23	52	W-WS2352	728
23	58	W-WS2358	772
23	64	W-WS2364	877
23	70	W-WS2370	960
29	46	W-WS2946	806
29	52	W-WS2952	828
29	58	W-WS2958	935
29	64	W-WS2964	1,055
29	70	W-WS2970	1,147



Specify	Notes
<ul style="list-style-type: none"> <li>• Laminate Selection</li> <li>• Color Selection for 2mm Edge</li> <li>• Grommet Location</li> <li>• Color Selection for Grommet Cover</li> </ul>	<ul style="list-style-type: none"> <li>• Rectangular Worksurfaces for Height Adjustable Tables have a 1 1/8" thickness.</li> <li>• Height adjustable worksurface support base is specified separately.</li> <li>• Grommet holes with covers are specified as options.</li> <li>• These worksurfaces are for use with height adjustable table bases only.</li> <li>• Worksurfaces for Height Adjustable Tables require a 1" gap around to prevent pinch points. See example in Product Details.</li> </ul>

**System Specific Extended Rectangular Worksurfaces**

**!** The following worksurface is designed for use with Matrix systems only:





**!** The following worksurface is designed for use with Matrix systems only:

**MATRIX SYSTEM EXTENDED RECTANGULAR WORKSURFACE**

**DIVI SYSTEM EXTENDED RECTANGULAR WORKSURFACE**

D	W	Model Number	List	Grade C Laminate
24	27 1/4	W-WSE2424MX	416	+23
24	33 1/4	W-WSE2430MX	498	+28
24	39 1/4	W-WSE2436MX	540	+30
24	45 1/4	W-WSE2442MX	592	+33
24	51 1/4	W-WSE2448MX	644	+36
24	57 1/4	W-WSE2454MX	724	+41
24	63 1/4	W-WSE2460MX	790	+45
24	69 1/4	W-WSE2466MX	900	+51
24	75 1/4	W-WSE2472MX	981	+56
24	87 1/4	W-WSE2484MX	1,125	+64
30	27 1/4	W-WSE3024MX	555	+31
30	33 1/4	W-WSE3030MX	589	+33
30	39 1/4	W-WSE3036MX	655	+37
30	45 1/4	W-WSE3042MX	720	+41
30	51 1/4	W-WSE3048MX	776	+44
30	57 1/4	W-WSE3054MX	902	+51
30	63 1/4	W-WSE3060MX	960	+54
30	69 1/4	W-WSE3066MX	1,082	+62
30	75 1/4	W-WSE3072MX	1,171	+67
30	87 1/4	W-WSE3084MX	1,538	+88

D	W	Model Number	List	Grade C Laminate
24	26 3/16	W-WSE2424MW	443	+23
24	32 3/16	W-WSE2430MW	534	+28
24	38 3/16	W-WSE2436MW	577	+30
24	44 3/16	W-WSE2442MW	633	+33
24	50 3/16	W-WSE2448MW	687	+36
24	56 3/16	W-WSE2454MW	772	+41
24	62 3/16	W-WSE2460MW	843	+45
24	68 3/16	W-WSE2466MW	961	+51
24	74 3/16	W-WSE2472MW	1,047	+56
24	86 3/16	W-WSE2484MW	1,199	+64
30	26 3/16	W-WSE3024MW	592	+31
30	32 3/16	W-WSE3030MW	630	+33
30	38 3/16	W-WSE3036MW	698	+37
30	44 3/16	W-WSE3042MW	769	+41
30	50 3/16	W-WSE3048MW	828	+44
30	56 3/16	W-WSE3054MW	962	+51
30	62 3/16	W-WSE3060MW	1,023	+54
30	68 3/16	W-WSE3066MW	1,153	+62
30	74 3/16	W-WSE3072MW	1,253	+67
30	86 3/16	W-WSE3084MW	1,464	+88



**Specify**

**Notes**

- Laminate Selection
- Color Selection for 2mm Edge
- Additional Grommet Locations (+38)
- Grommet Cover Color (if applicable)

- Worksurface support hardware is specified separately.
- Grommet holes with covers are specified as options.
- Extended rectangulars are designed to compensate for the gap created when a panel is inserted into a panel run at a 3-way connection.
- Be sure to order worksurface that corresponds to the system you are specifying.
- It is highly recommended that a center support be used on all worksurfaces greater than 48" wide.
- When spanning panel connections with a worksurface greater than 48" wide, an additional center cantilever is recommended for added support. Otherwise a U-Channel is recommended for additional center worksurface support.



**System Specific Bullpen Surfaces**

**⚠ The following worksurface is designed for use with Divi systems only:**

**⚠ The following worksurface is designed for use with Divi systems only:**

DIVI BULLPEN SURFACES					
D	W	Number of Panels	Model Number	List	Grade C Laminate
24	24 1/8	1	W-WSDV2424	440	+21
24	30 1/8	1	W-WSDV2430	516	+25
24	36 1/8	1	W-WSDV2436	562	+28
24	42 1/8	1	W-WSDV2442	610	+30
24	48 1/8	1	W-WSDV2448	657	+33
24	54 1/4	2	W-WSDV2454	803	+41
24	60 1/8	1	W-WSDV2460A	803	+41
24	60 1/4	2	W-WSDV2460B	803	+41
24	66 1/4	2	W-WSDV2466	907	+46
24	72 1/4	2	W-WSDV2472A	984	+51
24	72 3/8	3	W-WSDV2472B	984	+51
24	78 1/4	2	W-WSDV2478A	1,055	+54
24	78 3/8	3	W-WSDV2478B	1,055	+54
24	84 1/4	2	W-WSDV2484A	1,126	+58
24	84 3/8	3	W-WSDV2484B	1,126	+58

DIVI BULLPEN SURFACES					
D	W	Number of Panels	Model Number	List	Grade C Laminate
30	24 1/8	1	W-WSDV3024	516	+25
30	30 1/8	1	W-WSDV3030	607	+30
30	36 1/8	1	W-WSDV3036	677	+34
30	42 1/8	1	W-WSDV3042	771	+39
30	48 1/8	1	W-WSDV3048	829	+42
30	54 1/4	2	W-WSDV3054	967	+42
30	60 1/8	1	W-WSDV3060A	967	+50
30	60 1/4	2	W-WSDV3060B	967	+50
30	66 1/4	2	W-WSDV3066	1,085	+58
30	72 1/4	2	W-WSDV3072A	1,180	+61
30	72 3/8	3	W-WSDV3072B	1,180	+61
30	78 1/4	2	W-WSDV3078A	1,422	+69
30	78 3/8	3	W-WSDV3078B	1,422	+69
30	84 1/4	2	W-WSDV3084A	1,646	+87
30	84 3/8	3	W-WSDV3084B	1,646	+87



**Specify**

**Notes**


- Laminate Selection
- Color Selection for 2mm Edge
- Additional Grommet Locations (+38)
- Grommet Cover Color (if applicable)

- Worksurface support hardware is specified separately.
- Grommet holes with covers are specified as options.
- Bullpen Rectangular surfaces are designed to compensate for the gap created by natural panel creep for system specific (MWall or Divi) panels only.
- It is highly recommended that a center support be used on all workspaces greater than 48" wide.
- When spanning panel connections with a worksurface greater than 48" wide, an additional center cantilever is recommended for added support. Otherwise a U-Channel is recommended for additional center worksurface support.

**Radius Rectangle Surfaces**

RADIUS RECTANGLE WORKSURFACES				
D'	W'	Model Number	List	Grade C Laminate
24	24	W-W4C2424	643	+110
24	30	W-W4C2430	722	+110
24	36	W-W4C2436	766	+110
24	42	W-W4C2442	813	+110
24	48	W-W4C2448	862	+110
24	54	W-W4C2454	934	+200
24	60	W-W4C2460	1,004	+200
24	66	W-W4C2466	1,110	+200
24	72	W-W4C2472	1,193	+200
30	30	W-W4C3030	808	+200
30	36	W-W4C3036	861	+200
30	42	W-W4C3042	976	+200
30	48	W-W4C3048	1,037	+200
30	54	W-W4C3054	1,167	+240
30	60	W-W4C3060	1,167	+240
30	66	W-W4C3066	1,287	+240
30	72	W-W4C3072	1,380	+240

RADIUS RECTANGLE WORKSURFACES FOR HEIGHT ADJUSTABLE TABLES				
D'	W'	Model Number	List	Grade C Laminate
23	46	W-W4C2346	862	+110
23	52	W-W4C2352	961	+200
23	58	W-W4C2358	1,004	+200
23	64	W-W4C2364	1,110	+200
23	70	W-W4C2370	1,193	+200
29	46	W-W4C2946	1,037	+240
29	52	W-W4C2952	1,059	+240
29	58	W-W4C2958	1,167	+240
29	64	W-W4C2964	1,287	+240
29	70	W-W4C2970	1,380	+240



**Specify**

**Notes**

- Laminate Selection
- Color Selection for 2mm Edge
- Additional Grommet Locations (+38)
- Grommet Cover Color (if applicable)

- Worksurface support hardware is specified separately.
- Grommet holes with covers are specified as options.
- Height adjustable worksurface support base is specified separately. AIS height adjustable bases are only compatible with radius rectangle worksurfaces 48"W and larger.



Rectilinear and Extended Rectilinear Corners

EXTENDED RECTILINEAR LEFT HAND CORNERS

D <sup>1</sup>	W <sup>1</sup>	W <sup>2</sup>	F	Model Number	List	Grade C Laminate
24	36	42	17	W-WSCE244236	922	+50
24	36	48	17	W-WSCE244836	927	+51
24	36	60	17	W-WSCE246036	1,082	+59
24	36	72	17	W-WSCE247236	1,509	+83
24	42	48	21.25	W-WSCE244842	1,126	+61
24	42	60	21.25	W-WSCE246042	1,326	+72
24	42	72	21.25	W-WSCE247242	1,528	+83
24	48	60	21.25	W-WSCE246048	1,331	+73
24	48	72	21.25	W-WSCE247248	1,531	+84

EXTENDED RECTILINEAR RIGHT HAND CORNERS

D <sup>1</sup>	W <sup>1</sup>	W <sup>2</sup>	F	Model Number	List	Grade C Laminate
24	36	42	17	W-WSCE243642	922	+50
24	36	48	17	W-WSCE243648	927	+51
24	36	60	17	W-WSCE243660	1,082	+59
24	36	72	17	W-WSCE243672	1,509	+83
24	42	48	21.25	W-WSCE244248	1,126	+61
24	42	60	21.25	W-WSCE244260	1,326	+72
24	42	72	21.25	W-WSCE244272	1,528	+83
24	48	60	21.25	W-WSCE244860	1,331	+73
24	48	72	21.25	W-WSCE244872	1,531	+84




Specify

Notes

- Laminate Selection
- Color Selection for 2mm Edge
- Additional Grommet Locations (+38)
- Grommet Cover Color (if applicable)
- Worksurface support hardware is specified separately.
- Rear corner grommet hole with cover is included.
- Additional grommet holes with covers are specified as options.

STANDARD RECTILINEAR CORNER TYPE B

D <sup>1</sup>	W <sup>1</sup>	F	Model Number	List	Grade C Laminate
24	36	10.25	W-WSC2436B	846	+45
24	42	18.75	W-WSC2442B	1,018	+54
24	48	18.75	W-WSC2448	1,132	+60
30	42	10.25	W-WSC3042B	1,129	+60
30	48	18.75	W-WSC3048B	1,281	+69



Specify


Notes

- Laminate Selection
- Color Selection for 2mm Edge
- Additional Grommet Locations (+38)
- Grommet Cover Color (if applicable)
- Worksurface support hardware is specified separately.
- Rear corner grommet hole with cover is included.
- Additional grommet holes with covers are specified as options.

**Curvilinear Corners**


**CURVILINEAR CORNER TYPE A**

D <sup>1</sup>	W <sup>1</sup>	Model Number	List	Grade C Laminate
24	36	W-WSCC2436	886	+47
30	42	W-WSCC3042	1,179	+63



**STANDARD CURVILINEAR CORNER TYPE B**

D <sup>1</sup>	W <sup>1</sup>	Model Number	List	Grade C Laminate
24	42	W-WSCC2442	1,070	+58
24	48	W-WSCC2448	1,182	+64
30	48	W-WSCC3048	1,348	+72



**Specify**

**Notes**

- |   |   |
|---|---|
| <ul style="list-style-type: none"> <li>• Laminate Selection</li> <li>• Color Selection for 2mm Edge</li> <li>• Additional Grommet Locations (+38)</li> <li>• Grommet Cover Color (if applicable)</li> </ul> | <ul style="list-style-type: none"> <li>• Worksurface support hardware is specified separately.</li> <li>• Rear corner grommet hole with cover is included.</li> <li>• Additional grommet holes with covers are specified as options.</li> </ul> |
|---|---|



Cockpit Corners

LEFT HAND COCKPIT CORNER RETURNS

D <sup>1</sup>	D <sup>2</sup>	W <sup>1</sup>	Model Number	List	Grade C Laminate
24	30	36	W-WSCRL36	956	+54
24	30	42	W-WSCRL42	1,047	+60
24	30	48	W-WSCRL48	1,146	+66
24	30	60	W-WSCRL60	1,242	+71
24	30	66	W-WSCRL66	1,344	+77
24	30	72	W-WSCRL72	1,436	+83
24	30	84	W-WSCRL84	1,536	+88
24	30	96	W-WSCRL96	1,633	+94


RIGHT HAND COCKPIT CORNER RETURNS

D <sup>1</sup>	D <sup>2</sup>	W <sup>1</sup>	Model Number	List	Grade C Laminate
24	30	36	W-WSCRR36	956	+54
24	30	42	W-WSCRR42	1,047	+60
24	30	48	W-WSCRR48	1,146	+66
24	30	60	W-WSCRR60	1,242	+71
24	30	66	W-WSCRR66	1,344	+77
24	30	72	W-WSCRR72	1,436	+83
24	30	84	W-WSCRR84	1,536	+88
24	30	96	W-WSCRR96	1,633	+94



COCKPIT CORNER

D <sup>1</sup>	W <sup>1</sup>	Model Number	List	Grade C Laminate
24	48	W-WSCC48	1,113	+70



Specify



Notes

- |   |   |
|---|---|
| <ul style="list-style-type: none"> <li>• Laminate Selection</li> <li>• Color Selection for 2mm Edge</li> <li>• Additional Grommet Locations (+38)</li> <li>• Grommet Cover Color (if applicable)</li> </ul> | <ul style="list-style-type: none"> <li>• Worksurface support hardware is specified separately.</li> <li>• Rear corner grommet hole with cover is included.</li> <li>• Additional grommet holes with covers are specified as options.</li> </ul> |
|---|---|

## Extended Curvilinear Corner Worksurfaces

NOMINAL SIZES – LEFT HAND					
D <sup>1</sup>	W <sup>1</sup>	W <sup>2</sup>	Model Number	List	Grade C Laminate
24	42	36	W-WSCCE244236	969	+200
24	48	36	W-WSCCE244836	974	+200
24	54	36	W-WSCCE245436	1,269	+240
24	60	36	W-WSCCE246036	1,140	+240
24	66	36	W-WSCCE246636	1,366	+240
24	72	36	W-WSCCE247236	1,589	+240
24	78	36	W-WSCCE247836	1,602	+240
24	84	36	W-WSCCE248436	2,042	+240
24	48	42	W-WSCCE244842	1,180	+200
24	54	42	W-WSCCE245442	1,530	+240
24	60	42	W-WSCCE246042	1,388	+240
24	66	42	W-WSCCE246642	1,494	+240
24	72	42	W-WSCCE247242	1,599	+240
24	78	42	W-WSCCE247842	1,791	+240
24	84	42	W-WSCCE248442	1,771	+240
24	54	48	W-WSCCE245448	1,331	+240
24	60	48	W-WSCCE246048	1,401	+240
24	66	48	W-WSCCE246648	1,503	+240
24	72	48	W-WSCCE247248	1,604	+240
24	78	48	W-WSCCE247848	1,717	+240
24	84	48	W-WSCCE248448	1,829	+240

NOMINAL SIZES – RIGHT HAND					
D <sup>1</sup>	W <sup>1</sup>	W <sup>2</sup>	Model Number	List	Grade C Laminate
24	36	42	W-WSCCE243642	969	+200
24	36	48	W-WSCCE243648	1,012	+200
24	36	54	W-WSCCE243654	1,057	+240
24	36	60	W-WSCCE243660	1,140	+240
24	36	66	W-WSCCE243666	1,365	+240
24	36	72	W-WSCCE243672	1,589	+240
24	36	78	W-WSCCE243678	1,602	+240
24	36	84	W-WSCCE243684	2,042	+240
24	42	48	W-WSCCE244248	1,180	+200
24	42	54	W-WSCCE244254	1,414	+240
24	42	60	W-WSCCE244260	1,388	+240
24	42	66	W-WSCCE244266	1,494	+240
24	42	72	W-WSCCE244272	1,599	+240
24	42	78	W-WSCCE244278	1,791	+240
24	42	84	W-WSCCE244284	1,771	+240
24	48	54	W-WSCCE244854	1,307	+240
24	48	60	W-WSCCE244860	1,401	+240
24	48	66	W-WSCCE244866	1,503	+240
24	48	72	W-WSCCE244872	1,604	+240
24	48	78	W-WSCCE244878	1,717	+240
24	48	84	W-WSCCE244884	1,829	+240



### Specify

- Laminate Selection
- Color Selection for 2mm Edge
- Additional Grommet Locations (+38)
- Grommet Cover Color (if applicable)



### Notes

- Worksurface support hardware is specified separately.
- Grommet holes with covers are specified as options.

Extended Curvilinear Corner Worksurfaces

NOMINAL SIZES – LEFT HAND					
D <sup>1</sup>	W <sup>1</sup>	W <sup>2</sup>	Model Number	List	Grade C Laminate
30	48	42	W-WSCCE304842	1,354	+200
30	54	42	W-WSCCE305442	1,458	+240
30	60	42	W-WSCCE306042	1,562	+240
30	66	42	W-WSCCE306642	1,623	+240
30	72	42	W-WSCCE307242	1,772	+240
30	78	42	W-WSCCE307842	1,660	+240
30	84	42	W-WSCCE308442	1,731	+240
30	54	48	W-WSCCE305448	1,505	+240
30	60	48	W-WSCCE306048	1,588	+240
30	66	48	W-WSCCE306648	1,655	+240
30	72	48	W-WSCCE307248	1,777	+240
30	78	48	W-WSCCE307848	1,885	+240
30	84	48	W-WSCCE308448	1,979	+240

NOMINAL SIZES – RIGHT HAND					
D <sup>1</sup>	W <sup>1</sup>	W <sup>2</sup>	Model Number	List	Grade C Laminate
30	42	48	W-WSCCE304248	1,354	+200
30	42	54	W-WSCCE304254	1,458	+240
30	42	60	W-WSCCE304260	1,365	+240
30	42	66	W-WSCCE304266	1,623	+240
30	42	72	W-WSCCE304272	1,772	+240
30	42	78	W-WSCCE304278	1,660	+240
30	42	84	W-WSCCE304284	1,874	+240
30	48	54	W-WSCCE304854	1,542	+240
30	48	60	W-WSCCE304860	1,588	+240
30	48	66	W-WSCCE304866	1,677	+240
30	48	72	W-WSCCE304872	1,777	+240
30	48	78	W-WSCCE304878	1,885	+240
30	48	84	W-WSCCE304884	1,979	+240



Specify

Notes



- Laminate Selection
- Color Selection for 2mm Edge
- Additional Grommet Locations (+38)
- Grommet Cover Color (if applicable)

- Worksurface support hardware is specified separately.
- Grommet holes with covers are specified as options.

**Extended Curvilinear Corner Worksurfaces**

DEPTH TRANSITION – LEFT HAND						
D <sup>1</sup>	W <sup>1</sup>	W <sup>2</sup>	D <sup>2</sup>	Model Number	List	Grade C Laminate
24	48	42	30	W-WSCCE24484230	1,753	+200
24	54	42	30	W-WSCCE24544230	1,761	+240
24	60	42	30	W-WSCCE24604230	1,770	+240
24	66	42	30	W-WSCCE24664230	1,777	+240
24	72	42	30	W-WSCCE24724230	1,786	+240
24	78	42	30	W-WSCCE24784230	1,793	+240
24	84	42	30	W-WSCCE24844230	1,802	+240
24	54	48	30	W-WSCCE24544830	1,809	+240
24	60	48	30	W-WSCCE24604830	1,830	+240
24	66	48	30	W-WSCCE24664830	1,848	+240
24	72	48	30	W-WSCCE24724830	1,868	+240
24	78	48	30	W-WSCCE24784830	1,875	+240
24	84	48	30	W-WSCCE24844830	1,884	+240
30	48	42	24	W-WSCCE30484224	1,753	+200
30	54	42	24	W-WSCCE30544224	1,761	+240
30	60	42	24	W-WSCCE30604224	1,770	+240
30	66	42	24	W-WSCCE30664224	1,777	+240
30	72	42	24	W-WSCCE30724224	1,786	+240
30	78	42	24	W-WSCCE30784224	1,793	+240
30	84	42	24	W-WSCCE30844224	1,802	+240
30	54	48	24	W-WSCCE30544824	1,809	+240
30	60	48	24	W-WSCCE30604824	1,830	+240
30	66	48	24	W-WSCCE30664824	1,848	+240
30	72	48	24	W-WSCCE30724824	1,868	+240
30	78	48	24	W-WSCCE30784824	1,875	+240
30	84	48	24	W-WSCCE30844824	1,884	+240

DEPTH TRANSITION – RIGHT HAND						
D <sup>1</sup>	W <sup>1</sup>	W <sup>2</sup>	D <sup>2</sup>	Model Number	List	Grade C Laminate
24	42	48	30	W-WSCCE24424830	1,753	+200
24	42	54	30	W-WSCCE24425430	1,761	+240
24	42	60	30	W-WSCCE24426030	1,770	+240
24	42	66	30	W-WSCCE24426630	1,777	+240
24	42	72	30	W-WSCCE24427230	1,786	+240
24	42	78	30	W-WSCCE24427830	1,793	+240
24	42	84	30	W-WSCCE24428430	1,802	+240
24	48	54	30	W-WSCCE24485430	1,809	+240
24	48	60	30	W-WSCCE24486030	1,830	+240
24	48	66	30	W-WSCCE24486630	1,848	+240
24	48	72	30	W-WSCCE24487230	1,868	+240
24	48	78	30	W-WSCCE24487830	1,875	+240
24	48	84	30	W-WSCCE24488430	1,884	+240
30	42	48	24	W-WSCCE30424824	1,753	+200
30	42	54	24	W-WSCCE30425424	1,761	+240
30	42	60	24	W-WSCCE30426024	1,770	+240
30	42	66	24	W-WSCCE30426624	1,660	+240
30	42	72	24	W-WSCCE30427224	1,786	+240
30	42	78	24	W-WSCCE30427824	1,793	+240
30	42	84	24	W-WSCCE30428424	1,802	+240
30	48	54	24	W-WSCCE30485424	1,809	+240
30	48	60	24	W-WSCCE30486024	1,830	+240
30	48	66	24	W-WSCCE30486624	1,660	+240
30	48	72	24	W-WSCCE30487224	1,868	+240
30	48	78	24	W-WSCCE30487824	1,875	+240
30	48	84	24	W-WSCCE30488424	1,884	+240



**Specify**

**Notes**

- Laminate Selection
- Color Selection for 2mm Edge
- Additional Grommet Locations (+38)
- Grommet Cover Color (if applicable)
- Worksurface support hardware is specified separately.
- Grommet holes with covers are specified as options.



**Extended Curvilinear Corner Worksurfaces**

**HEIGHT ADJUSTABLE OFFSET SIZES – LEFT HAND**

D <sup>1</sup>	W <sup>1</sup>	W <sup>2</sup>	Model Number	List	Grade C Laminate
23	40	34	W-WSCCE234034	1,563	+200
23	46	34	W-WSCCE234634	1,620	+200
23	52	34	W-WSCCE235234	1,679	+240
23	58	34	W-WSCCE235834	1,736	+240
23	64	34	W-WSCCE236434	1,794	+240
23	70	34	W-WSCCE237034	1,682	+240
23	76	34	W-WSCCE237634	1,910	+240
23	82	34	W-WSCCE238234	1,968	+240
23	46	40	W-WSCCE234640	1,620	+200
23	52	40	W-WSCCE235240	1,679	+240
23	58	40	W-WSCCE235840	1,736	+240
23	64	40	W-WSCCE236440	1,794	+240
23	70	40	W-WSCCE237040	1,687	+240
23	76	40	W-WSCCE237640	1,910	+240
23	82	40	W-WSCCE238240	1,968	+240
23	52	46	W-WSCCE235246	1,708	+240
23	58	46	W-WSCCE235846	1,541	+240
23	64	46	W-WSCCE236446	1,856	+240
23	70	46	W-WSCCE237046	1,716	+240
23	76	46	W-WSCCE237646	1,645	+240
23	82	46	W-WSCCE238246	1,853	+240

**HEIGHT ADJUSTABLE OFFSET SIZES – RIGHT HAND**

D <sup>1</sup>	W <sup>1</sup>	W <sup>2</sup>	Model Number	List	Grade C Laminate
23	34	40	W-WSCCE233440	1,563	+200
23	34	46	W-WSCCE233446	1,620	+200
23	34	52	W-WSCCE233452	1,679	+240
23	34	58	W-WSCCE233458	1,736	+240
23	34	64	W-WSCCE233464	1,794	+240
23	34	70	W-WSCCE233470	1,682	+240
23	34	76	W-WSCCE233476	1,910	+240
23	34	82	W-WSCCE233482	1,968	+240
23	40	46	W-WSCCE234046	1,620	+200
23	40	52	W-WSCCE234052	1,679	+240
23	40	58	W-WSCCE234058	1,644	+240
23	40	64	W-WSCCE234064	1,794	+240
23	40	70	W-WSCCE234070	1,687	+240
23	40	76	W-WSCCE234076	1,910	+240
23	40	82	W-WSCCE234082	1,968	+240
23	46	52	W-WSCCE234652	1,708	+240
23	46	58	W-WSCCE234658	1,541	+240
23	46	64	W-WSCCE234664	1,628	+240
23	46	70	W-WSCCE234670	1,716	+240
23	46	76	W-WSCCE234676	1,939	+240
23	46	82	W-WSCCE234682	1,853	+240



**Specify**

**Notes**

- Laminate Selection
- Color Selection for 2mm Edge
- Additional Grommet Locations (+38)
- Grommet Cover Color (if applicable)
- Worksurface support hardware is specified separately.
- Grommet holes with covers are specified as options.
- Height adjustable worksurface support base is specified separately.



**Extended Curvilinear Corner Worksurfaces**

**HEIGHT ADJUSTABLE OFFSET SIZES – LEFT HAND**

D <sup>1</sup>	W <sup>1</sup>	W <sup>2</sup>	Model Number	List	Grade C Laminate
29	46	40	W-WSCCE294640	1,650	+200
29	52	40	W-WSCCE295240	1,708	+240
29	58	40	W-WSCCE295840	1,765	+240
29	64	40	W-WSCCE296440	1,824	+240
29	70	40	W-WSCCE297040	1,881	+240
29	76	40	W-WSCCE297640	1,939	+240
29	82	40	W-WSCCE298240	1,996	+240
29	52	46	W-WSCCE295246	1,765	+240
29	58	46	W-WSCCE295846	1,824	+240
29	64	46	W-WSCCE296446	1,881	+240
29	70	46	W-WSCCE297046	1,939	+240
29	76	46	W-WSCCE297646	1,996	+240
29	82	46	W-WSCCE298246	2,055	+240

**HEIGHT ADJUSTABLE OFFSET SIZES – RIGHT HAND**

D <sup>1</sup>	W <sup>1</sup>	W <sup>2</sup>	Model Number	List	Grade C Laminate
29	40	46	W-WSCCE294046	1,650	+200
29	40	52	W-WSCCE294052	1,708	+240
29	40	58	W-WSCCE294058	1,765	+240
29	40	64	W-WSCCE294064	1,824	+240
29	40	70	W-WSCCE294070	1,881	+240
29	40	76	W-WSCCE294076	1,939	+240
29	40	82	W-WSCCE294082	1,996	+240
29	46	52	W-WSCCE294652	1,765	+240
29	46	58	W-WSCCE294658	1,824	+240
29	46	64	W-WSCCE294664	1,881	+240
29	46	70	W-WSCCE294670	1,939	+240
29	46	76	W-WSCCE294676	1,996	+240
29	46	82	W-WSCCE294682	2,055	+240



**Specify**

**Notes**

- Laminate Selection
- Color Selection for 2mm Edge
- Additional Grommet Locations (+38)
- Grommet Cover Color (if applicable)
- Worksurface support hardware is specified separately.
- Grommet holes with covers are specified as options.
- Height adjustable worksurface support base is specified separately.



**Extended Curvilinear Corner Worksurfaces**

**DEPTH TRANSITION W/HEIGHT ADJUSTABLE OFFSET – LEFT HAND**

D <sup>1</sup>	W <sup>1</sup>	W <sup>2</sup>	D <sup>2</sup>	Model Number	List	Grade C Laminate
23	46	40	29	W-WSCCE23464029	1,615	+200
23	52	40	29	W-WSCCE23524029	1,627	+240
23	58	40	29	W-WSCCE23584029	1,639	+240
23	64	40	29	W-WSCCE23644029	1,650	+240
23	70	40	29	W-WSCCE23704029	1,662	+240
23	76	40	29	W-WSCCE23764029	1,673	+240
23	82	40	29	W-WSCCE23824029	1,685	+240
23	52	46	29	W-WSCCE23524629	1,777	+240
23	58	46	29	W-WSCCE23584629	1,789	+240
23	64	46	29	W-WSCCE23644629	1,801	+240
23	70	46	29	W-WSCCE23704629	1,812	+240
23	76	46	29	W-WSCCE23764629	1,824	+240
23	82	46	29	W-WSCCE23824629	1,835	+240
29	46	40	23	W-WSCCE29464023	1,615	+200
29	52	40	23	W-WSCCE29524023	1,627	+240
29	58	40	23	W-WSCCE29584023	1,639	+240
29	64	40	23	W-WSCCE29644023	1,650	+240
29	70	40	23	W-WSCCE29704023	1,662	+240
29	76	40	23	W-WSCCE29764023	1,673	+240
29	82	40	23	W-WSCCE29824023	1,685	+240
29	52	46	23	W-WSCCE29524623	1,777	+240
29	58	46	23	W-WSCCE29584623	1,789	+240
29	64	46	23	W-WSCCE29644623	1,801	+240
29	70	46	23	W-WSCCE29704623	1,812	+240
29	76	46	23	W-WSCCE29764623	1,824	+240
29	82	46	23	W-WSCCE29824623	1,885	+240

**DEPTH TRANSITION W/HEIGHT ADJUSTABLE OFFSET – RIGHT HAND**

D <sup>1</sup>	W <sup>1</sup>	W <sup>2</sup>	D <sup>2</sup>	Model Number	List	Grade C Laminate
23	40	46	29	W-WSCCE23404629	1,615	+200
23	40	52	29	W-WSCCE23405229	1,627	+240
23	40	58	29	W-WSCCE23405829	1,639	+240
23	40	64	29	W-WSCCE23406429	1,650	+240
23	40	70	29	W-WSCCE23407029	1,662	+240
23	40	76	29	W-WSCCE23407629	1,673	+240
23	40	82	29	W-WSCCE23408229	1,685	+240
23	46	52	29	W-WSCCE23465229	1,777	+240
23	46	58	29	W-WSCCE23465829	1,789	+240
23	46	64	29	W-WSCCE23466429	1,801	+240
23	46	70	29	W-WSCCE23467029	1,812	+240
23	46	76	29	W-WSCCE23467629	1,824	+240
23	46	82	29	W-WSCCE23468229	1,835	+240
29	40	46	23	W-WSCCE29404623	1,615	+200
29	40	52	23	W-WSCCE29405223	1,627	+240
29	40	58	23	W-WSCCE29405823	1,639	+240
29	40	64	23	W-WSCCE29406423	1,650	+240
29	40	70	23	W-WSCCE29407023	1,662	+240
29	40	76	23	W-WSCCE29407623	1,673	+240
29	40	82	23	W-WSCCE29408223	1,685	+240
29	46	52	23	W-WSCCE29465223	1,777	+240
29	46	58	23	W-WSCCE29465823	1,789	+240
29	46	64	23	W-WSCCE29466423	1,801	+240
29	46	70	23	W-WSCCE29467023	1,812	+240
29	46	76	23	W-WSCCE29467623	1,824	+240
29	46	82	23	W-WSCCE29468223	1,835	+240



**Specify**

- Laminate Selection
- Color Selection for 2mm Edge
- Additional Grommet Locations (+38)
- Grommet Cover Color (if applicable)


**Notes**

- Worksurface support hardware is specified separately.
- Grommet holes with covers are specified as options.
- Height adjustable worksurface support base is specified separately.

**D-Tops**

D TOPS				
D'	W'	Model Number	List	Grade C Laminate
24	48	W-WSD2448	877	+110
24	54	W-WSD2454	920	+200
24	60	W-WSD2460	963	+200
24	66	W-WSD2466	1,006	+200
24	72	W-WSD2472	1,083	+200
24	78	W-WSD2478	1,168	+200
24	84	W-WSD2484	1,253	+200
30	48	W-WSD3048	950	+200
30	54	W-WSD3054	984	+240
30	60	W-WSD3060	990	+240
30	66	W-WSD3066	1,083	+240
30	72	W-WSD3072	1,177	+240
30	78	W-WSD3078	1,265	+240
30	84	W-WSD3084	1,352	+240
36	48	W-WSD3648	1,065	+200
36	54	W-WSD3654	1,274	+240
36	60	W-WSD3660	1,279	+240
36	66	W-WSD3666	1,371	+240
36	72	W-WSD3672	1,466	+240
36	78	W-WSD3678	1,554	+240
36	84	W-WSD3684	1,641	+240

D TOPS				
D'	W'	Model Number	List	Grade C Laminate
42	48	W-WSD4248	1,181	+200
42	54	W-WSD4254	1,563	+240
42	60	W-WSD4260	1,569	+240
42	66	W-WSD4266	1,660	+240
42	72	W-WSD4272	1,755	+240
42	78	W-WSD4278	1,843	+240
42	84	W-WSD4284	1,930	+240
48	48	W-WSD4848	1,296	+200
48	54	W-WSD4854	1,852	+240
48	60	W-WSD4860	1,858	+240
48	66	W-WSD4866	1,950	+240
48	72	W-WSD4872	2,045	+240
48	78	W-WSD4878	2,132	+240
48	84	W-WSD4884	2,219	+240





**Specify**

**Notes**

- Laminate Selection
- Color Selection for 2mm Edge
- Additional Grommet Locations (+38)
- Grommet Cover Color (if applicable)

- Worksurface support hardware is specified separately.
- Grommet holes with covers are specified as options.

P-TOPS						
Hand	D <sup>1</sup>	D <sup>2</sup>	W <sup>1</sup>	Model Number	List	Grade C Laminate
Left	30	36	60	W-WSPL3060	1,260	+67
Left	30	36	66	W-WSPL3066	1,354	+72
Left	30	36	72	W-WSPL3072	1,444	+78
Left	30	36	84	W-WSPL3084	1,691	+91
Right	30	36	60	W-WSPR3060	1,260	+67
Right	30	36	66	W-WSPR3066	1,354	+72
Right	30	36	72	W-WSPR3072	1,444	+78
Right	30	36	84	W-WSPR3084	1,691	+91



**Specify**

- Laminate Selection
- Color Selection for 2mm Edge
- Additional Grommet Locations (+38)
- Grommet Cover Color (if applicable)

**Notes**


- Worksurface support hardware is specified separately.
- Grommet holes with covers are specified as options.

**System Specific Spanner Half Moons**

**⚠ The following worksurface is designed for use with Divi systems only:**

**DIVI SPANNER HALF MOONS**

<b>D<sup>1</sup></b>	<b>D<sup>2</sup></b>	<b>W<sup>1</sup></b>	<b>Model Number</b>	<b>List</b>	<b>Grade C Laminate</b>
24	25 1/8	50 1/8	W-WSHM2450DV	901	+48
30	31 1/8	61 3/4	W-WSHM3062DV	964	+51




**Specify** **Notes**

- |  |   |
|--|---|
| <ul style="list-style-type: none"> <li>• Laminate Selection</li> <li>• Color Selection for 2mm Edge</li> </ul> | <ul style="list-style-type: none"> <li>• For use with Divi.</li> <li>• Worksurface support hardware is specified separately.</li> </ul> |
|--|---|

Rounds and 120° Corners

ROUNDS

W'	Model Number	List	Grade C Laminate	Swing Hole
30	C-TBLR30	714	+39	+38
36	C-TBLR36	1,023	+56	+38
42	C-TBLR42	1,221	+67	+38
48	C-TBLR48	1,277	+70	+38



Specify


- Laminate Selection
- Color Selection for 2mm Edge

Notes

- Worksurface support hardware is specified separately.

120° C, 90° L, 90° R CORNER

D'	W'	Model Number	List	Grade C Laminate
24	36	W-WSYCC2436	886	+47
24	42	W-WSYCC2442	1,070	+58
24	48	W-WSYCC2448	1,182	+64
30	42	W-WSYCC3042	1,179	+63
30	48	W-WSYCC3048	1,348	+72



Specify

- Laminate Selection
- Color Selection for 2mm Edge
- Additional Grommet Locations (+38)
- Grommet Cover Color




Notes

- Worksurface support hardware is specified separately.
- Rear corner grommet hole with cover is included.
- Additional grommet holes with covers are specified as options.


**Shelf Surfaces and Rectangular / Radius Transactions**

<b>SHELF SURFACE</b>				
D'	W'	Model Number	List	Grade C Laminate
12	24	W-CT1224	308	+17
12	30	W-CT1230	331	+18
12	36	W-CT1236	356	+19
12	42	W-CT1242	367	+20
12	48	W-CT1248	375	+21
12	54	W-CT1254	436	+24
12	60	W-CT1260	442	+24
12	66	W-CT1266	465	+27
12	72	W-CT1272	496	+27
12	78	W-CT1278	505	+28
12	84	W-CT1284	511	+28
12	90	W-CT1290	523	+29
12	96	W-CT1296	531	+29

<b>RECTANGULAR TRANSACTION</b>				
D'	W'	Model Number	List	Grade C Laminate
15	24	W-CT1524	323	+17
15	30	W-CT1530	351	+18
15	36	W-CT1536	371	+19
15	42	W-CT1542	384	+20
15	48	W-CT1548	399	+21
15	54	W-CT1554	457	+24
15	60	W-CT1560	462	+24
15	66	W-CT1566	519	+27
15	72	W-CT1572	519	+27
15	84	W-CT1584	539	+28
15	96	W-CT1596	556	+29



<b>RADIUS TRANSACTION</b>				
D'	W'	Model Number	List	Grade C Laminate
15	31.5	W-CT1524R	423	+17
15	37.5	W-CT1530R	445	+18
15	43.5	W-CT1536R	467	+19
15	49.5	W-CT1542R	489	+20
15	55.5	W-CT1548R	498	+21
15	61.5	W-CT1554R	552	+24
15	67.5	W-CT1560R	562	+24
15	73.5	W-CT1566R	617	+27
15	79.5	W-CT1572R	617	+27
15	91.5	W-CT1584R	636	+28



**Specify**


**Notes**

- Laminate Selection
- Color Selection for 2mm Edge

- Worksurface support hardware is specified separately.

**GROMMET HOLE COVERS**

<b>Diameter</b>	<b>Model Number</b>	<b>List</b>
3	W-GROMMET	44



<b>Specify</b>	<b>Notes</b>
----------------	--------------

- |  |  |
|--|--|
| <ul style="list-style-type: none"> <li>• Color Selection - White, Black or Grey Value 1</li> </ul> | <ul style="list-style-type: none"> <li>• Grommet Hole Covers for cord management may be specified when ordering worksurfaces.</li> <li>• Grommet covers are included when worksurfaces are ordered with grommets. Order separately only if extra covers are required or if retrofitting grommets in the field.</li> <li>• Grommet holes required are 2 3/4" outside diameter with a 2 5/8" inside diameter (inside sleeve).</li> <li>• Available in White, Black or Grey Value 1.</li> </ul> |
|--|--|



**National Showrooms:**

**Leominster**

AIS Headquarters  
25 Tucker Drive  
Leominster, MA 01453

---

**Chicago**

The Merchandise Mart  
Suite 391  
Chicago, Illinois 60654

**New York**

AIS New York  
257 Park Avenue South  
New York, New York 10010

**Washington, D.C.**

AIS Washington, D.C.  
1501 M St, NW, STE 230  
Washington, D.C. 20005

**GSA Sales**

GSA Contract GS-29F-0006K  
FSC Group 71,  
Part 1 Office Furniture

**For additional information on AIS:**

Dealer Showrooms, Representative  
Directory, Project Case Studies, Online  
Catalog & Product Showcase  
Visit: [www.ais-inc.com](http://www.ais-inc.com)