

SUPPORT & STORAGE

January 2026 Price List

AIS

PRODUCT INFORMATION

Support, Storage and Screens Statement of Line 3
 Support, Storage and Screen Finish Options 7
 Support, Storage and Screen Finish Options 10
 L Series Storage Details 10
 Laminate Storage Details 12

SUPPORT

Support Product Details 14
 Full Laminate Support Panels. 16
 A-Legs 18
 N-Legs 19
 O-Legs 20
 Combination Legs. 21
 Freestanding Legs 22
 Day-to-Day Electric Height Adjustable Table Bases 25
 E Series Electric Height Adjustable Table Bases 26
 Panel Mounted Shelf Cantilevers and Shelf Surfaces 27
 Worksurface Risers, U-Channels and Flat Plates 28

STORAGE

Storage Product Details. 29
 L Series Structural Pedestals 30
 12" Wide L Series Mobile Pedestals 31
 L Series Mobile Pedestals 32
 Laminate Front L Series Mobile Pedestals 33
 Storage Accessories 34
 L Series 2, 3, 4 and 5-Drawer Lateral Files 36
 Lateral Wraps for 2-Drawer Lateral Files 37
 Lateral Wraps for 3-Drawer Lateral Files 38
 L Series Freestanding Conversion Kits and Laminate Top Spanners. 39
 L Series BBF Wardrobe Towers with Cupboard 40
 L Series FF Wardrobe Towers with Cupboard 41
 L Series BBF Wardrobe Towers with Side Access 42
 L Series Bookcases, 2-Door Cabinets, Shelves and Laminate Tops 43
 Freestanding Type C Hutches 44
 Freestanding Laminate Front Type C Hutches 45
 Freestanding Type D Hutches. 46
 Freestanding Open Shelf Hutches and Bar Pulls 47
 Matrix Mounted Open Overheads 48
 Matrix Mounted Cabinet Door Overheads 49
 Matrix Mounted Sliding Door Overheads 50
 Matrix and Divi Shared Open Overheads 51
 Type C Flipper Door Units. 52
 Type D Flipper Door Units. 53
 Sliding Door Units. 54
 Suspended Utility Storage and Accessories 55

WARRANTY & TERMS AND CONDITIONS


For Warranty & Terms and Conditions please visit:

<https://www.ais-inc.com>


Note: For Calibrate Height Adjustable Table Storage Bases please refer to Calibrate Series Price List.

SUPPORT


SUPPORT PANELS




Full Laminate Support Panel A
12 - 96 Depths



Full Laminate Support Panel B
12 - 96 Depths




Full Laminate Support Panel C
12 - 96 Depths



Full Laminate Support Panel D
12 - 96 Depths




Full Laminate Support Panel E
12 - 96 Depths




Full Laminate Support Panel F
12 - 96 Depths


LEGS AND BASES




1 x 2 Post Freestanding A-Leg



2.5 x 2.5 Post A-Leg



2.5 x 2.5 Post N-Leg
With or Without Caster



O-Leg



Combination Support Legs



Combination Nesting Legs



Straight Leg



Slim Leg



Tapered Leg




Slant Leg




Round Combination Leg
With or Without Caster




Square Post Leg
With or Without Caster




Steel T-Base Legs
With or Without Caster




Steel C-Base Legs
With or Without Caster




Steel X-Base Legs
With or Without Caster



Steel Disc Base



Arc Aluminum T-Base Legs
With or Without Caster




Arc Aluminum Double
T-Base Legs
With or Without Caster




Aluminum X-Base Legs
With or Without Caster




Day-to-Day Height
Adjustable Table Base on Glides




Day-to-Day 90° Electric Height
Adj. Table Bases on Glides




Day-to-Day 120° Electric Height
Adj. Table Bases on Glides



E Series Electric Height Adj.
Table Bases on Glides



Panel Mounted Shelf
Cantilevers




Shelf Surfaces



Worksurface Risers



U-Channels




Flat Plates


Storage

STORAGE

PEDESTALS



Structural BBF Pedestals
Metal or Laminate Front
Metal Front Shown



Structural FF Pedestals
Metal or Laminate Front
Metal Front Shown




12" Wide Mobile BF Pedestals
With or Without Cushion
Without Cushion Shown



Mobile BBF Pedestals
Metal or Laminate Front
Metal Front Shown




Mobile FF Pedestals
Metal or Laminate Front
Metal Front Shown




Mobile BF Pedestals
Metal or Laminate Front
Metal Front Shown




Mobile BF Pedestals w/ Cushion
Metal or Laminate Front
Metal Front Shown




Freestanding Pedestal Conversion Kits




Pedestal Accessories




Replacement Loop Pull



Replacement Bar Pull



Replacement L Pull




Replacement Rectangular Pull


LATERALS



2-Drawer Lateral Files
Metal or Laminate Front
Metal Front Shown




**Picture Frame Front
3-Drawer Lateral Files**




**Picture Frame Front
4-Drawer Lateral Files**




**Picture Frame Front
5-Drawer Lateral Files**




Box-File Lateral Files



Lateral Wraps
For 2-Drawer or 3-Drawer Laterals




Freestanding Conversion Kits
Metal or Laminate
Metal Kit Shown




**Lateral Laminate
Top Spanner Kits**

STORAGE


WARDROBE TOWERS, BOOKCASES AND CABINETS




BBF Wardrobe Towers w/ Cupboard
Metal, Laminate or Glass Front
Metal Front Shown




FF Wardrobe Towers w/ Cupboard
Metal, Laminate or Glass Front
Metal Front Shown




BBF Wardrobe Towers w/ Side Access




FF Wardrobe Towers w/ Side Access




L Series Bookcases




L Series 2-Door Cabinets



L Series Bookcase Shelves




L Series Bookcase Shelves




L Series 2-Door Cabinet Laminate Tops

HUTCHES




Freestanding Type C Hutch
Metal or Laminate Front, Fabric/Fabric or
White Board/Fabric Utility Board
Metal Front, Fabric/Fabric Board Shown




Freestanding Open Shelf Hutch
Fabric/Fabric or
White Board/Fabric Utility Board
Fabric/Fabric Board Shown


OVERHEADS




8" High Open Overheads




8" High Open Overheads




Sliding Door Overheads
Laminate or Acrylic Door
Laminate Door Shown




Cabinet Door Overheads
Laminate or Acrylic Door
Laminate Door Shown




Shared Open Overheads
System Specific




Type C Flipper Door Units (Cleat Mount)
Metal/Fabric or Laminate Door
Metal/Fabric Door Shown



Type D Flipper Door Units (Cleat Mount)



Sliding Door Unit (Cleat Mount)
Metal or Laminate Door
Metal Door Shown




Cabinet Door Unit (Cleat Mount)
Metal or Laminate Door
Metal Door Shown


Storage

STORAGE


SUSPENDED UTILITY STORAGE




Powered Suspended Utility Storage



Non-Powered Suspended Utility Storage



Suspended Utility Pencil Tray



Hanging Folder Kits

Upholstery Fabric Options

UPHOLSTERY OPTIONS

Name	Grade
Durdle	A
Medley	A
Mirador	A
Palette	A
Terrain	A
Wellesley Polyurethane	A
Beehave	B
Gem	B
Stamper	B
Blazer	D

Performance Alta™

Frock	B
Mirage	B
Sway	B

CF Stinson Alliance Upholstery

Apprentice	B
Charlotte	D
Fleck	D
Lateral	D
Flanders	E
Hopsack	E
Outlander	E
Square One	E

Mayer Alliance Upholstery

Rumba	B
Fedora	C
Havana	C
Lancaster	C
Sydney	C
Channel	D
Engrave	D
Haven	D
Legacy	D
Utopia	E

Momentum Alliance Program

Bobby	B
Grid	B
Origin	B
Canter	C
Odyssey	C
Tradition	C
Boom II	D
Cover Cloth	D
Point	D
Beta	E
Faux Felt	E

Note: All AIS alta upholstery orders will have alta application as a standard feature. Alta enables virtually any textile to withstand the rigors of real life without leaving a mark. Alta improves repellency to oil and water based stains, is easy to clean and can enhance physical properties of the fibers. The technology is permanent and imperceptible to the eye and hand. To Clean: Blot with a dry towel. If residue remains, flush with warm water. Learn more at applied-textiles.com

COM REPEAT YARDAGE CALCULATION*

Repeat	Across Roll	Up the Roll	2-Way Repeat
1-5"	Add 10%	Add 15%	Add 15%
6-9"	Add 15%	Add 20%	Add 25%
10-13"	Add 20%	Add 25%	Add 30%
14-20"	Add 25%	Add 30%	Add 35%
21-27"	Add 30%	Add 35%	Add 40%
28-34"	Add 35%	Add 40%	Add 45%

For fabrics 53-54" wide, add 10%.
 For fabrics 51-52" wide, add 15%.
 For fabrics 48-49" wide, add 18%.
 For fabrics under 48" wide, contact Customer Service.

*Additional yardage may be required in the testing and manufacturing of COMs with optional backing. Consult with Customer Service for additional yardage information.

C.O.M. Fabric Policy

- Please view all pre-approved COMs here: <https://www.ais-inc.com/resources/fabrics-and-finishes/pre-approved-coms>
- It is mandatory that you work directly with your AIS Customer Service Representative for all COM related testing and orders. They will provide all necessary forms to you, as well as work with you with regard to sending in correct yardage and where to send it, along with necessary RA# or #s. Please note an RA must be submitted along with the fabric for testing, as well as an RA created for an actual order.
- Customer Service must be advised as to the width of the fabric rolls being supplied (54"W or 60"W). Customer Service must also be advised if the fabric has a backer.
- Yardage required for the job must be calculated by an AIS Customer Service Rep.
- Once AIS has approved the COM fabric, a fabric sample needs to be marked by the dealer with "Front", "Top", and "Bottom", to be sure fabric is applied correctly. The fabric sample then needs to be attached to a COM Fabric Dealer Form and forwarded to AIS Customer Service. [The COM Fabric Dealer Form may be downloaded or printed here.](#)
- Fabrics may be discontinued or obsolete without notice.
- Contact AIS Customer Service with any questions regarding fabric availability.
- All directional fabric will be railroaded.

Tackboard Fabric Options

VERTICAL SURFACE FABRICS

Name	Grade
Amaze	A
Avenue	A
Cape Cod	A
Engage	A
Mirador	A
New England	A
Rainfall	A
Simplicity	A
Theory	A
Twizzle	A
Lido	B
Marin	B
Nature	B
Off the Grid	B
Purpose	B
Spinel	B
Sprite	B

C.O.M. Fabric Policy

- It is mandatory that you work directly with your AIS Customer Service Representative for all COM related testing and orders. They will provide all necessary forms to you, as well as work with you with regard to sending in correct yardage and where to send it, along with necessary RA# or #s. Please note an RA must be submitted along with the fabric for testing, as well as an RA created for an actual order.
- **Please Note:** A three to five yard sample is required for testing and approval for use on all monolithic panel systems. A one yard sample is required for testing and approval on Divi Insert Tiles, Matrix Tiles, flipper doors and tackboards. We may be able to test upholstery fabrics with a swatch, your Customer Service Representative will advise based on the fabric being tested; otherwise a 1 yard sample must be submitted for testing. Results take 48 - 72 hours.
- Customer Service must be advised as to the width of the fabric rolls being supplied (54"W or 60"W). Customer Service must also be advised if the fabric has a backer.
- Yardage required for the job must be calculated by an AIS Customer Service Rep.
- Once AIS has approved the COM fabric, a fabric sample needs to be marked by the dealer with "Front", "Top", and "Bottom", to be sure fabric is applied correctly. The fabric sample then needs to be attached to a COM Fabric Dealer Form and forwarded to AIS Customer Service. [The COM Fabric Dealer Form may be downloaded or printed here.](#)
- Fabrics may be discontinued or obsolete without notice.
- Contact AIS Customer Service with any questions regarding fabric availability.
- All directional fabric will be railroaded.

At AIS, we take great pride in offering a diverse selection of high-quality materials including but not limited to textiles, laminates, PET, mesh, etc. However, AIS cannot guarantee uniformity in dye lots across different production runs. As such, AIS is not liable for any variations in dye lots or color discrepancies in any of our products that may occur between orders. We encourage customers to review samples for color and texture matching prior to purchase. We are committed to providing exceptional products and are confident that our selection of textiles will meet your expectations for both aesthetic appeal and durability.

Paint, Edgeband, Laminate and Tempered Glass Options

PAINT OPTIONS

Name	Color Code	Legs / Feet Grade	Spine / Storage / Accessories Grade
Black	BK	A	A
Chalk	CK	-	A
Dark Tone	DT	-	A
Grey Value 1	GV1	-	A
Innertone	HT	-	A
Light Tone	LT	-	A
Medium Tone	MT	-	A
Metallic Silver	MS	A	A
Satin White	SW	A	A
Warm Brown	WB	-	A
Champagne Metallic	CHM	-	B
Dark Grey Metallic	DGM	-	B
Flint Grey Metallic	FGM	-	B
Light Grey	LG	-	B
Tan Value 1	TV1	-	B
Antique Gold	AG	-	C
Graphite Sky	GS	-	C
Burnt Orange	BO	-	C
Brown	BR	-	C
Steel Blue	SB	-	C
Baltic Blue	BB	-	C
Ruby Red	RR	-	C
Kelly Green	KG	-	C

Custom Paints

Special Paint Match Process & Ordering Instructions

To initiate a special paint match, please provide **three physical match samples** to your Customer Service Representative (CSR). These samples will be sent to our paint suppliers for evaluation and matching.

Match Process & Fees:

- A **non-refundable \$450 net match fee** is required to begin the process.
- Once viable matches are developed (pending vendor capability), we'll send the samples to the dealer for final approval.

Pricing:

- Pricing begins at the **Grade C paint tier**.
- If the custom color incurs additional costs beyond Grade C pricing, we will advise of any upcharges before order placement.
- A **minimum order of \$100,000 List** is required for special paint orders.
- The **\$450 match fee will be waived** if the order is **\$150,000 List or more** (and placed using the approved color).

Ordering Instructions (after color approval):

1. Dealer submits the **Purchase Order (PO)** and **Bill of Materials (BOM)** for the product requiring special paint.
2. The PO must clearly state:
 - “**SPECIAL PAINT REQUIRED ON THIS ORDER**”
 - either in the header or special instructions section.
3. When selecting finishes:
 - Choose the **Grade C Paint option**.
 - **Do not select a final paint color**.
 - **Leave the paint code blank** and use the skip option.

TEMPERED GLASS OPTIONS

Name	Panels/Frame/Tiles/ Screens	1/4" Thick Frameless Glass	3/8" Thick Frameless Glass
Clear	Y	Y	Y
Frosted	Y	Y	Y
Bronze Tint	Y	Y	N
Grey Tint	Y	Y	N

All glass is tempered. The etched side of Frosted is always on Side A of the Frame or Panel. Side B of this glass options are smooth. Please see specific price list pages on each type of glass for list pricing and up-charges.

EDGEBOARD OPTIONS

Name	Color Code	Grade
Absolute Acajou	AA	A
Aimtoo Savatre	AS	A
Black	BK	A
Brazilwood	BZ	A
Chalk	CK	A
Corporate Walnut	CT	A
Dark Rum Cherry	DR	A
Dark Tone	DT	A
Field Elm	FE	A
Grand Cherry	GC	A
Grey Elm	GE	A
Grey Value 1	GV1	A
Landmark	LM	A
Leave Likatre	LV	A
Light Tone	LT	A
Linen	LN	A
Looks Likatre	LK	A
Maritime Dune	MD	A
Medium Tone	MT	A
Midwest Maple	MM	A
Neo Walnut	NW	A
Phantom Ecrú	PE	A
Phantom Pearl	PP	A
Satin White / True White	SW / TW	A
Storm	ST	A
Summer Drops	SD	A
Trytoo Savatre	TS	A
White Chocolate	WC	A

Custom Edgeband Options

- Custom match non-standard edgebands must be submitted as a special. Pricing varies based on edge thickness and finish.
- Minimum order size for any custom color is \$75,000.00 list. Extended lead-time will apply.


STORAGE LAMINATE OPTIONS

Name	Grade
Absolute Acajou	B
Aimtoo Savatre	B
Black	B
Brazilwood	B
Chalk	B
Corporate Walnut	B
Dark Rum Cherry	B
Field Elm	B
Grand Cherry	B
Grey Elm	B
Landmark	B
Leave Likatre	B
Linen	B
Looks Likatre	B
Maritime Dune	B
Midwest Maple	B
Neo Walnut	B
Phantom Ecrú	B
Phantom Pearl	B
Storm	B
Summer Drops	B
Titanium EV	B
True White	B
Trytoo Savatre	B
White Chocolate	B

L Series Storage Details

Handle Options

- L Series Storage comes with rectangle pulls in brushed nickel.
- Alternate Style Handles are available and field replaceable in the following styles (see Storage Accessories):
 1. Bar Pull
 2. L Pull
 3. Loop Pull
- All L Series handles have a 5" hole spread.



Assembly Details


- Box drawers and file drawers have full depth, smooth riding ball bearing suspensions.
- All pedestals are lockable with two supplied keys.
- Lock cores are removable with lock removal keys.
- Master keys are also available.
- Extra lock core sets are available for keying pedestals alike.
- Pedestals come equipped for front to back letter-sized filing.
- Box-box-file pedestals include one box drawer pencil tray.
- Adjustable height is 27 1/2" to 29".
- Pedestals measure 15" wide.
- For functional loads see Universal Storage Product Details.
- Pencil tray included with L Series pedestals (with exception of 12" wide pedestals).

Locks

- Locks and trim bezel come in Silver only.
- Replacement keys, key alike sets, master keys and replacement keys are available (see Storage Accessories).
- Keyed alike lock cores must be installed in the field.
- Keys and lock cores are available in #'s 226 through 425.
- A core removal key is needed to remove an existing core from the lock housing in order to replace with a new core.

L Series Storage Details

Filing Capacity



Laminate Storage Details

Assembly Details

- Adjustable shelves are adjustable in 32mm increments.
- Easy assembly using CAM and PIN construction allows ease of disassembly.

Locks

- Box/Box/Files (BBF) pedestals will only lock the file and the middle box drawer, not the top box.
- File/File (FF) pedestal locks will secure both drawers.
- For all lateral files, wardrobe and storage units the locks will secure the drawers/door for the entire unit.
- All drawers lock on 3, 4 and 5 drawer laterals.
- Units will come with 2 keys per lock.
- Key-alike options are available per storage unit, additional lock cores may be ordered (for an additional charge) to key-alike an entire office.
- Items with 2 or more locks per unit will be keyed alike.

Lock Guide

Five lock options are offered:

- A - No lock required
- B - Black Lock
- C - Silver Lock
- D - No lock w/ black T-ring for keyed-alike or Digital Lock*
- E - No lock w/ silver T-ring for keyed alike or Digital Lock*

Lock cores and trim rings do not ship installed.

*Keyed alike lock cores must be ordered separately.

Handle Options

- Five handle options are available:
 1. Bar Pull*
 2. Loop Pull*
 3. Rectangular Pull*
 4. L Pull*
 5. Slim Pull**
- All handles are available in any graded paint selection.
- The bar pull and loop pull are available in brushed nickel; the rectangular pull is available in Bright Silver. The Slim Pull and L Pull are only available with painted options.
- Laminate hinged doors may be configured with touch-to-open mechanism and no handles (not applicable to framed glass doors).
- Sliding doors include an option of no handle.
- Please see Product Detail: Drawer and Handles Guide for handle examples.


*Symbols default with the Bar Pull but can be adjusted while applying your finishes.
 The handle hole spread for Bar, Loop, Rectangular and L Pulls is 5" if you wish to supply your own handles.
 **The handle hole spread for the Slim Pull is specific to the drawer front size.

Door Handles Guide

Five handle options are available:

- Bar
- Rectangular
- Loop
- L Pull
- Touch to Open**
- No Handle***

*The Slim Pull option incurs an upcharge of \$75 list per unit.
 **Available on laminate hinged doors only; not available on framed glass doors or sliding doors. Incurs an upcharge of \$50 per unit.
 ***Available on sliding doors.




Support Product Details

Product Detail 1
Full Laminate Support Panels

Full Laminate Support Panels are used to create freestanding worksurface applications such as desk shells, returns, corner bases, tables as well as private office floor support. Each full panel is 27 5/8" tall with a 1 1/2" glide. When used in conjunction with standard AIS worksurfaces, heights to the top of the worksurface will range from 28 5/8" to 29 1/2" tall. The worksurface mounting plates are attached to the top of the panels as shown, thus leaving the brackets hidden from view and keeping vertical surface laminates free of holes for reversing and re-configuration. Each FLSP includes 2 - 3 worksurface mounting plates, 2 - 3 glides, one worksurface splice plate, and the appropriate quantity of pins, cams, and screws. All hardware is installed when components are field installed, based on required orientation of FLSPs. Note: FLSPs A - D are nominal width less 1/8" (i.e.: 24 - 1/8 = 23 7/8). FLSP E is nominal less 2 1/4" to accommodate the thickness of the two panels on either side (ie: 72 - 2 1/4 = 69 3/4). FLSP F is nominal less 1 3/16" to accommodate the thickness of a single panel on one side (ie: 12 - 1 3/16 = 10 13/16).


FLSPs are connected with a series of pins and lock cams providing a rigid yet simple means of connection. Each type of FLSP has a different function and configuration of male pins and female cams. The six available full laminate support panels (FLSP) are reversible by turning upside down, thus simplifying specification and reconfiguration. Each FLSP is available in widths from 12" to 96" in 6" increments, creating unlimited combinations of worksurface support elements. For this reason, FLSPs are ordered separately. The following pages are a guide to FLSP applications.

A simple way to understand the applications for FLSPs are to consider their use in combinations like those listed below. These simple configurations will be used over and over in freestanding furniture applications. Each configuration can have FLSPs of varying widths and depths to accommodate almost any worksurface size.




Desk Base with Flush Modesty

Desk Base with Flush Modesty consist of two FLSP A's and one FLSP E. The FLSP A's can be any size from 12" to 96", with either matching lengths or different lengths.




Desk Base with Recessed Modesty

Desk Base with Recessed Modesty consists of two FLSP B's and one FLSP E. The FLSP B's can be any size from 12" to 96", with either matching lengths or different lengths.



Corner Base with Flush Modesties

Corner Base with Flush Modesties consists of (Left to right, clockwise) one FLSP F, one FLSP D, one FLSP E, and one FLSP A. Each FLSP can be any desired length.





T-Base

T-Base consists of one FLSP C in the back and one FLSP F centered in the front. Each FLSP can be any desired length.

Product Detail 2
Full Laminate Support Panel Configurations

Configuration Example 1



This freestanding corner unit consists of two desk bases, one corner base, and three worksurfaces.



- 1. FLSP E 48" Wide
- 2. FLSP A 12" Wide
- 3. FLSP D 48" Wide
- 4. FLSP A 24" Wide
- 5. FLSP F 12" Wide



Configuration Example 2

This freestanding U-shaped unit consists of one desk base, two t-bases, two combination legs and three worksurfaces.



- 1. FLSP E 72" Wide
- 2. FLSP A 24" Wide
- 3. FLSP C 48" Wide
- 4. FLSP F 12" Wide
- 5. FLSP C 30" Wide
- 6. Combination Leg

Configuration Example 3




- 1. FLSP E 36" Wide
- 2. FLSP D 48" Wide
- 3. FLSP A 12" Wide
- 4. FLSP F 12" Wide
- 5. FLSP A 24" Wide
- 6. FLSP E 72" Wide
- 7. FLSP B 30" Wide
- 8. FLSP E 84" Wide


Full Laminate Support Panels

FULL LAMINATE SUPPORT PANELS


W	H	FLSP A (Male 1 End Flush)	FLSP B (Male 1 End Recessed)	FLSP C (Male Centered)	FLSP D (Male Both Ends Flush)	List
12	28	WFS-FLSPMEF12	WFS-FLSPMER12	WFS-FLSPMC12	WFS-FLSPMBEF12	506
18	28	WFS-FLSPMEF18	WFS-FLSPMER18	WFS-FLSPMC18	WFS-FLSPMBEF18	575
24	28	WFS-FLSPMEF24	WFS-FLSPMER24	WFS-FLSPMC24	WFS-FLSPMBEF24	646
30	28	WFS-FLSPMEF30	WFS-FLSPMER30	WFS-FLSPMC30	WFS-FLSPMBEF30	753
36	28	WFS-FLSPMEF36	WFS-FLSPMER36	WFS-FLSPMC36	WFS-FLSPMBEF36	808
42	28	WFS-FLSPMEF42	WFS-FLSPMER42	WFS-FLSPMC42	WFS-FLSPMBEF42	880
48	28	WFS-FLSPMEF48	WFS-FLSPMER48	WFS-FLSPMC48	WFS-FLSPMBEF48	987
54	28	WFS-FLSPMEF54	WFS-FLSPMER54	WFS-FLSPMC54	WFS-FLSPMBEF54	1,070
60	28	WFS-FLSPMEF60	WFS-FLSPMER60	WFS-FLSPMC60	WFS-FLSPMBEF60	1,142
66	28	WFS-FLSPMEF66	WFS-FLSPMER66	WFS-FLSPMC66	WFS-FLSPMBEF66	1,215
72	28	WFS-FLSPMEF72	WFS-FLSPMER72	WFS-FLSPMC72	WFS-FLSPMBEF72	1,320
78	28	WFS-FLSPMEF78	WFS-FLSPMER78	WFS-FLSPMC78	WFS-FLSPMBEF78	1,374
84	28	WFS-FLSPMEF84	WFS-FLSPMER84	WFS-FLSPMC84	WFS-FLSPMBEF84	1,449
90	28	WFS-FLSPMEF90	WFS-FLSPMER90	WFS-FLSPMC90	WFS-FLSPMBEF90	1,525
96	28	WFS-FLSPMEF96	WFS-FLSPMER96	WFS-FLSPMC96	WFS-FLSPMBEF96	1,615




FLSP A



FLSP B



FLSP C



FLSP D

Specify

- Selection for Laminate
- Color Selection for 2mm Edge


Notes

- For more information see “Full Support Laminate Panels” section in Product Details. G
- lides included with support panels.
- Grain runs vertically for sizes 60” wide and under. Grain runs horizontally for sizes 66” wide and larger.


Full Laminate Support Panels

FULL LAMINATE SUPPORT PANELS

W	H	FLSP E (Female Both Ends)	List	W	H	FLSP F (Female 1 End)	List
12	28	WFS-FLSPFBE12	489	12	28	WFS-FLSPF1E12	508
18	28	WFS-FLSPFBE18	553	18	28	WFS-FLSPF1E18	576
24	28	WFS-FLSPFBE24	630	24	28	WFS-FLSPF1E24	650
30	28	WFS-FLSPFBE30	736	30	28	WFS-FLSPF1E30	755
36	28	WFS-FLSPFBE36	791	36	28	WFS-FLSPF1E36	809
42	28	WFS-FLSPFBE42	860	42	28	WFS-FLSPF1E42	880
48	28	WFS-FLSPFBE48	968	48	28	WFS-FLSPF1E48	989
54	28	WFS-FLSPFBE54	1,029	54	28	WFS-FLSPF1E54	1,072
60	28	WFS-FLSPFBE60	1,100	60	28	WFS-FLSPF1E60	1,142
66	28	WFS-FLSPFBE66	1,177	66	28	WFS-FLSPF1E66	1,215
72	28	WFS-FLSPFBE72	1,277	72	28	WFS-FLSPF1E72	1,321
78	28	WFS-FLSPFBE78	1,339	78	28	WFS-FLSPF1E78	1,376
84	28	WFS-FLSPFBE84	1,409	84	28	WFS-FLSPF1E84	1,450
90	28	WFS-FLSPFBE90	1,482	90	28	WFS-FLSPF1E90	1,527
96	28	WFS-FLSPFBE96	1,574	96	28	WFS-FLSPF1E96	1,616



FLSP E



FLSP F

Specify

- Selection for Laminate
- Color Selection for 2mm Edge

Notes

- For more information see “Full Support Laminate Panels” section in Product Details.
- Glides included with support panels.
- Grain runs vertically for sizes 60” wide and under. Grain runs horizontally for sizes 66” wide and larger.



A-Legs

1 X 2 POST A-LEG

H	D	Model Number	List
27	12	WFS-ALW2712FS	574
27	24	WFS-ALW2724FS	610
27	30	WFS-ALW2730FS	634

2.5 X 2.5 POST A-LEG

H	D	Model Number	List
27	18	WFS-AL22718	825
27	24	WFS-AL22724	843
27	30	WFS-AL22730	864
27	36	WFS-AL22736	884
27	42	WFS-AL22742	902
27	48	WFS-AL22748	924
27	54	WFS-AL22754	943
27	60	WFS-AL22760	969



Specify


- Paint Selection (+25 for Grade C)

Notes

- A-Legs are constructed from painted steel.
- Legs have 1 1/2" leveling glides.
- A-Leg welded construction allows for attachment to the worksurface.
- 1 x 2 A-Legs cannot be used to create freestanding tables unless anchored to another worksurface, panel or storage element. 2.5 x 2.5 A-Legs may be used to create freestanding tables.

2.5 X 2.5 POST N-LEG


H	D	Model Number	List
20	18	WFS-NL22018	691
20	24	WFS-NL22024	700
20	30	WFS-NL22030	712
20	36	WFS-NL22036	724
20	42	WFS-NL22042	736
20	48	WFS-NL22048	748
20	54	WFS-NL22054	763
20	60	WFS-NL22060	774
27	18	WFS-NL22718	674
27	24	WFS-NL22724	683
27	30	WFS-NL22730	693
27	36	WFS-NL22736	701
27	42	WFS-NL22742	712
27	48	WFS-NL22748	723
27	54	WFS-NL22754	732
27	60	WFS-NL22760	747
40	24	WFS-NL24024	792
40	30	WFS-NL24030	804
40	36	WFS-NL24036	815
40	42	WFS-NL24042	828
40	48	WFS-NL24048	840
40	54	WFS-NL24054	850
40	60	WFS-NL24060	862



Specify	Notes
• Paint Selection (+25 for Grade C)	

2.5 X 2.5 POST N-LEG WITH CASTERS

H	D	Model Number	List
27	24	WFS-NL2C2724	753
27	30	WFS-NL2C2730	769
27	36	WFS-NL2C2736	786
27	42	WFS-NL2C2742	798
27	48	WFS-NL2C2748	810
27	54	WFS-NL2C2754	828
27	60	WFS-NL2C2760	840




Specify	Notes
• Paint Selection (+25 for Grade C)	• Casters are locking.

O-Legs

FREESTANDING O-LEGS

H	D	Model Number	List
27	18	WFS-OLW2718FS-2	1,051
27	24	WFS-OLW2724FS-2	1,134
27	30	WFS-OLW2730FS-2	1,261
27	36	WFS-OLW2736FS-2	1,331



Specify

Notes

• Paint Selection (+25 for Grade C)

- May be used as shared leg in applications up to 72" wide.
- O-Leg for use with run off and freestanding table applications.
- Steel O-Legs have a 1" x 2" profile.
- O-Legs have 1 1/2" leveling glides.
- Not sized for use with knife edge work surfaces.
- Not for panel mounting, for panel mounting leg see panel specific price list.
- Use in conjunction with an appropriate sized U channel(s) when supporting a span of 48" or greater.
- AIS standard corner grommet locations will be obscured by this leg. Consult specials team for any grommet location near O-legs.

Combination Legs

COMBINATION SUPPORT LEGS

Model Number	List	Grade C Paint
WFS-LEG	472	+25



Specify	Notes
<ul style="list-style-type: none"> • Style Selection - Black or Brushed Steel 	<ul style="list-style-type: none"> • Combination Support Leg is available in black, brushed steel, or (for an upcharge) leg can be painted a standard color. • With a unique set of adapters, legs can be converted from standard peninsula legs to equal height mobile legs, extended mobile legs, nesting legs, or extended height legs. • Standard legs are sold in a kit with one 24 3/4" leg (black or brushed steel), one 2 11/16" extender and one 7/16" high glide with 1" of adjustment. • Standard legs can be converted to mobile legs and back with the same base leg unit. • Casters are ordered separately. • Extender, glide and caster are always black. • Legs ship disassembled and flat.

COMBINATION NESTING LEGS

Model Number	List	Grade C Paint
WFS-LEG24	827	+25



Specify	Notes
<ul style="list-style-type: none"> • Style Selection - Black, Brushed Steel or Painted (with upcharged) 	<ul style="list-style-type: none"> • Combination Nesting Table Leg is available in black, brushed steel, or (for an upcharge) leg can be painted a standard color. • Combination nesting table leg is sold as a kit with one 22 5/8" leg (black or brushed steel) and one 3 1/4" caster for a finish height of 25 7/8". • Finished worksurface height with a standard 1 1/8" worksurface is 27". • Combination nesting table legs are used for nesting worksurfaces below a standard worksurface height. • Casters are always black. • Legs ship disassembled and flat.

COMBINATION SUPPORT LEG ACCESSORIES

Item	Model Number	List
Optional Caster	WFS-LEGCASTER	70
Optional Extender	WFS-LEGEXT	40
Optional Glide	WFS-LEGGLIDE	40

Specify	Notes
	<ul style="list-style-type: none"> • Casters are optional. • Order Extender and Glide if extras are needed.

Freestanding Legs

SQUARE POST LEG				
Without Casters			With Caster	
H	Model Number	List	Model Number	List
20	WFS-P2220	397	-	-
27	WFS-P2227	384	WFS-P22C27	429
40	WFS-P2240	443	-	-



Specify **Notes**

• Paint Selection • Casters are locking.

SLIM LEG				
Without Casters			With Caster	
H	Model Number	List	Model Number	List
27	O-SMSG	405	O-SMSCASTER	349



Specify **Notes**

• Compatible with all top widths.

TAPERED LEG				
Without Casters			With Caster	
H	Model Number	List	Model Number	List
27	T-RPKG	364	T-RPKC	351



With Glide



With Caster

Specify **Notes**

• Paint Selection • Available in Bright Metal or painted finishes.
• Casters are locking.

SLANT LEG		
H	Model Number	List
27	O-SL	671




Specify **Notes**

• Compatible with all top widths.

Freestanding Legs

STEEL T-BASE LEGS

H	D	Without Casters		With Caster	
		Model Number	List	Model Number	List
27	24	WFS-TL332724	621	WFS-TL33C2724	630
27	30	WFS-TL332730	653	WFS-TL33C2730	657




Specify **Notes**

- Paint Selection (Grade C +25)

STEEL C-BASE LEGS

H	D	Without Casters		With Caster	
		Model Number	List	Model Number	List
27	24	WFS-CL332724	718	WFS-CL33C2724	725
27	30	WFS-CL332730	755	WFS-CL33C2730	762




Specify **Notes**

- Paint Selection (Grade C +25)

STEEL X-BASE LEGS

H	D	Without Casters		With Caster	
		Model Number	List	Model Number	List
27	24	WFS-XL332724	836	WFS-XL33C2724	1,005
27	30	WFS-XL332730	916	WFS-XL33C2730	1,047




Specify **Notes**

- Paint Selection (Grade C +25)
- Max size for worksurfaces: 36" wide x 36" deep

STEEL DISC BASE LEGS

H	D	Model Number	List	Grade C Paint
16	21	T-DBK001	1,196	+20
29	21	T-DBK002	1,341	+25
36	21	T-DBK004	1,376	+28
42	21	T-DBK003	1,411	+30



Specify **Notes**

- Paint Selection
- Disc base is 21" in diameter, disc column has a diameter of 2.5" (60mm). Disc base has a thickness of .5" from ground.
- Disc bases have non-leveling rubber pads on bottom.
- Max size for worksurfaces:
 - Round up to 42" deep
 - Square/Pebble up to 36" deep



Freestanding Legs

ARC ALUMINUM T-BASE LEGS

H	D	With Glide		With Caster		Grade C Upcharge	Bright Metal Upcharge
		Model Number	List	Model Number	List		
29	24	T-ABK017	629	T-ABK018	643	+20	+40
29	30	T-ABK019	667	T-ABK020	688	+22	+42
42	24	T-ABK021	677	T-ABK022	691	+20	+40
42	30	T-ABK023	687	T-ABK024	707	+22	+42


ARC ALUMINUM DOUBLE T-BASE LEGS

H	D	With Glide		With Caster		Grade C Upcharge	Bright Metal Upcharge
		Model Number	List	Model Number	List		
29	35	T-ABK053	1,018	-	-	-	-
29	41	T-ABK055	1,161	T-ABK056	1,199	+32	+58
42	35	T-ABK057	1,177	T-ABK058	1,206	+30	+55
42	41	T-ABK059	1,213	T-ABK060	1,247	+32	+58



ARC ALUMINUM X-BASE LEGS

H	D	With Glide		With Caster		Grade C Upcharge	Bright Metal Upcharge
		Model Number	List	Model Number	List		
29	24	T-ABK005	982	T-ABK006	1,043	+40	+60
29	30	T-ABK007	1,066	T-ABK008	1,087	+44	+64
42	24	T-ABK009	1,014	T-ABK010	1,072	+40	+60
42	30	T-ABK011	1,146	T-ABK012	1,166	+44	+64



Specify

Notes

- Paint Selection for Base Post
- Paint Selection for Base Foot - Painted or Bright Metal



Day-to-Day Electric Height Adjustable Table Bases

DAY-TO-DAY ELECTRIC HEIGHT ADJUSTABLE TABLE BASES

Surface W	Surface D	Color	Model Number	List
48" - 72"	24"	Black	WFS-2L-3S24B	2,880
48" - 72"	24"	Metallic Silver	WFS-2L-3S24S	2,880
48" - 72"	24"	Satin White	WFS-2L-3S24W	2,880
48" - 72"	30"	Black	WFS-2L-3S30B	2,880
48" - 72"	30"	Metallic Silver	WFS-2L-3S30S	2,880
48" - 72"	30"	Satin White	WFS-2L-3S30W	2,880


DAY-TO-DAY 90° ELECTRIC HEIGHT ADJUSTABLE TABLE BASES

Surface D	Color	Model Number	List
24	Black	WFS-3L90-3S24B	4,180
24	Metallic Silver	WFS-3L90-3S24S	4,180
24	Satin White	WFS-3L90-3S24W	4,180
30	Black	WFS-3L90-3S30B	4,180
30	Metallic Silver	WFS-3L90-3S30S	4,180
30	Satin White	WFS-3L90-3S30W	4,180



DAY-TO-DAY 120° ELECTRIC HEIGHT ADJUSTABLE TABLE BASES

Surface D	Color	Model Number	List
24	Black	WFS-3L120-3S24B	4,180
24	Metallic Silver	WFS-3L120-3S24S	4,180
24	Satin White	WFS-3L120-3S24W	4,180
30	Black	WFS-3L120-3S30B	4,180
30	Metallic Silver	WFS-3L120-3S30S	4,180
30	Satin White	WFS-3L120-3S30W	4,180



Notes

- 3-stage Day-to-Day Height Adjustable Table Bases allow for quick and easy adjustment of worksurface height.
- Available in black, satin white or metallic silver.
- Bases do not include worksurfaces.
- Adjusts from 21.54"H to 47.80"H (without surface).
- Tops should accommodate a 1 in (25mm) pinch clearance on all sides.
- Maximum worktop overhead allowed is 6" on one side.
- Weight capacity is 250lbs (incl. worksurface) for two leg and 350lbs (incl. worksurface) for three leg.
- Base width may be adjusted from 42"W to 72"W.
- 4 memory presets.
- Select tops to avoid cable shearing, prevent pinch points and collisions. Assure attached screens or monitor arms do not create unstable conditions.
- Local compliances should meet local requirements.
- **Important:** Height Adjustable Bases are **UL Recognized** components and are labeled with the **UR** mark. However, bases are **not** UL or ETL **Listed** unless purchased as a complete table using a complete table model number. See Height Adjustable Table Section for tables that are UL or ETL Listed. Many municipalities require tables to be UL or ETL Listed.

E Series Electric Height Adjustable Table Bases

E SERIES ELECTRIC HEIGHT ADJUSTABLE TABLE BASES

Surface W	Surface D	Model Number	List
42" - 72"	24"	T-RB2L2S24	2,600
42" - 72"	30"	T-RB2L2S30	2,600



Specify


Notes

- Color Selection for Base
- 2-stage E Series Electric Height Adjustable Table Bases on Glides allow for quick and easy adjustment of worksurface height.
- Available in black, satin white, or metallic silver.
- Bases do not include worksurfaces.
- Adjusts from 26.26"H to 45.94"H (without surface).
- Tops should accommodate a 1 in (25mm) pinch clearance on all sides.
- Maximum worktop overhead allowed is 6" on one side.
- Weight capacity is 250lbs (incl. worksurface).
- Base width may be adjusted from 42"W to 72"W. 4 memory presets. Select tops to avoid cable shearing, prevent pinch points and collisions. Assure attached screens or monitor arms do not create unstable conditions.
- Local compliances should meet local requirements.
- **Important:** Height Adjustable Bases are **UL Recognized** components and are labeled with the **UR** mark. However, bases **are not** UL or ETL **Listed** unless purchased as a complete table using a complete table model number. See Height Adjustable Table Section for tables that are UL or ETL Listed. Many municipalities require tables to be UL or ETL Listed.

Panel Mounted Shelf Cantilevers and Shelf Surfaces

PANEL MOUNTED SHELF CANTILEVERS (MATRIX, DIVI, MWALL)

Hand	Surface Depth	Actual Depth	Model Number	List	Grade C Paint
Left	12	10	WPS-CT10L	198	+10
Right	12	10	WPS-CT10R	198	+10
Pairs	12	10	WPS-CT10P	375	+20





Specify **Notes**

- | | |
|---|--|
| <ul style="list-style-type: none"> • Paint Selection | <ul style="list-style-type: none"> • Panel Mounted Shelf Cantilevers are 10”d and designed to work in conjunction with 12”d work-surfaces to create additional desk top shelving. • Available for all AIS panel systems. • For use with 12” to 16” worksurfaces only. |
|---|--|

SHELF SURFACES

D'	W'	Model Number	List	Grade C Laminate
12	24	W-CT1224	308	+17
12	30	W-CT1230	331	+18
12	36	W-CT1236	356	+19
12	42	W-CT1242	367	+20
12	48	W-CT1248	375	+21
12	54	W-CT1254	436	+24
12	60	W-CT1260	442	+24
12	66	W-CT1266	465	+27
12	72	W-CT1272	496	+27
12	78	W-CT1278	505	+28
12	84	W-CT1284	511	+28
12	90	W-CT1290	523	+29
12	96	W-CT1296	531	+29




Specify **Notes**

- | | |
|--|---|
| <ul style="list-style-type: none"> • Laminate Selection • Color Selection for 2mm Edge | <ul style="list-style-type: none"> • Shelf Surfaces are 1 1/16” thick. 2 mm edge banding (approximately 3/32”) is made of rigid, dent-resistant PVC. |
|--|---|

Worksurface Risers, U-Channels and Flat Plates

WORKSURFACE RISERS

Style	H	Model Number	List	Grade C Paint	Use
2.5 x 2.5	4	WFS-WSR25254	207	+5	Mixed Surface Height
2.5 x 2.5	6	WFS-WSR25256	214	+5	Surface to Surface Connection
2.5 x 2.5	7	WFS-WSR25257	232	+5	Surface to Surface Connection



Specify


- Paint Selection

Notes

- Worksurface Risers are a painted, extruded aluminum with a steel top plate.
- Available in 2.5" square.
- Risers may be ordered in 4", 6" or 7" heights and work in conjunction with floor storage casegoods and worksurfaces to create tiered levels.
- Bottom of riser is secured using field drilled holes in the lower unit with the supplied screws.

U-CHANNELS

Model Number	List
WPS-VC48	151
WPS-VC60	187
WPS-VC72	223




Specify

Notes

- U-Channel mounts to underside of longer worksurfaces to provide bracing where center support cantilever is not possible.
- All worksurface support components fasten directly to worksurfaces with screws.

FLAT PLATES

Model Number	List
WPS-FP	37



Specify

Notes

- Flat Plate is used to splice two worksurfaces together at front edge. 3.5" x 1.5" plate has four holes per side for superior adaptability and rigidity.
- Available in black only.

Product Detail 1
Universal Storage Functional Loads


UNIVERSAL STORAGE FUNCTIONAL LOADS

Description	Model Number	Top-to-Bottom Drawer Functional Load (lbs)	Total Functional Load (lbs)
L Series Structural Box-Box-File Pedestal	S-PEDBBFJ24	20/45	85
L Series Structural Box-Box-File Pedestal	S-PEDBBFJ30	25/60	110
L Series Structural File-File Pedestal	S-PEDFFJ24	45/45	90
L Series Structural File-File Pedestal	S-PEDFFJ30	60/60	120
Laminate Front L Series Structural Box-Box-File Pedestal	S-PEDBBFJ24L	20/20/45	85
Laminate Front L Series Structural Box-Box-File Pedestal	S-PEDBBFJ30L	25/25/60	110
Laminate Front L Series Structural File-File Pedestal	S-PEDFFJ24L	45/45	90
Laminate Front L Series Structural File-File Pedestal	S-PEDFFJ30L	60/60	120
L Series Mobile Box-Box-File Pedestal	S-PEDBBFMJ24	20/20/45	85
L Series Mobile File-File Pedestal	S-PEDFFMJ24	45/45	90
L Series Mobile Box-File Pedestal	S-PEDBFMJ24	20/45	65
L Series Mobile Box-File Pedestal with Cushion	S-PEDBFMJ24	20/45	65
Laminate Front L Series Mobile Box-Box-File Pedestal	S-PEDBBFMJ24L	20/20/45	85
Laminate Front L Series Mobile File-File Pedestal	S-PEDFFMJ24L	45/45	90
Laminate Front L Series Mobile Box-File Pedestal	S-PEDBFMJ24L	20/45	65
Laminate Front L Series Mobile Box-File Pedestal with Cushion	S-PEDBFMJ24L	20/45	65
Metal Front L-Series 2-Drawer Lateral File	S-LATJJ2D30	85/85	170
Metal Front L-Series 2-Drawer Lateral File	S-LATJJ2D36	105/105	210
Metal Front L-Series 2-Drawer Lateral File	S-LATJJ2D42	125/125	250
Laminate Front 2-Drawer Lateral File	S-LATJJ2D30L	85/85	170
Laminate Front 2-Drawer Lateral File	S-LATJJ2D36L	105/105	210
Laminate Front 2-Drawer Lateral File	S-LATJJ2D42L	125/125	250
Picture Frame Front L-Series 3-Drawer Lateral File	S-LATJ3D30	85/85/85	255
Picture Frame Front L-Series 3-Drawer Lateral File	S-LATJ3D36	105/105/105	315
Picture Frame Front L-Series 3-Drawer Lateral File	S-LATJ3D42	125/125/125	375
Picture Frame Front L-Series 4-Drawer Lateral File	S-LATJ4D30	85/85/85/85	340
Picture Frame Front L-Series 4-Drawer Lateral File	S-LATJ4D36	105/105/105/105	420
Picture Frame Front L-Series 4-Drawer Lateral File	S-LATJ4D42	125/125/125/125	500
Picture Frame Front L-Series 5-Drawer Lateral File	S-LATJ5D30	85/85/85/85/85	425
Picture Frame Front L-Series 5-Drawer Lateral File	S-LATJ5D36	105/105/105/105/105	525
Picture Frame Front L-Series 5-Drawer Lateral File	S-LATJ5D42	125/125/125/125/125	625

L Series Structural Pedestals


L SERIES STRUCTURAL BOX-BOX-FILE PEDESTALS

Surface D	Actual D	Model Number	List	Grade C Paint
24	22	S-PEDBBFJ24	1,241	+118
30	28	S-PEDBBFJ30	1,753	+118



L SERIES STRUCTURAL FILE-FILE PEDESTALS

Surface D	Actual D	Model Number	List	Grade C Paint
24	22	S-PEDFFJ24	1,241	+118
30	28	S-PEDFFJ30	1,753	+118



Specify


Notes

- Paint Selection

- L Series Structural Pedestals have a square front with rectangle pulls.
- Box drawers and file drawers have full depth, smooth riding ball bearing suspensions.
- All pedestals are lockable with two supplied keys.
- Lock cores are removable with lock removal keys.
- Master keys are also available.
- Extra lock core sets are available for keying pedestals alike.
- Pedestals come equipped for front to back letter-sized filing.
- Box-box-file pedestals include one box drawer pencil tray.
- Adjustable height is 27 1/2" to 29".
- Pedestals measure 15" wide.
- For functional loads see Universal Storage Product Details.
- Pencil tray included.


LAMINATE FRONT L SERIES STRUCTURAL BOX-BOX-FILE PEDESTALS

Surface D	Actual D	Model Number	List	Grade C Paint	Grade C Laminate
24	22	S-PEDBBFJ24L	1,691	+118	+25
30	28	S-PEDBBFJ30L	2,200	+118	+25



LAMINATE FRONT L SERIES STRUCTURAL FILE-FILE PEDESTALS

Surface D	Actual D	Model Number	List	Grade C Paint	Grade C Laminate
24	22	S-PEDFFJ24L	1,691	+118	+25
30	28	S-PEDFFJ30L	2,200	+118	+25



Specify

Notes


- Paint Selection
- Laminate Selection for Drawer Front
- Edge Selection for Drawer Front

- L Series Structural Pedestals have a laminate finished square front with rectangular pulls.
- Box drawers and file drawers have full depth, smooth riding ball bearing suspensions.
- All pedestals are lockable with two supplied keys. Lock cores are removable with lock removal keys. Master keys are also available. Extra lock core sets are available for keying pedestals alike.
- Pedestals come equipped for front to back letter-sized filing.
- Box-box-file pedestals include one box drawer pencil tray.
- Adjustable height is 27 1/2" to 29".
- Pedestals measure 15" wide.
- Laminate face pedestals include laminate top bezel, laminate drawers and the addition of a laminate piece at the bottom for a continuous laminated look.
- For functional loads see Universal Storage Product Details.
- Pencil tray included.

12" Wide L Series Mobile Pedestals


12" WIDE L SERIES MOBILE BOX-FILE PEDESTALS

D	W	Model Number	List	Grade C Paint
24	12	S-PEDBFJ1224	989	+118



12" WIDE L SERIES MOBILE BOX-FILE PEDESTALS WITH CUSHION

D	W	Model Number	List	Grade C Paint	Grade B Fabric	Grade C Fabric	Grade D Fabric	Grade E Fabric
24	12	S-PEDBFMJ1224	1,321	+118	+51	+102	+152	+203



CUSHION FOR 12" WIDE L-SERIES PEDESTALS

D	W	Model Number	List	Grade B Fabric	Grade C Fabric	Grade D Fabric	Grade E Fabric
24	12	S-PEDCUSH1224	563	+51	+102	+152	+203



Specify

Notes


- Paint Selection
- Fabric Selection for Pedestal Cushion (Cushion Pedestal only)

- L Series Mobile Pedestals have a square front with rectangular pulls.
- Box drawers and file drawers have full depth, smooth riding ball bearing suspensions.
- All pedestals are lockable with two supplied keys. Lock cores are removable with lock removal keys. Master keys are also available. Extra lock core sets are available for keying pedestals alike.
- Pedestals come equipped for side to side filing.
- Mobile pedestals come with two locking and two non-locking casters.
- Finished height of pedestal is 21 3/8" (box-file).
- Cushion is 1.5" tall, finished height of pedestal with cushion is 23 5/8.
- Pedestal with cushion not available for quickship.
- For functional loads see Universal Storage Product Details.

L Series Mobile Pedestals


L SERIES MOBILE BOX-BOX-FILE PEDESTALS

Surface D	Actual D	Actual W	Model Number	List	Grade C Paint
24	22	14.75	S-PEDBBFMJ24V2	1,492	+118




L SERIES MOBILE FILE-FILE PEDESTALS

Surface D	Actual D	Actual W	Model Number	List	Grade C Paint
24	22	14.75	S-PEDFFMJ24V2	1,492	+118




L SERIES MOBILE BOX-FILE PEDESTALS

Surface D	Actual D	Actual W	Model Number	List	Grade C Paint
24	22	14.75	S-PEDBFMJ24V2	1,492	+118



L SERIES MOBILE BOX-FILE PEDESTALS WITH CUSHION

Surface D	Actual D	Model Number	List	Grade C Paint	Grade B Fabric	Grade C Fabric	Grade D Fabric	Grade E Fabric
24	22	S-PEDBFMJ24V2	1,975	+118	+51	102	+152	+203



Specify

- Paint Selection
- Fabric Selection for Pedestal Cushion (Cushion Pedestal only)


Notes

- L Series Mobile Pedestals have a square front with rectangular pulls.
- Box drawers and file drawers have full depth, smooth riding ball bearing suspensions.
- Mobile pedestals include counterweights that are field installed.
- All pedestals are lockable with two supplied keys. Lock cores are removable with lock removal keys. Master keys are also available. Extra lock core sets are available for keying pedestals alike.
- Pedestals come equipped for front to back letter-sized filing.
- Box-box-file pedestals include one box drawer pencil tray.
- Mobile pedestals come with two locking and two non-locking casters.
- Finished height of pedestal is 27 1/2" (box-box-file or file-file) or 21 3/8" (box-file). Finished height of pedestal with cushion is 23 5/8.
- Pedestal with cushion not available for quickship.
- For functional loads see Universal Storage Product Details.
- Pencil tray included.

Laminate Front L Series Mobile Pedestals


LAMINATE FRONT L SERIES MOBILE BOX-BOX-FILE PEDESTALS

Surface D	Actual D	Actual W	Model Number	List	Grade C Paint
24	22	14.75	S-PEDBBFMJ24L	1,936	+118




LAMINATE FRONT L SERIES MOBILE FILE-FILE PEDESTALS

Surface D	Actual D	Actual W	Model Number	List	Grade C Paint
24	22	14.75	S-PEDFFMJ24L	1,936	+118




LAMINATE FRONT L SERIES MOBILE BOX-FILE PEDESTALS

Surface D	Actual D	Actual W	Model Number	List	Grade C Paint
24	22	14.75	S-PEDBFMJ24L	1,936	+118



LAM. FRONT L SERIES MOBILE BOX-FILE PEDESTALS WITH CUSHION

Surface D	Actual D	Model Number	List	Grade C Paint	Grade B Fabric	Grade C Fabric	Grade D Fabric	Grade E Fabric
24	22	S-PEDBFMJ24L	2,426	+118	+51	102	+152	+203



Specify


- Paint Selection
- Laminate Selection for Drawer Front
- Edge Selection for Drawer Front
- Fabric Selection for Pedestal Cushion (Cushion Pedestal only)

Notes

- L Series Mobile Pedestals have a laminate finished square front with rectangular pulls.
- Box drawers and file drawers have full depth, smooth riding ball bearing suspensions.
- Mobile pedestals include counterweights that are field installed.
- All pedestals are lockable with two supplied keys. Lock cores are removable with lock removal keys. Master keys are also available. Extra lock core sets are available for keying pedestals alike.
- Pedestals come equipped for front to back letter-sized filing.
- Box-box-file pedestals include one box drawer pencil tray.
- Mobile pedestals come with two locking and two non-locking casters.
- Finished height of pedestal is 27 1/2" (box-box-file or file-file) or 21 3/8" (box-file).
- Finished height of pedestal with cushion is 23 5/8".
- For functional loads see Universal Storage Product Details.
- Pencil tray included.

CUSHION FOR 15" WIDE L-SERIES PEDESTALS

D	W	Model Number	List	Grade B Fabric	Grade C Fabric	Grade D Fabric	Grade E Fabric
22	15	S-PEDCUSHIONJ1	624	+51	+102	+152	+203



Specify

- Upholstery Selection


Notes

- Credenza and pedestal cushions are a fabric covered 1" thick foam cushion.
- Cushions include Velcro for mounting.
- For use with L Series mobile pedestals only.

Storage Accessories

FREESTANDING PEDESTAL CONVERSION KITS

D	Model Number	List
24	S-PEDTOPJ24	318
30	S-PEDTOPJ30	401



Specify	Notes
<ul style="list-style-type: none"> • Paint Selection 	<ul style="list-style-type: none"> • Freestanding Pedestal Conversion Kits are finished metal tops which convert structural 24" or 30" pedestals to freestanding pedestals. • Kit includes counterweight that is retained in back of pedestal. • Threaded welded metal studs on underside of top align with holes in top of pedestal and are secured to pedestal with nuts fastened from inside. • Structural pedestal sold separately.

PEDESTAL EXTENSION SHROUD


Model Number	List	Grade C Paint
S-PEDJFB	188	+5



Specify	Notes
<ul style="list-style-type: none"> • Paint Selection 	<ul style="list-style-type: none"> • Pedestal extension shroud is mounted to the back edge of the pedestal with magnets (included). • Extension is 2" deep. • Extension kit masks the gap between back of pedestal and panel face. • Shroud is not handed.

PEDESTAL ACCESSORIES


Item	Model Number	List
Side-to-Side Bar	S-PEDBARJ	49
Box Drawer Pencil Tray	S-PEDDPTJ	67
Box Drawer Divider	S-PEDDD	105



Specify	Notes
	<ul style="list-style-type: none"> • Pedestal Accessories can be used with all AIS standard metal case pedestals. • Pedestal Accessories can not be used for 12" wide storage.

REPLACEMENT PULLS

Type	Model Number	List
Bar Pull	X-BARHANDLE	32
Rollout Pantry Bar Pull	X-BARHANDLE13	129
L Pull	X-L-PULLHANDLE	32
Loop Pull	X-LOOPHANDLE	32
Rectangular Pull	X-RECTHANDLE	32



Specify	Notes
	<ul style="list-style-type: none"> • Replacements only. • Pulls work for all metal and laminate storage units with the exception of roll out/pantry towers. • For slim pull replacements, please contact Customer Service.

Storage Accessories

SILVER LOCK CORES AND KEYS

Key Type	Model Number	List
Core with 2 keys	S-W1CORE1	24
Core with 2 keys (set of 2 keyed alike)	S-W1CORE2	37
Core with 2 keys (set of 3 keyed alike)	S-W1CORE3	58
Core with 2 keys (set of 4 keyed alike)	S-W1CORE4	74
Core with 2 keys (set of 5 keyed alike)	S-W1CORE5	92
Core with 2 keys (set of 6 keyed alike)	S-W1CORE6	107
Core with 2 keys (set of 7 keyed alike)	S-W1CORE7	125
Core with 2 keys (set of 8 keyed alike)	S-W1CORE8	144
Core with 2 keys (set of 9 keyed alike)	S-W1CORE9	161
Core with 2 keys (set of 10 keyed alike)	S-W1CORE10	178
Master Key	RS-W1MKEY	18
Core Removal Key	RS-W1CRKEY	18
Replacement Key	RS-WK __ _ (Key Number)	25



Notes

- Silver keyed alike lock cores should be specified when ordering Option E in the Lock Choice for Calibrate: No Lock w/ Silver Ring for Keyed Alike.
- Keyed alike lock cores must be installed in the field.
- Keys and Lock Cores are available in #'s 226 through 425.
- A core removal key is needed to remove an existing core from the lock housing in order to replace with a new core.
- Order sets based on quantity of storage items to be keyed alike.

BLACK LOCK CORES AND KEYS

Key Type	Model Number	List
Core with 2 keys	S-W1CORE1B	24
Core with 2 keys (set of 2 keyed alike)	S-W1CORE2B	37
Core with 2 keys (set of 3 keyed alike)	S-W1CORE3B	58
Core with 2 keys (set of 4 keyed alike)	S-W1CORE4B	74
Core with 2 keys (set of 5 keyed alike)	S-W1CORE5B	92
Core with 2 keys (set of 6 keyed alike)	S-W1CORE6B	107
Core with 2 keys (set of 7 keyed alike)	S-W1CORE7B	125
Core with 2 keys (set of 8 keyed alike)	S-W1CORE8B	144
Core with 2 keys (set of 9 keyed alike)	S-W1CORE9B	161
Core with 2 keys (set of 10 keyed alike)	S-W1CORE10B	178




Notes

- Black keyed alike lock cores should be specified when ordering Option D in the Lock Choice for Calibrate: No Lock w/ Black Ring for Keyed Alike.
- Keyed alike lock cores must be installed in the field.
- Keys and Lock Cores are available in #'s 226 through 425.
- A core removal key is needed to remove an existing core from the lock housing in order to replace with a new core.
- Order sets based on quantity of storage items to be keyed alike.
- Black lock cores not available for L-Series storage.

L Series 2, 3, 4 and 5-Drawer Lateral Files


METAL FRONT L SERIES 2-DRAWER LATERAL FILES

Min H.	Actual W	Actual D	Model Number	List	Grade C Paint
27 1/2	30	18	S-LATJJ2D30	2,180	+118
27 1/2	36	18	S-LATJJ2D36	2,337	+118
27 1/2	42	18	S-LATJJ2D42	2,537	+118



LAMINATE FRONT L SERIES 2-DRAWER LATERAL FILES

Min H.	Actual W	Actual D	Model Number	List	Grade C Paint
27 1/2	30	18	S-LATJJ2D30L	2,571	+118
27 1/2	36	18	S-LATJJ2D36L	3,033	+118
27 1/2	42	18	S-LATJJ2D42L	3,291	+118




PICTURE FRAME FRONT L SERIES 3-DRAWER LATERAL FILES

Min H.	Actual W	Actual D	Model Number	List	Grade C Paint
39 7/8	30	18	S-LATJ3D30	2,752	+138
39 7/8	36	18	S-LATJ3D36	3,046	+138
39 7/8	42	18	S-LATJ3D42	3,320	+138




PICTURE FRAME FRONT L SERIES 4-DRAWER LATERAL FILES

Min H.	Actual W	Actual D	Model Number	List	Grade C Paint
52	30	18	S-LATJ4D30	3,318	+158
52	36	18	S-LATJ4D36	3,707	+158
52	42	18	S-LATJ4D42	4,085	+158




PICTURE FRAME FRONT L SERIES 5-DRAWER LATERAL FILES

Min H.	Actual W	Actual D	Model Number	List	Grade C Paint
64 1/8	30	18	S-LATJ5D30	4,208	+178
64 1/8	36	18	S-LATJ5D36	4,687	+178
64 1/8	42	18	S-LATJ5D42	5,217	+178



METAL FRONT L SERIES BOX-FILE LATERAL FILES

H	W	D	Model Number	List	Grade C Paint
21	30	18	S-LATJBF30	1,831	+118
21	36	18	S-LATJBF36	1,885	+118



Specify

- Paint Selection
- Laminate Selection (if applicable)

Notes

- L Series Lateral Files have picture frame (except 2-drawer, which is full width to align with pedestals) drawer fronts with rectangular pulls.
- File drawers have full depth, smooth riding ball bearing suspensions.
- All laterals are lockable with two supplied keys.
- Laterals accommodate letter, A4, and Legal sized filing and include front to back conversion bars for each drawer.
- Freestanding conversion tops, which include counterweight (field installed), are ordered separately when converting a lateral file to freestanding.
- 5-Drawer lateral files feature a recessed flipper door on the top drawer with a roll out file shelf.
- Box-file lateral comes with integrated finished top and is supplied with counterweights.
- For functional loads see Universal Storage Product Details.


Lateral Wraps for 2-Drawer Lateral Files

LATERAL WRAPS WITH NO BACK FOR 2-DRAWER LATERAL FILES


H	W	Inside W	D	Model Number	List
29	32.5	30	18	X-DSL30	1,180
29	38.5	36	18	X-DSL36	1,228
29	44.5	42	18	X-DSL42	1,277
29	62.5	60	18	X-DSL60	1,444
29	68.5	66	18	X-DSL66	1,498
29	74.5	72	18	X-DSL72	1,556
29	80.5	78	18	X-DSL78	1,612
29	86.5	84	18	X-DSL84	1,667

LATERAL WRAPS WITH BACK FOR 2-DRAWER LATERAL FILES


H	W	Inside W	D	Model Number	List
29	32.5	30	19 3/8	X-DSL30	1,255
29	38.5	36	19 3/8	X-DSL36	1,305
29	44.5	42	19 3/8	X-DSL42	1,354
29	62.5	60	19 3/8	X-DSL60	1,520
29	68.5	66	19 3/8	X-DSL66	1,574
29	74.5	72	19 3/8	X-DSL72	1,630
29	80.5	78	19 3/8	X-DSL78	1,685
29	86.5	84	19 3/8	X-DSL84	1,741




Without Storage



With Storage




Without Storage




With Storage

LATERAL WRAPS FOR 2-DRAWER LATERAL FILES BACK-TO-BACK

H	W	Inside W	D	Model Number	List
29	32.5	30	37 1/2	X-DSL30	2,319
29	38.5	36	37 1/2	X-DSL36	2,412
29	44.5	42	37 1/2	X-DSL42	2,505
29	62.5	60	37 1/2	X-DSL60	2,808
29	68.5	66	37 1/2	X-DSL66	2,913
29	74.5	72	37 1/2	X-DSL72	3,014
29	80.5	78	37 1/2	X-DSL78	3,118
29	86.5	84	37 1/2	X-DSL84	3,220



Without Storage



With Storage

Specify

- Laminate Selection for Worksurface
- Laminate Selection for Base

Notes

- Lateral wraps have a surface thickness of 1 1/8th.
- Back-to-back lateral wraps can fit two storage units back-to-back.
- For use with L Series or Calibrate laterals.


Lateral Wraps for 3-Drawer Lateral Files

LATERAL WRAPS WITH NO BACK FOR 3-DRAWER LATERAL FILES

H	W	Inside W	D	Model Number	List
42	32.5	30	18	X-DSLNT30	1,520
42	38.5	36	18	X-DSLNT36	1,599
42	44.5	42	18	X-DSLNT42	1,677
42	62.5	60	18	X-DSLNT60	1,754
42	68.5	66	18	X-DSLNT66	1,831
42	74.5	72	18	X-DSLNT72	1,903
42	80.5	78	18	X-DSLNT78	1,976
42	86.5	84	18	X-DSLNT84	2,050

LATERAL WRAPS WITH BACK FOR 3-DRAWER LATERAL FILES


H	W	Inside W	D	Model Number	List
42	32.5	30	19 3/8	X-DSLBT30	1,597
42	38.5	36	19 3/8	X-DSLBT36	1,672
42	44.5	42	19 3/8	X-DSLBT42	1,750
42	62.5	60	19 3/8	X-DSLBT60	1,830
42	68.5	66	19 3/8	X-DSLBT66	1,906
42	74.5	72	19 3/8	X-DSLBT72	1,977
42	80.5	78	19 3/8	X-DSLBT78	2,052
42	86.5	84	19 3/8	X-DSLBT84	2,124



Without Storage



With Storage




Without Storage



With Storage

LATERAL WRAPS FOR 3-DRAWER LATERAL FILES BACK-TO-BACK

H	W	Inside W	D	Model Number	List
42	32.5	30	37 1/2	X-DSLDT30	2,949
42	38.5	36	37 1/2	X-DSLDT36	3,091
42	44.5	42	37 1/2	X-DSLDT42	3,237
42	62.5	60	37 1/2	X-DSLDT60	3,382
42	68.5	66	37 1/2	X-DSLDT66	3,525
42	74.5	72	37 1/2	X-DSLDT72	3,658
42	80.5	78	37 1/2	X-DSLDT78	3,793
42	86.5	84	37 1/2	X-DSLDT84	3,927



Without Storage



With Storage

Specify

- Laminate Selection for Worksurface
- Laminate Selection for Base


Notes

- Lateral wraps have a surface thickness of 1 1/8th.
- Back-to-back lateral wraps can fit two storage units back-to-back.
- For use with L Series laterals only.

L Series Freestanding Conversion Kits and Laminate Top Spanners


L SERIES FREESTANDING PAINTED METAL CONVERSION KITS

Actual H	Lateral W	Model Number	List
1 1/8	30	S-LATTOPJJ30	445
1 1/8	36	S-LATTOPJJ36	543
1 1/8	42	S-LATTOPJJ42	641




L SERIES FREESTANDING LAMINATE CONVERSION KITS

Actual H	Lateral W	Model Number	List	Grade C Laminate
1 1/8	30	W-WSL30JJ	495	+25
1 1/8	36	W-WSL36JJ	531	+28
1 1/8	42	W-WSL42JJ	586	+30




L SERIES LATERAL LAMINATE TOP SPANNERS FOR 2-DRAWER LATERAL FILES

Actual H	Span W	Model Number	List	Grade C Laminate
1 1/8	60	W-WSL230JJ	714	+41
1 1/8	66	W-WSL3036JJ	818	+46
1 1/8	72	W-WSL236JJ	888	+51
1 1/8	78	W-WSL3642JJ	961	+58
1 1/8	84	W-WSL242JJ	1,023	+58
1 1/8	90	W-WSL330JJ	1,153	+68
1 1/8	96	W-WSL23036JJ	1,210	+68



L SERIES LATERAL LAMINATE TOP SPANNERS FOR 3, 4 AND 5-DRAWER LATERAL FILES

Actual H	Span Laterals	Model Number	List	Grade C Laminate
1 1/8	30, 30	W-WSL3030JJW	613	+41
1 1/8	30, 36	W-WSL3036JJW	713	+46
1 1/8	30, 42	W-WSL3042JJW	786	+46
1 1/8	36, 36	W-WSL3636JJW	786	+51
1 1/8	36, 42	W-WSL3642JJW	852	+58
1 1/8	42, 42	W-WSL4242JJW	915	+58
1 1/8	30, 30, 30	W-WSL303030JJW	1,043	+68
1 1/8	30, 30, 36	W-WSL303036JJW	913	+68



Specify

- Paint Selection for Metal Kits
- Laminate Selection for Laminate Kits
- Color Selection for 2mm Edge on Laminate Kits

Notes

- Freestanding Conversion Kit retrofits to lateral files in order to create a freestanding scenario.
- Available as a painted metal top or laminate wood top.
- Top is 1 1/8" tall, so lateral finishes off at the same height as a standard height worksurface.
- Includes two 25 lb. counterweight which drops into the retainer bracket in the back of the lateral file.
- Order kit which corresponds to lateral width.
- When using spanners on 3, 4 or 5 high lateral files order the spanner that does not come with counter weights.
- Spanner surfaces are 18"D.
- Minimum height of a 2-drawer lateral file is 27 1/2".
- Adding a freestanding conversion kit increases height of the lateral file to 28 5/8", finishing off at the same height as a standard height worksurface.



L Series BBF Wardrobe Towers with Cupboard

L SERIES BOX-BOX-FILE WARDROBE TOWERS WITH CUPBOARD

Hand	H	Model Number	List	Grade C Paint
Left	49	S-WTCBBFLMX49	4,842	+178
Left	65	S-WTCBBFLMX65	5,410	+178
Right	49	S-WTCBBFRMX49	4,842	+178
Right	65	S-WTCBBFRMX65	5,410	+178

LAMINATE FRONT L SERIES BOX-BOX-FILE WARDROBE TOWERS WITH CUPBOARD

Hand	H	Model Number	List	Grade C Paint
Left	49	S-WTCBBFLMX49L	5,529	+178
Left	65	S-WTCBBFLMX65L	6,095	+178
Right	49	S-WTCBBFRMX49L	5,529	+178
Right	65	S-WTCBBFRMX65L	6,095	+178



Specify

Notes

- Paint Selection for Casing, Glass Door Trim (if applicable)
- Laminate Selection (if applicable)

- L Series Wardrobe Towers with Cupboard have square front doors and drawers with rectangular pulls and are available with metal or laminate door fronts.
- Includes wardrobe closet, coat rod, cupboard with adjustable shelf, and the option of a box-box-file or file-file pedestal.
- File drawers have full depth, smooth riding ball bearing suspensions.
- Both the cupboard and pedestal units are lockable.
- Wardrobe towers ship completely assembled and are available as left or right handed.
- Lock cores are removable with removal keys and master keys are available.
- Adjustable glides may add a maximum of 1 1/2" to minimum height.



L Series FF Wardrobe Towers with Cupboard

L SERIES FILE-FILE WARDROBE TOWERS WITH CUPBOARD

Hand	H	Model Number	List	Grade C Paint
Left	49	S-WTCFFLMX49	4,842	+178
Left	65	S-WTCFFLMX65	5,410	+178
Right	49	S-WTCFFRMX49	4,842	+178
Right	65	S-WTCFFRMX65	5,410	+178

LAMINATE FRONT L SERIES FILE-FILE WARDROBE TOWERS WITH CUPBOARD

Hand	H	Model Number	List	Grade C Paint
Left	49	S-WTCFFLMX49L	5,529	+178
Left	65	S-WTCFFLMX65L	6,095	+178
Right	49	S-WTCFFRMX49L	5,529	+178
Right	65	S-WTCFFRMX65L	6,095	+178



Specify

Notes


- Paint Selection for Casing, Glass Door Trim (if applicable)
- Laminate Selection (if applicable)

- L Series Wardrobe Towers with Cupboard have square front doors and drawers with rectangular pulls and are available with metal or laminate door fronts.
- Includes wardrobe closet, coat rod, cupboard with adjustable shelf, and the option of a box-box-file or file-file pedestal.
- File drawers have full depth, smooth riding ball bearing suspensions.
- Both the cupboard and pedestal units are lockable.
- Wardrobe towers ship completely assembled and are available as left or right handed.
- Lock cores are removable with removal keys and master keys are available.
- Adjustable glides may add a maximum of 1 1/2" to minimum height.

L Series BBF Wardrobe Towers with Side Access


L SERIES BOX-BOX FILE WARDROBE TOWERS WITH SIDE ACCESS

Hand	H	Model Number	List	Grade C Paint
Left	49	S-WTBJBBFLMX49	5,012	+178
Left	65	S-WTBJBBFLMX65	5,599	+178
Right	49	S-WTBJBBFRMX49	5,012	+178
Right	65	S-WTBJBBFRMX65	5,599	+178



L SERIES FILE-FILE WARDROBE TOWERS WITH SIDE ACCESS

Hand	H	Model Number	List	Grade C Paint
Left	49	S-WTBJFFLMX49	5,012	+178
Left	65	S-WTBJFFLMX65	5,599	+178
Right	49	S-WTBJFFRMX49	5,012	+178
Right	65	S-WTBJFFRMX65	5,599	+178



Specify

- Paint Selection


Notes

- L Series Wardrobe Towers with Standard Side Access Bookcase have square front doors and drawers with rectangular pulls.
- Includes wardrobe closet, coat rod, front panel bookshelf with adjustable shelf, and the option of a box-box-file or file-file pedestal.
- File drawers have full depth, smooth riding ball bearing suspensions.
- The pedestal units are lockable.
- Wardrobe towers ship completely assembled and are available as left or right handed.
- Lock cores are removable with removal keys and master keys are available.
- Actual depth is 22" and actual width is 24" on all towers.
- Adjustable glides may add a maximum of 1 1/2" to minimum height.

L Series Bookcases, 2-Door Cabinets, Shelves and Laminate Tops

L SERIES BOOKCASES

W	H	Shelf Count	Model Number	List	Grade C Paint
36	27 3/4	1	S-BCL2836	2,383	+118
36	39 7/8	2	S-BCL4036	2,664	+138
36	51 3/8	3	S-BCL5136	2,968	+158
36	65 7/8	4	S-BCL6636	3,183	+178



Specify


- Paint Selection

Notes

- L Series Bookcases are a double walled, metal bookcase.
- Bookcase shelves are adjustable in 1/2" increments. Leveling glides are 5/8" adjustable.
- All Bookcases are 13 3/8" deep.

L SERIES 2-DOOR CABINETS

W	H	Shelf Count	Model Number	List	Grade C Paint
36	28 3/8	1	S-CABL2D28	3,507	+118
36	39 7/8	2	S-CABL2D39	4,383	+138
36	51 3/8	3	S-CABL2D51	5,248	+158
36	65 7/8	4	S-CABL2D66	6,102	+178



Specify


- Paint Selection

Notes

- L Series 2-Door Cabinets have square front doors and drawers with rectangular pulls.
- Lock cores are removable with removal keys and master keys are available.
- Cabinet shelves are adjustable in 1 1/2" increments.
- All 2 Door Cabinets are 18 1/4" deep.

L SERIES BOOKCASE SHELVES

Model Number	List
S-BCLHF	179




Specify

Notes

- Order only if extra shelf is required.

L SERIES 2-DOOR CABINET SHELVES

Model Number	List
S-CABLHF	442




Specify

Notes

- Order only if extra shelf is required.

L SERIES 2-DOOR CABINET LAMINATE TOPS

Actual H	Cabinet W	Model Number	List	Grade C Paint
1 1/8	36	W-WS2DCABTOP	534	+28



Specify

Notes

- Laminate Selection



Freestanding Type C Hutches

**FREESTANDING TYPE C METAL HUTCHES
(FABRIC/FABRIC UTILITY BOARD)**

W	Model Number	List	Grade C Paint	Grade C Flipper Fabric	Grade D Flipper Fabric	Grade C Utility Fabric	Grade D Utility Fabric
24	S-HCOFF24	2,555	+20	+13	+24	+7	+14
30	S-HCOFF30	2,684	+20	+13	+24	+7	+14
36	S-HCOFF36	2,810	+20	+13	+24	+13	+27
42	S-HCOFF42	3,068	+20	+13	+24	+13	+27
48	S-HCOFF48	3,292	+20	+13	+24	+13	+27
60	S-HCOFF60	3,510	+20	+13	+24	+13	+27

**FREESTANDING TYPE C METAL HUTCHES
(WHITE BOARD/FABRIC UTILITY BOARD)**

W	Model Number	List	Grade C Paint	Grade C Flipper Fabric	Grade D Flipper Fabric	Grade C Utility Fabric	Grade D Utility Fabric
24	S-HCOFW24	2,555	+20	+13	+24	+7	+14
30	S-HCOFW30	2,684	+20	+13	+24	+7	+14
36	S-HCOFW36	2,810	+20	+13	+24	+13	+27
42	S-HCOFW42	3,068	+20	+13	+24	+13	+27
48	S-HCOFW48	3,292	+20	+13	+24	+13	+27
60	S-HCOFW60	3,510	+20	+13	+24	+13	+27



Specify

Notes

- Paint Selection
- Flipper Door Style - Paint or Fabric
- Slide Choice: Standard or Easy-down (+261)
- Utility Board Style (Fabric/Fabric or Whiteboard/Fabric)
- Fabric Selection for Utility Board

- Freestanding Type C Metal Hutch incorporates a Type C flipper door unit with fully enclosed metal back, a utility board, and one low profile tasklight.
- The flipper door is available in either a metal or fabric door front.
- The utility board (tackable) is available in either fabric on one side and white board on the opposite side or fabric front and back.
- Tasklight cord is managed behind the utility board with rear exit at bottom of back panel.
- Not intended for mounting on cantilevered worksurface.
- Unit mounts on floor supported base unit.
- Unit ships flat and is assembled in the field.
- Overall height of 36", 20" to bottom of flipper unit.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.



Freestanding Laminate Front Type C Hutches

**FREESTANDING TYPE C LAMINATE FRONT METAL HUTCHES
(FABRIC/FABRIC UTILITY BOARD)**

W	Model Number	List	Grade C Paint	Grade C Door Laminate	Grade C Utility Fabric	Grade D Utility Fabric
24	S-HCOFF24L	2,774	+20	+17	+7	+14
30	S-HCOFF30L	2,901	+20	+18	+7	+14
36	S-HCOFF36L	3,196	+20	+19	+13	+27
42	S-HCOFF42L	3,283	+20	+20	+13	+27
48	S-HCOFF48L	3,731	+20	+21	+13	+27
60	S-HCOFF60L	3,963	+20	+22	+13	+27

**FREESTANDING TYPE C LAMINATE FRONT METAL HUTCHES
(WHITE BOARD/FABRIC UTILITY BOARD)**

W	Model Number	List	Grade C Paint	Grade C Door Laminate	Grade C Utility Fabric	Grade D Utility Fabric
24	S-HCOFW24L	2,774	+20	+17	+7	+14
30	S-HCOFW30L	2,901	+20	+18	+7	+14
36	S-HCOFW36L	3,027	+20	+19	+13	+27
42	S-HCOFW42L	3,283	+20	+20	+13	+27
48	S-HCOFW48L	3,510	+20	+21	+13	+27
60	S-HCOFW60L	3,707	+20	+22	+13	+27



Specify

Notes

- Paint Selection
- Laminate Selection
- Slide Choice: Standard or Easy-down (+261)
- Edge Selection
- Utility Board Style (Fabric/Fabric or Whiteboard/Fabric)
- Fabric Selection for Utility Board

- Freestanding Type C Laminate Front Metal Hutch incorporates a Type C flipper door unit (laminated door) with fully enclosed metal back, a utility board, and one low profile tasklight.
- The utility board (tackable) is available in either fabric on one side and white board on the opposite side or fabric front and back.
- Tasklight cord is managed behind the utility board with rear exit at bottom of back panel.
- Not intended for mounting on cantilevered worksurface.
- Unit mounts on floor supported base unit.
- Unit ships flat and is assembled in the field.
- Overall height of 36", 20" to bottom of flipper unit.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.



Freestanding Type D Hutches

**FREESTANDING TYPE D SOLID FRONT METAL HUTCHES
(FABRIC/FABRIC UTILITY BOARD)**

W	Model Number	List	Grade C Paint	Grade C Utility Fabric	Grade D Utility Fabric
24	S-HCDSFF24	2,926	+20	+7	+14
30	S-HCDSFF30	3,060	+20	+7	+14
36	S-HCDSFF36	3,196	+20	+13	+27
42	S-HCDSFF42	3,466	+20	+13	+27
48	S-HCDSFF48	3,492	+20	+13	+27

**FREESTANDING TYPE D SOLID FRONT METAL HUTCHES
(WHITE BOARD/FABRIC UTILITY BOARD)**

W	Model Number	List	Grade C Paint	Grade C Utility Fabric	Grade D Utility Fabric
24	S-HCDSFW24	2,754	+20	+7	+14
30	S-HCDSFW30	2,882	+20	+7	+14
36	S-HCDSFW36	3,196	+20	+13	+27
42	S-HCDSFW42	3,265	+20	+13	+27
48	S-HCDSFW48	3,492	+20	+13	+27



Specify

Notes

- Paint Selection
- Utility Board Style (Fabric/Fabric or Whiteboard/Fabric)
- Fabric Selection for Utility Board

- Freestanding Type D Metal Hutch incorporates a Type D flipper door unit (solid metal door) with fully enclosed metal back, a utility board, and one low profile tasklight.
- The flipper door is available in either a metal or fabric door front.
- The utility board (tackable) is available in either fabric on one side and white board on the opposite side or fabric front and back.
- Tasklight cord is managed behind the utility board with rear exit at bottom of back panel.
- Not intended for mounting on cantilevered worksurface.
- Unit mounts on floor supported base unit.
- Unit ships flat and is assembled in the field.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.



Freestanding Open Shelf Hutches and Bar Pulls

**FREESTANDING OPEN SHELF METAL HUTCHES
(FABRIC/FABRIC UTILITY BOARD)**

W	Model Number	List	Grade C Paint	Grade C Utility Fabric	Grade D Utility Fabric
24	S-HOSFF24	2,005	+12	+7	+14
30	S-HOSFF30	2,123	+12	+7	+14
36	S-HOSFF36	2,236	+12	+13	+27
42	S-HOSFF42	2,487	+12	+13	+27
48	S-HOSFF48	2,695	+12	+13	+27

**FREESTANDING OPEN SHELF METAL HUTCHES
(WHITE BOARD/FABRIC UTILITY BOARD)**

W	Model Number	List	Grade C Paint	Grade C Utility Fabric	Grade D Utility Fabric
24	S-HOSFW24	2,005	+12	+7	+14
30	S-HOSFW30	2,123	+12	+7	+14
36	S-HOSFW36	2,236	+12	+13	+27
42	S-HOSFW42	2,487	+12	+13	+27
48	S-HOSFW48	2,864	+12	+13	+27



Specify

Notes

- Paint Selection
- Utility Board Style (Fabric/Fabric or Whiteboard/Fabric)
- Fabric Selection for Utility Board

- Freestanding Open Shelf Metal Hutch incorporates a mid-height shelf unit, a utility board, and one low profile tasklight.
- The utility board (tackable) is available in either fabric on one side and white board on the opposite side or fabric front and back.
- Tasklight cord is managed behind the utility board with rear exit at bottom of back panel.
- Not intended for mounting on cantilevered worksurface.
- Unit mounts on floor supported base unit. Unit ships flat and is assembled in the field.
- Overall height of 28", 20" to bottom of flipper unit.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.

Matrix Mounted Open Overheads

MATRIX MOUNTED 8" HIGH OPEN OVERHEADS

H	W	D	Model Number	List
8	24	14	C-OMX082414	1,387
8	30	14	C-OMX083014	1,412
8	36	14	C-OMX083614	1,458
8	42	14	C-OMX084214	1,527
8	48	14	C-OMX084814	1,589
8	54	14	C-OMX085414	1,909
8	60	14	C-OMX086014	1,957
8	66	14	C-OMX086614	2,020
8	72	14	C-OMX087214	2,086

MATRIX MOUNTED 16" HIGH OPEN OVERHEADS

H	W	D	Model Number	List
16	24	14	C-OMX162414	1,532
16	30	14	C-OMX163014	1,587
16	36	14	C-OMX163614	1,645
16	42	14	C-OMX164214	1,710
16	48	14	C-OMX164814	1,773
16	54	14	C-OMX165414	2,347
16	60	14	C-OMX166014	2,395
16	66	14	C-OMX166614	2,429
16	72	14	C-OMX167214	2,476



Specify

- Laminate Selection for Back

Notes

- Open Overheads have a 3/4" laminate case construction with 1mm edge band.
- Overheads are available at 8" or 16" tall by 24" - 72" wide. All nominal dimensions equal actual dimensions.
- 24"- 48" width units have center upright divider creating two storage slots. 54"- 72" width units have four evenly spaced upright dividers creating four storage slots.
- Laminate selection must be casegood compatible, see Finish Options for more details.

Matrix Mounted Cabinet Door Overheads

MATRIX MOUNTED CABINET LAMINATE DOOR OVERHEADS

H	W	D	Model Number	List
16	24	14	C-OMXC162414L	2,403
16	30	14	C-OMXC163014L	2,465
16	36	14	C-OMXC163614L	2,530
16	42	14	C-OMXC164214L	2,614
16	48	14	C-OMXC164814L	2,676
16	54	14	C-OMXC165414L	4,017
16	60	14	C-OMXC166014L	4,098
16	66	14	C-OMXC166614L	4,182
16	72	14	C-OMXC167214L	4,284

MATRIX MOUNTED CABINET ACRYLIC DOOR OVERHEADS

H	W	D	Model Number	List
16	24	14	C-OMXC162414G	2,744
16	30	14	C-OMXC163014G	2,837
16	36	14	C-OMXC163614G	2,952
16	42	14	C-OMXC164214G	3,046
16	48	14	C-OMXC164814G	3,161
16	54	14	C-OMXC165414G	4,725
16	60	14	C-OMXC166014G	4,857
16	66	14	C-OMXC166614G	4,973
16	72	14	C-OMXC167214G	5,087



Specify

- Laminate Selection for Case
- Laminate Selection for Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes

- Cabinet Door Overheads have a 3/4" laminate case construction with 1mm edge band. Cabinet door overheads are 16" tall by 24"- 72" wide.
- Cabinet doors are locking (only center doors on 54"- 72"w) and available in laminate or frosted acrylic. All nominal dimensions equal actual dimensions.
- 24"- 48" width units have center upright divider creating two storage slots. 54"- 72" width units have four evenly spaced upright dividers creating four storage slots.
- Laminate selection must be casegood compatible, see Finish Options for more details.
- Laminate Storage items follow current Calibrate Series leadtime.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a \$10 upcharge.
- Slim pull not available on doors. Touch-to-open handle selection incurs a \$50 upcharge per unit (not available on framed glass doors).
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 laminate units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.

Matrix Mounted Sliding Door Overheads

MATRIX MOUNTED SLIDING LAMINATE DOOR OVERHEADS


Hand	H	W	D	Model Number	List
Left	16	30	14	C-OMXS163014LL	2,420
Left	16	36	14	C-OMXS163614LL	2,491
Left	16	42	14	C-OMXS164214LL	2,598
Left	16	48	14	C-OMXS164814LL	2,686
Left	16	54	14	C-OMXS165414LL	3,432
Left	16	60	14	C-OMXS166014LL	3,503
Left	16	66	14	C-OMXS166614LL	3,571
Left	16	72	14	C-OMXS167214LL	3,642
Right	16	30	14	C-OMXS163014RL	2,420
Right	16	36	14	C-OMXS163614RL	2,491
Right	16	42	14	C-OMXS164214RL	2,598
Right	16	48	14	C-OMXS164814RL	2,686
Right	16	54	14	C-OMXS165414RL	3,432
Right	16	60	14	C-OMXS166014RL	3,503
Right	16	66	14	C-OMXS166614RL	3,571

MATRIX MOUNTED SLIDING ACRYLIC DOOR OVERHEADS


Hand	H	W	D	Model Number	List
Left	16	30	14	C-OMXS163014LG	2,681
Left	16	36	14	C-OMXS163614LG	2,794
Left	16	42	14	C-OMXS164214LG	2,889
Left	16	48	14	C-OMXS164814LG	3,000
Left	16	54	14	C-OMXS165414LG	3,769
Left	16	60	14	C-OMXS166014LG	3,847
Left	16	66	14	C-OMXS166614LG	3,942
Left	16	72	14	C-OMXS167214LG	4,038
Right	16	30	14	C-OMXS163014RG	2,681
Right	16	36	14	C-OMXS163614RG	2,794
Right	16	42	14	C-OMXS164214RG	2,889
Right	16	48	14	C-OMXS164814RG	3,000
Right	16	54	14	C-OMXS165414RG	3,769
Right	16	60	14	C-OMXS166014RG	3,847
Right	16	66	14	C-OMXS166614RG	3,942
Right	16	72	14	C-OMXS167214RG	4,038




Right Hand Shown



Right Hand Shown



Left Hand Shown



Left Hand Shown

Specify

- Laminate Selection for Case
- Laminate Selection for Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection


Notes

- Matrix Mounted Sliding Door Overheads have a 3/4" laminate case construction with 1mm edge band.
- Sliding door overheads are 16" tall by 30" - 72" wide.
- Sliding door overheads may be ordered for use with the AIS Matrix system, additionally they can be wall mounted using wall tracks or wall tile rails.
- Sliding door is locking and available in laminate or frosted acrylic.
- Sliding door is also reversible from left to right.
- All nominal dimensions equal actual dimensions.
- 30"- 48" width units have center upright divider creating two storage slots. 54"- 72" width units have four evenly spaced upright dividers creating four storage slots.
- Laminate selection must be casegood compatible, see Finish Options for more details.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a \$10 upcharge.
- Slim pull not available on doors. Sliding laminate door units include the option of no handle.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 laminate units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.

Matrix and Divi Shared Open Overheads


MATRIX SHARED OPEN OVERHEADS

H	W	D	Model Number	List
16	36	16	C-SOLMX163616	2,332
16	42	16	C-SOLMX164216	2,420
16	48	16	C-SOLMX164816	2,505
16	60	16	C-SOLMX166016	2,707



DIVI SHARED OPEN OVERHEADS

H	W	D	Model Number	List
16	36	16	C-SOLDV163616	2,299
16	42	16	C-SOLDV164216	2,347
16	48	16	C-SOLDV164816	2,394
16	60	16	C-SOLDV166016	2,491



Specify

- Laminate Selection for Back
- Laminate Selection for Case
- Paint Selection for Mounting Brackets

Notes

- Shared Open Overheads have a 3/4" laminate case construction with 1mm edge band.
- Shared open overheads are 16" tall by 16" deep and available 36" - 60" wide.
- Overheads also include a laminate divider and feature one storage space on each side of the unit.
- Units are designed to mount to the top of AIS panels and may be straddled on two side by side panels.
- Matrix mounting brackets are under the unit, whereas Divi brackets are at the ends. These brackets consume 3" of the panel hanger frame at the top.
- Laminate selection must be casegood compatible, see Finish Options for more details.
- Laminate Storage items follow current Calibrate Series leadtime.

1. Stable

2. Stable


3. Not Stable

Shared Open Overhead Stability Notes
 Shared open overheads spanning two panels is allowed (see example 1).
 Shared open overheads mounted to one panel but overlapping others is allowed, up to 12" per side (see example 2).
 Shared open overheads mounted to a panel that is smaller in width than the shared open overhead is not allowed (see example 3).


Type C Flipper Door Units

TYPE C METAL/FABRIC FLIPPER DOOR UNITS (CLEAT MOUNT)									
Interior H	Interior W	Interior D	Model Number	List	Grade C Paint	C.O.M. Fabric	Grade C Fabric	Grade D Fabric	Easy Down
14 1/4	24	12	S-FDUCM24	1,085	+20	-5	+13	+24	+261
14 1/4	30	12	S-FDUCM30	1,106	+20	-5	+13	+24	+261
14 1/4	36	12	S-FDUCM36	1,133	+20	-5	+13	+24	+261
14 1/4	42	12	S-FDUCM42	1,155	+20	-5	+13	+24	+261
14 1/4	48	12	S-FDUCM48	1,218	+20	-5	+13	+24	+261
14 1/4	60	12	S-FDUCM60	1,436	+20	-5	+13	+24	+261


TYPE C LAMINATE FLIPPER DOOR UNITS (CLEAT MOUNT)								
Interior H	Interior W	Interior D	Model Number	List	Grade C Paint	Grade C Laminate	Easy Down	
14 1/4	24	12	S-FDUCML24	1,304	+20	+17	+261	
14 1/4	30	12	S-FDUCML30	1,327	+20	+18	+261	
14 1/4	36	12	S-FDUCML36	1,352	+20	+19	+261	
14 1/4	42	12	S-FDUCML42	1,376	+20	+20	+261	
14 1/4	48	12	S-FDUCML48	1,508	+21	+21	+261	
14 1/4	60	12	S-FDUCML60	1,655	+20	+22	+261	




Cleat Mount



Easy Down Mechanism (Optional)



Cleat Mount



Easy Down Mechanism (Optional)



Specify	Notes
<ul style="list-style-type: none"> • Paint Selection • Flipper Door Style - Paint or Fabric • Fabric Selection for Flipper Door • Easy Down Mechanism (Optional) 	<ul style="list-style-type: none"> • Type C Flipper Door Unit provides binder height, lockable overhead storage. • Door opens and stores above top cover pan. • Flipper unit has an open back. • Shelf bottom will receive tasklights. • Easy Down Mechanisms optional for all sizes and recommended on 60"W units. • Flipper doors are lockable with two supplied keys. Lock cores are removable with removal keys and master keys are available. Extra lock cores are available for keying flipper doors alike, but doors may not be ordered without locks. Keying flippers alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field. • Laminate Storage items follow current Calibrate Series leadtime.

Specify	Notes
<ul style="list-style-type: none"> • Laminate Selection for Flipper Door • Edge Selection for Flipper Door • Easy Down Mechanism (Optional) 	<ul style="list-style-type: none"> • Type C Flipper Door Unit provides binder height, lockable overhead storage. • Door opens and stores above top cover pan. • Flipper unit has an open back. • Shelf bottom will receive tasklights. • Easy Down Mechanisms optional for all sizes and recommended on 60"W units. • Flipper doors are lockable with two supplied keys. Lock cores are removable with removal keys and master keys are available. Extra lock cores are available for keying flipper doors alike, but doors may not be ordered without locks. Keying flippers alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field. • Laminate Storage items follow current Calibrate Series leadtime.


Type D Flipper Door Units

TYPE D SOLID FLIPPER DOOR UNITS (CLEAT MOUNT)

Interior H	Interior W	Interior D	Model Number	List	Grade C Paint	Easy Down
14 1/4	24	12	S-FDUDCM24	1,281	+20	+261
14 1/4	30	12	S-FDUDCM30	1,307	+20	+261
14 1/4	36	12	S-FDUDCM36	1,332	+20	+261
14 1/4	42	12	S-FDUDCM42	1,355	+20	+261
14 1/4	48	12	S-FDUDCM48	1,414	+20	+261



Cleat Mount



Easy Down Mechanism (Optional)

Specify

Notes

- Paint Selection
- Easy Down Mechanism (Optional)

- Type D Flipper Door Unit provides binder height, lockable overhead storage.
- Door opens and stores above top cover pan. Flipper unit has an open back.
- Shelf bottom will receive tasklights.
- Easy Down Mechanisms are optional for all sizes.
- All flipper doors are lockable with two supplied keys. Lock cores are removable with removal keys and master keys are available. Extra lock cores are available for keying flipper doors alike, but flipper doors may not be ordered without locks. Keying flippers alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- Laminate Storage items follow current Calibrate Series leadtime.


Sliding Door Units

METAL FRONT SLIDING DOOR UNITS (CLEAT MOUNTED)


Interior H	W	Interior D	Model Number	List	Grade C Paint
14 1/4	30	12	S-MS2DOCM30	1,307	+20
14 1/4	36	12	S-MS2DOCM36	1,335	+20
14 1/4	42	12	S-MS2DOCM42	1,356	+20
14 1/4	48	12	S-MS2DOCM48	1,420	+20
14 1/4	60	12	S-MS2DOCM60	1,638	+20

LAMINATE FRONT SLIDING DOOR UNITS (CLEAT MOUNTED)

Interior H	W	Interior D	Model Number	List	Grade C Paint	Grade C Laminate
14 1/4	30	12	S-MS2DOCM30L	1,529	+20	+18
14 1/4	36	12	S-MS2DOCM36L	1,545	+20	+19
14 1/4	42	12	S-MS2DOCM42L	1,578	+20	+20
14 1/4	48	12	S-MS2DOCM48L	1,712	+20	+21
14 1/4	60	12	S-MS2DOCM60L	1,856	+20	+22



Cleat Mount



Cleat Mount

Specify

- Paint Selection
- Laminate Selection for Sliding Door (for Laminate Front Unit only)
- Edge Selection for Sliding Door (for Laminate Front Unit only)

Notes


- Cleat Mounted Sliding Door Units provides binder height, lockable overhead storage.
- Door slides open side to side.
- Sliding door unit has an open back.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights.
- All sliding doors are lockable with (2) keys supplied. Lock cores are removable with removal keys and master keys are available. Extra lock cores are available for keying sliding doors alike, but sliding doors may not be ordered without locks. Keying sliding doors alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- Laminate Storage items follow current Calibrate Series leadtime.

METAL FRONT CABINET DOOR UNITS (CLEAT MOUNTED)


Interior H	W	Interior D	Model Number	List	Grade C Paint
14 1/4	24	12	S-VDOCM24	1,679	+20
14 1/4	30	12	S-VDOCM30	1,699	+20
14 1/4	36	12	S-VDOCM36	1,728	+20
14 1/4	42	12	S-VDOCM42	1,750	+20
14 1/4	48	12	S-VDOCM48	1,811	+20

LAMINATE FRONT CABINET DOOR UNITS (CLEAT MOUNTED)

Interior H	W	Interior D	Model Number	List	Grade C Paint	Grade C Laminate
14 1/4	24	12	S-VDOCM24L	1,899	+20	+17
14 1/4	30	12	S-VDOCM30L	1,917	+20	+18
14 1/4	36	12	S-VDOCM36L	1,946	+20	+19
14 1/4	42	12	S-VDOCM42L	1,971	+20	+20
14 1/4	48	12	S-VDOCM48L	2,103	+20	+21



Cleat Mount



Cleat Mount

Specify

- Paint Selection
- Laminate Selection for Sliding Door (for Laminate Front Unit only)
- Edge Selection for Sliding Door (for Laminate Front Unit only)


Notes

- Cabinet Door Unit - Metal Door Front - Cleat Mounted provides binder height, lockable overhead storage.
- Doors swing open.
- Cabinet door unit has an open back.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights.
- Units are lockable with (2) keys supplied. Lock cores are removable with removal keys and master keys are available. Extra lock cores are available for keying sliding doors alike, but sliding doors may not be ordered without locks. Keying sliding doors alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- Laminate Storage items follow current Calibrate Series leadtime.


Suspended Utility Storage and Accessories

SUSPENDED UTILITY STORAGE


H	W	D	Condition	Powered		Non-Powered	
				Model Number	List	Model Number	List
18	12	18	A	X-SUPCA	2,013	X-SUNPCA	1,482
18	12	18	B	X-SUPCB	2,013	X-SUNPCB	1,482
18	12	18	C	X-SUPCC	2,089	X-SUNPCC	1,561




Condition A



Condition B



Condition C



Power Detail

SUSPENDED UTILITY STORAGE CONDITIONS

Condition	For Use With
Condition A	E-Series Height Adjustable Tables, 24" Deep Day-to-Day Height Adjustable Tables, 24" Deep Aloft, 2018 & prior models, 24" Deep Oxygen Worksurfaces, 30" Deep
Condition B	E-Series Height Adjustable Tables, 30" Deep Day-to-Day Height Adjustable Tables, 30" Deep Aloft, all models, 30" Deep Oxygen Worksurfaces, 24" Deep
Condition C	Aloft, 2019+ models, 24" Deep

Specify



Notes

- Laminate Selection for Drawer Face and Case
- Handle Selection
- Handle Paint Selection
- Lock Selection

- Units have interior dimensions of 8.856"W x 14.917H x 16.480"D.
- Storage unit pulls out a distance of 13.25".
- Powered units included 3 outlets and 2 USB charging ports.
- Can not be used on Calibrate Height Adjustable Tables.
- Digital locks can not be used on suspended storage.
- Laminate Storage items follow current Calibrate Series leadtime.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar and rectangle pull are also available unpainted. Grade C paint selection incurs a \$10 upcharge.
- Slim pull incurs a \$75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 laminate units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.

SUSPENDED UTILITY PENCIL TRAY

Model Number	List
X-PTC	67



Pencil Tray Detail



Specify

Notes

- Unit has dimension of 5" x 8.75".

SUSPENDED UNIT FOR HANGING FOLDERS KIT

Model Number	List
C-SUPFB	156



Shown with Folders

Specify

Notes

- Paint Selection for Unit
- Hanging folder kit comes in pairs.
- Kit allows for 3.75" of storage room for folders.



National Showrooms:

Leominster

AIS Headquarters
25 Tucker Drive
Leominster, MA 01453

Chicago

The Merchandise Mart
Suite 391
Chicago, Illinois 60654

New York

AIS New York
257 Park Avenue South
New York, New York 10010

Washington, D.C.

AIS Washington, D.C.
1501 M St, NW, STE 230
Washington, D.C. 20005

GSA Sales

GSA Contract 47QSM20D08Q4
Multiple Award Schedule (MAS)
Large Category: Furniture & Furnishings
Subcategories: Office Furniture, Packaged
Office Furniture and Furniture Services

For additional information on AIS:

Dealer Showrooms, Representative
Directory, Project Case Studies, Online
Catalog & Product Showcase
Visit: www.ais-inc.com