

# KZH-Fold: Accountable Voting from Sublinear Accumulation

George Kadianakis<sup>1</sup>, Arantxa Zapico<sup>2</sup>, Hossein Hafezi<sup>3</sup>, and Benedikt Bünz<sup>4</sup>

<sup>1,2</sup>Ethereum Foundation  
<sup>3,4</sup>New York University

## Abstract

Accumulation schemes are powerful primitives that enable distributed and incremental verifiable computation with less overhead than recursive SNARKs. However, most existing schemes with constant-size accumulation verifiers suffer from linear-sized accumulators and deciders, leading to unsuitable linear-sized proofs in distributed settings such as *accountable* voting protocols. Our contributions are as follows:

- We introduce KZH, a novel multilinear polynomial commitment scheme (PCS) with sublinear opening and KZH-fold, a polynomial accumulation (PA) scheme where the verifier only does 3 group scalar multiplications and  $O(n^{1/2})$  accumulator size and decider time. Our scheme generalizes to achieve accumulator and decider complexity of  $O(k \cdot n^{1/k})$  while a verifier complexity  $O(k)$ .
- As an orthogonal contribution to KZH-fold, we build an IVC (PCD) scheme for R1CS via Spartan+PA, in which instantiated with KZH-fold, i.e. Spartan+KZH-fold results in a sublinear proof and decider. With the recipe of Spartan+PA, we build non-uniform IVC and non-uniform PCD. Our non-uniform PCD is the first approach in which the prover’s computation and communication at each step and grow sublinearly with the combined circuit size of all instructions. This approach can be instantiated with any PA and doesn’t depend on KZH-fold.
- We demonstrate the power of Spartan+KZH-fold by implementing an *accountable voting scheme* using a novel signature aggregation protocol supporting millions of participants, significantly reducing communication overhead and verifier time compared to BLS-based aggregation. We implemented and benchmarked our protocols, Spartan+KZH-fold achieves a 2000x reduction in communication and a 50x improvement in decider time over Nova when proving 2000 Poseidon hashes, at the cost of 3x the prover time.

---

{asn, arantxa}@ethereum.org, {h.hafezi, bb}@nyu.edu  
The order of authors is arbitrary.

# Contents

<b>1</b>	<b>Introduction</b>	<b>4</b>
1.1	KZH multilinear polynomial commitment scheme	5
1.2	Sublinear accumulation schemes	6
1.3	Signature aggregation in consensus	8
1.4	Contributions	10
1.5	Additional related work	11
<b>2</b>	<b>Technical Overview</b>	<b>11</b>
<b>3</b>	<b>Preliminaries</b>	<b>14</b>
3.1	Notation	14
3.2	Polynomial commitment schemes	15
3.3	Accumulators	16
3.4	Incrementally verifiable computation	17
3.5	IVC from accumulators	18
<b>4</b>	<b>KZH: An efficiently aggregatable polynomial commitment</b>	<b>19</b>
4.1	KZH-fold: Accumulator with sublinear size	21
<b>5</b>	<b>PIOP+PA: IVC/PCD from Polynomial Accumulation</b>	<b>25</b>
5.1	PIOP Accumulation: accumulating Spartan PIOP	25
5.2	Uniform IVC/PCD from polynomial accumulation	26
5.3	N-IVC and N-PCD from polynomial accumulation	28
<b>6</b>	<b>PIOP for signature aggregation protocol</b>	<b>31</b>
<b>7</b>	<b>Implementation and efficiency</b>	<b>34</b>
7.1	Efficiency of KZH	35
7.2	Comparison with Halo Infinite	35
7.3	Comparison with Nova	36
7.4	Comparison with BLS aggregation	37
<b>A</b>	<b>Deferred definitions</b>	<b>45</b>
A.1	Signature schemes	45
<b>B</b>	<b>Deferred proofs</b>	<b>46</b>
B.1	Proof of theorem 3	46
B.2	Proof of theorem 4	49

<b>C</b>	<b>Higher dimension PCS for smaller deciders</b>	<b>54</b>
C.1	KZH-k	54
C.2	KZH-k accumulation	59
<b>D</b>	<b>Non-Uniformity from Polynomial Accumulation</b>	<b>65</b>

# 1 Introduction

Distributed verifiable computation (also known as proof-carrying-data or PCD) [CT10] is a powerful primitive that allows a distributed set of parties to jointly perform a computation such that each intermediate step and the result can be efficiently verified. This is useful for computations that are performed by distributed and distrusting parties. Each party can perform a step of the computation and then forward their output, along with a PCD proof that asserts the correctness of the computation up to this point. Examples of these computations are map-reduce systems [DG08; CTV15], where nodes jointly compute on large data sets, distributed rollups [Her24; KB23] where nodes compute joined transaction blocks, and distributed voting, where participants jointly compute a quorum certificate on a set of nodes. PCD can be built from recursive SNARKs; however, this approach has high overhead, requiring implementing the SNARK verifier inside of the proof circuit [Ben+14]. A promising recent line of work [KST22; Bün+21; KS24; BC23] showed how to construct PCD from so-called accumulation schemes. An accumulation scheme iteratively accumulates proofs into an accumulator. The accumulator is valid if and only if the input proofs are all valid. Importantly, checking the validity of the accumulation is much simpler than checking all the original proofs. PCD built from the most efficient accumulation schemes [KST22; Bün+21; KS24; BC23] only requires proving a constant number of group operations as overhead.

IVC/PCD built from linear-sized accumulation schemes face significant challenges in distributed settings. To illustrate, the communication in distributed PCD is mainly dominated by an accumulator, in which is the size of the computation step and requires substantial time to decide<sup>a</sup> by the receiving party. To demonstrate with numbers, assume we are using Nova, a linear-sized accumulation scheme, with a step computation of 1 million R1CS constraints. It results in a communication size of 80MB and a decider time of  $\approx 5$ s on a moderate laptop, for the receiving party to ensure the receiving accumulator is correct before continuing the computation.

In this work, we present **KZH**, a multilinear polynomial commitment scheme with efficient opening times. **KZH**, like the famous KZG polynomial commitment [KZG10], is secure in a pairing-friendly group, leverages a universal, upgradable structured reference string, and is secure in the algebraic group model. We also design **KZH-fold**, an efficient accumulation scheme for **KZH**. **KZH-fold** has a sublinear-sized accumulator that can be efficiently verified while retaining the constant size and concretely efficient accumulation verifier of prior works, such as Nova or Protostar. To illustrate sublinearity, if the original polynomials are of degree  $n$ , the resulting accumulator has a size sublinear in  $n$ , e.g.  $O(n^{\frac{1}{2}})$ . Concretely, we present an accumulation scheme where the accumulator for computations of size  $n$  is  $O(n^{\frac{1}{2}})$ , compared to  $O(n)$  for Nova, and the accumulation verifier performs 3 group

---

<sup>a</sup>Decider algorithm for an accumulation scheme checks if an accumulator is valid which results in all the accumulated proofs being valid, i.e. it is equivalent to IVC/PCD verifier in the context of IVC/PCD.

scalar multiplications to add a fresh proof to the accumulator (compared to 2 for Nova, 3 for Protopstar and 1 for HyperNova). The decider runtime is dominated by a pairing product of size  $n^{\frac{1}{2}}$ . We also generalize the scheme to **KZH**- $k$  such that the accumulator and decider are only  $O(k \cdot n^{\frac{1}{k}})$ , with an  $O(k)$  accumulation verifier for an arbitrary constant  $k$ . Using the compilers from [Bün+20; Bün+21; BC23], we construct an accumulation scheme for **KZH**. Given the general recipe of *accumulation of polynomial checks in a polynomial interactive oracle proof (PIOP)* or as we will refer to it as PIOP+PA, we build an accumulation scheme for R1CS (and hence IVC/PCD), by combining a variant Spartan [Set20] with a PA, and we refer to this as Spartan+PA. We then show that our scheme has significant benefits in an important application: accountable voting for large-scale consensus.

## 1.1 KZH multilinear polynomial commitment scheme

Extending ideas from Hyrax, we design **KZH** (**KZG** + Hyrax) with the following appealing features: Given a  $\log n$ -variate multilinear polynomial, **KZH** has a linear-time commitment phase, primarily dominated by an MSM of size  $n$  directly to the witness, resulting in fast commitment when the witness consists of small field elements. The commitment is a single  $\mathbb{G}_1$  element. The opening and verification times are both  $O(n^{\frac{1}{2}})$ , and the proof size is also  $O(n^{\frac{1}{2}})$ . The core idea of **KZH** is to represent polynomial evaluation as a matrix operation, reducing it to matrix-vector multiplication. We extend this concept to tensors, where a matrix is a tensor of dimension 2, and introduce **KZH**- $k$  for a constant number  $k$ . **KZH**- $k$  has linear commitment time, and the opening time remains  $O(n^{\frac{1}{2}})$  through preprocessing, but the verifier time and proof size are both changed to  $O(k \cdot n^{\frac{1}{k}})$ .

**KZH**- $\log(n)$  is of independent interest as a standalone commitment scheme. Like the multivariate commitment scheme from [PST13], it has  $O(\log(n))$  group elements proof size, and verifier time. Its key advantage is that computing an opening proof can be done using only  $n^{\frac{1}{2}}$  group operations (not including polynomial evaluation). **KZH**- $\log(n)$  unlike similar schemes like Dory [Lee21], the proof does not consist of target group elements and subsequently the verifier does not do target group operations which limits its application to smart contracts not supporting such operations. However, **KZH**- $\log n$  suffers from quasilinear commitment time, which is acceptable for applications where the polynomial is committed once and then opened frequently, as in *index-efficient PIOPs*, demonstrated in a recent work [Cam+25]. This includes applications where the polynomial is part of the index in a relation, such as committing to a table in a lookup relation. However, for applications like committing to the polynomial witness in a PIOP, such as Spartan, where the prover must commit to the polynomial and open it at a single point, **KZH**- $k$  with a small constant  $k$  (e.g., 3 or 4) is more efficient. That is because in practice a verifier time of  $O(4 \cdot n^{\frac{1}{4}})$  does not differ from  $O(\log n)$  for reasonable polynomial degree  $n$ , and our evaluations confirm this. We emphasize again that both the committing and opening algorithms of **KZH** and **KZH**- $k$  benefit from a witness consisting of small field elements. For example, it is very efficient to commit and open a polynomial when the evaluation points are 0s and 1s, as is

the case in our demonstrated signature aggregation scheme. In Table 1, we compare various polynomial commitment schemes with **KZH** and **KZH-log( $n$ )**.

Scheme	Supports	Opening time	Proof size	Verifier time
<b>KZH</b>	Multilinear	$n^{\frac{1}{2}} \mathbb{G}_1$	$2n^{\frac{1}{2}} \mathbb{G}_1$	$n^{\frac{1}{2}} P + 2 \cdot \text{MSM}(n^{\frac{1}{2}})$
<b>KZH-log(<math>n</math>)</b>	Multilinear	$n^{\frac{1}{2}} \mathbb{G}_1$	$2 \log(n) \mathbb{G}_1$	$2 \log(n) P$
<a href="#">[PST13]</a>	Multivariate	$\text{MSM}(n)$	$\log(n) \mathbb{G}_1$	$\log(n) P$
<a href="#">[KZG10]</a>	Univariate	$\text{MSM}(n)$	$1 \mathbb{G}_1$	$2 P$
<a href="#">[Lee21]</a>	Multilinear	$n^{\frac{1}{2}} P$	$3 \log(n) \mathbb{G}_T$	$\log(n) \mathbb{G}_T, P$

Table 1: Comparison for **KZH**, **KZH-log( $n$ )**, **KZG**, **PST** and **Dory**. For the multivariate scheme  $\log(n)$  is the number of variables, for **KZG**  $n$  is the degree.  $P$  stands for pairing operations,  $\mathbb{G}_1$  and  $\mathbb{G}_T$  for base and target group operations respectively. Commitment time for all schemes is dominated by an **MSM** of size  $n$ .

## 1.2 Sublinear accumulation schemes

As our core technical contribution, we design **KZH-fold**, an accumulation scheme<sup>b</sup> with a sublinear accumulator and decider (including the accumulator witness) and a constant-sized accumulation verifier. Concretely, the accumulation verifier performs only 3 group scalar multiplications and has an accumulator consisting of  $O(n^{\frac{1}{2}})$  elements. In the same manner as **KZH** polynomial commitment scheme, we generalize **KZH-fold** to **KZH-k fold**, an accumulation scheme of **KZH-k** with an accumulator of size  $k \cdot n^{\frac{1}{k}}$  and an accumulation verifier of size  $O(k)$ . Through the compilers of [\[Bün+21; KS23a\]](#), we get a **PCD** scheme with minimal overhead and significantly smaller and faster to verify **PCD** proofs compared to **PCD** from linear-sized accumulation schemes.

The accumulator witness in **KZH-fold** consists of  $n^{\frac{1}{2}}$  group elements and  $5 \times n^{\frac{1}{2}}$  field elements and is thus significantly smaller than the original polynomial. Subsequently, the decider runs in time  $O(n^{\frac{1}{2}})$ , dominated by a pairing-product of that size. We combine **KZH-fold** with a **PIOP** [\[BFS20; Set20\]](#), to get an accumulation scheme for **R1CS**. This **R1CS** accumulation scheme yields an **IVC** (**PCD**) scheme through the **BCLMS** [\[Bün+21\]](#) and **Cyclefold** [\[KS23b\]](#) compilers. The accumulator size directly corresponds to the **IVC** (**PCD**) proof size, and the decider to the **IVC** (**PCD**) verifier time.

The sublinear accumulator - which results in **IVC/PCD** with sublinear proofs - is advantageous in distributed applications of **PCD**, such as prover networks or accountable voting, as **PCD** proofs, which turn out to be accumulators, must be passed from node to node. For this reason, most prior applications of accumulation-based **PCD**, which were based on linear

---

<sup>b</sup>Technically, any **SNARK** yields an accumulation scheme. However, no **SNARK** exists where the verification only requires a constant and small number of group operations.

accumulation schemes were mainly limited to single-prover scenarios. Nova [KST22], previously proposed compressing the proof via outsourcing the decider. However, computing this proof has a  $24x^c$  prover overhead and a 2x decider overhead, compared to the accumulation step without compression. Even in the compressed setting, the decider remains linear and inefficient. Using Spartan+KZH-fold this additional compression step is unnecessary, as the decider is already efficient. Concurrent work, MicroNova [ZSC24], modifies Nova’s compression phase to achieve sublinear decider time. However, this improvement comes at an even higher prover cost than Nova’s compression phase, plus a trusted KZG setup (similar to ours). The compressed proofs in Nova and MicroNova are no longer incrementally updatable with an accumulation scheme. While this may be acceptable in a single-prover setting for applications like rollups, it is problematic in distributed settings or applications with an ongoing computation such as building light clients from IVC [Che+20], constant-sized blockchains [Bon+20], verifiable key directories [Tya+21] or verifiable virtual machines (e.g. zkVM).

KZH-fold retains many of the benefits of previous accumulation schemes, shown in Table 2. It only requires a single commitment to the witness and can take advantage of sparse and small-weight witnesses. The accumulation verifier only performs a small (3) number of group scalar multiplications in group one of a pairing-friendly group. KZH-fold requires a trusted setup, but that setup is universal and updatable. It is possible to reuse a powers-of- $\tau$  [Gro+18] setup, commonly used for the KZG polynomial commitment. We implement IVC circuits of Spartan+KZH2-fold and Spartan+KZH3-fold, and show that even our unoptimized implementation has a 200-2000x times smaller accumulator than Nova for reasonable computations.

Scheme	Prover Time	Recursive Overhead	Decider	$ \text{acc} $
Nova	$\text{MSM}(n)$	2 SM	$\text{MSM}(n)$	$O(n)$
Protostar	$\text{MSM}(w)$	3 SM	$\text{MSM}(n)$	$O(n)$
HyperNova	$\text{MSM}(w)$	1 SM	$\text{MSM}(n)$	$O(n)$
KZH2-fold	$2\text{MSM}(w)$	3 SM	$n^{1/2} \text{ P}$	$O(n^{1/2})$
KZH-k fold	$2\text{MSM}(w)$	$k + 1 \text{ SM}$	$k \cdot n^{1/k} \text{ P}$	$O(k \cdot n^{1/k})$
Halo	$2\text{MSM}(w)$	$2 \log n \text{ SM}$	$\text{MSM}(n)$	$O(\log n)$
BCMS (KZG)	$\text{MSM}(n)$	5 SM	2 P	$O(1)$

Table 2: Comparison of group-based accumulation schemes. SM refers to group scalar multiplication,  $\text{MSM}(n)$  is a multi-scalar multiplication of size  $n$ , the length of the witness vs.  $\text{MSM}(w)$ , which refers to a multi-scalar multiplication of the weight of the witness. For sparse or low-weight witnesses, this is significantly less. P is a pairing operation.

<sup>c</sup>We inferred this from Nova, in Section 1.3 it is mentioned that “When  $|F| = 2^{20}$  constraints, the prover’s per-step cost to produce an IVC proof is  $\approx 1\mu\text{s}/\text{constraint}$ . For the same  $F$ , the cost to produce a compressed IVC proof is  $\approx 24\mu\text{s}/\text{constraint}$ .”

### 1.3 Signature aggregation in consensus

Voting protocols, especially accountable open-ballot systems, require robust yet efficient methods to aggregate and verify votes from a large participant base. These protocols depend on mechanisms that ensure each participant’s vote is accurately recorded and that the overall results remain transparent and verifiable. A prominent application of accountable voting principles can be found in blockchain consensus protocols. In decentralized networks like Ethereum, over 1 million validators must attest to each block by signing it, collectively establishing consensus on network state changes<sup>d</sup>. With such a high volume of participants, bandwidth efficiency becomes critical, not only due to the redundancy and overhead inherent in decentralized P2P networking but also to support the participation of low-end machines as validators.

In consensus protocols, a block is considered *finalized* when a supermajority of validators vote for it, ensuring it cannot be reverted. Currently, Ethereum limits itself to aggregating 32,768 signatures per slot [Resb], which delays finality to 15 minutes. Reducing the cost of signature aggregation could simultaneously improve finality time to just a few seconds, which refers to the speed at which transactions become irreversible [Sin], while also enhancing Ethereum’s decentralization by enabling a higher validator count [But]. Furthermore, efficient aggregation could facilitate the adoption of advanced consensus protocols, designed explicitly for Ethereum [D’A+24b; DZ23; D’A+24a], which aim to provide faster finality, strengthen protocol security [D’A+22], and improve resilience to MEV.

Current state-of-the-art consensus protocols, such as Ethereum, Chia, Algorand [Gil+17] and Hotstuff [Yin+19] employ aggregatable signature schemes like BLS signatures [BLS04]. BLS signatures allow multiple validators to merge their signatures on the same message, e.g. a block, into a single, compact, aggregated message, reducing both transmission and verification overhead. To achieve accountability, Blockchain protocols [BDN18] pair BLS aggregates with a bit vector indicating who has signed. This enables slashing validators who sign conflicting proposals. To add redundancy and improve communication, consensus protocols can use multiple layers of *recursive aggregation*, aggregating already aggregated signatures into one. In proposed designs [Resa], the signatures are aggregated in multiple layers, and each aggregation layer has between  $r = 16$  and  $r = 32$  aggregators. Figure 1 depicts such a tree-based aggregation mechanism.

**Limitations of signature aggregation.** In this work, we are interested in accountable signature aggregation schemes with *minimal communication and verification overhead*. Regarding communication, an accountable aggregation scheme such as the one depicted in Figure 1, requires nodes to transmit, at minimum, a compact bit vector (i.e. a bitfield) indicating who signed. For verification, nodes must scan the bitfield to identify the signers while ensuring that verification complexity remains independent of the number of signers. BLS aggregation, while yielding a small aggregate signature, does not achieve this optimal

---

<sup>d</sup><https://beaconcha.in/charts/validators>




Figure 1: A tree-based aggregation scheme with a single layer of recursive aggregation.

design in either dimension: Each *recursive aggregation* layer incurs an  $O(\log r)$  communication overhead, where  $r$  is the total number of aggregators. This overhead arises because aggregating bitfields with overlapping signers requires each aggregator to track multiplicities, i.e. the number of times each signature appears across overlapping bitfields. If  $r$  aggregators combine their bitfields then  $\log(r)$  bits are necessary to indicate the multiplicity for each signer. BLS aggregate verification is dominated by the computation of the aggregate public key. This is done through a multi-scalar multiplication (MSM) between the multiplicities and the list of public keys. For  $n$  signers the MSM has length  $n$  and  $\log(r)$ -bit scalars. For  $n = 2$  million and  $r = 16$  the verification time of a BLS aggregate signature, is 0.7 seconds (See Table 6). Every validator incurs this cost before checking the correctness of a consensus proposal and moving on to the next block.

Additionally, transmitting these multiplicity lists introduces a  $k \cdot \log r$  multiplicative factor communication costs, where  $k$  is the number of aggregation layers. Even with a single layer of recursion and  $r = 16$ , the multiplicities have a 1 MB representation. For 4 million validators, 4 levels of recursion and  $r = 32$ , the multiplicities require 10MB to represent. Today, the average Ethereum block is less than 1MB, and is published every 12 seconds. This demonstrates how even the constant factor overhead of aggregate BLS can become a significant bottleneck in consensus.

**Signature aggregation using PCD.** Our work examines the use of distributed verifiable computing for signature aggregation, leveraging its expressiveness to union bitfields directly within the proof. Unlike BLS, which requires multiplicities, SNARKs enable a compact bitfield to represent validator participation, reducing communication overhead. Effectively, the PCD proves that the signature was correctly aggregated *and* that the bitfields were correctly unioned. This approach offers a more bandwidth-efficient solution for accountable voting in P2P protocols with a large number of participants.

## 1.4 Contributions

We make theoretical and systems contributions that advance the state of the art for distributed proving:

**KZH polynomial commitment scheme.** In Section 4, we introduce KZH, a multilinear polynomial commitment scheme that has sublinear verification, sublinear proof size, and efficient opening proof generation, and the commitment consists of a single group element. KZH takes advantage of small witness size, e.g. to commit and open, the prover commits to small field elements.

**KZH-fold accumulation scheme.** In Section 4.1, we design KZH-fold, an accumulation scheme for the previously designed KZH polynomial commitment scheme. KZH-fold is an accumulation scheme in which the verifier has a constant number of group operations while the accumulator size and decider time are sublinear in the size of the original statement (polynomial degree). In Appendix C we generalize KZH and KZH-fold to polynomial commitments of dimension  $k$ .

**First efficient non-uniform PCD scheme.** Orthogonal to KZH-fold and building on the BCLMS compiler, we design Spartan+PA an IVC/PCD scheme for R1CS, built generically upon a polynomial accumulation scheme PA. Spartan+KZH-fold is an IVC (PCD) scheme with a sublinear proof size and decider, as described in Section 5. In Section 5.3, we propose new approaches to non-uniform IVC (N-IVC) [KS22] and non-uniform PCD (N-PCD) [Zhe+23] respectively. Both schemes are generic over a PCS accumulation scheme. Our N-PCD, is the first efficient N-PCD scheme, in the sense that the prover’s cost per step is sublinear in the combined size of all instructions, and the decider requires a sublinear number of group operations in the combined size of all instructions.

**Signature aggregation protocol.** We design and optimize an accountable signature aggregation protocol in Section 6, using our IVC scheme, Spartan+KZH-fold. The protocol supports unlimited aggregations with optimal communication and verification time. The communication is dominated by a bitvector indicating the signers. The verification is dominated by just one field multiplication per signer.

**Implementation and evaluation.** We implement<sup>e</sup> and evaluate Spartan+KZH2-fold and Spartan+KZH3-fold and compare it against Nova in Section 7. Spartan+KZH3-fold at the expense of only 3x prover cost, achieves a 2000x reduction in communication overhead and a 50x slimmer verifier time. We also implement our accountable voting protocol using Spartan+KZH3-fold, demonstrating its effectiveness and practical applicability. For four

---

<sup>e</sup>[https://github.com/h-hafezi/kzh\\_fold](https://github.com/h-hafezi/kzh_fold)

million signatures, our scheme reduces the communication cost by more than 10x and the verifier time by 4x compared to an accountable voting protocol using BLS signatures.

## 1.5 Additional related work

**Accumulation.** The Halo protocol [BGH19] was the first accumulation protocol; it has a succinct accumulator of  $O(\log n)$  size and an accumulation verifier with  $O(\log n)$  group operations, but the decider runs in time  $O(n)$ . In contrast, KZH-fold only has a constant-size accumulation verifier, as well as an accumulator and decider of size  $O(k \cdot n^{\frac{1}{k}})$ .

**Distributed proving.** Most prior works on distributed zkSNARKs [Wu+18; Liu+23; Ros+24; Wan+24] rely on a coordinator that receives the circuit  $C$ , the public input  $x$ , and the witness  $w$ , then distributes these to worker nodes and aggregates their outputs into a single proof. This centralized approach introduces a significant vulnerability: the coordinator represents a single point of failure and carries substantial responsibility, making it unsuitable for fully decentralized systems. Another limitation is that aggregated proofs cannot be further aggregated. An alternative approach involves using proof-carrying data (PCD) [CT10], where each node performs a portion of the computation, and these partial proofs are aggregated (accumulated) hierarchically in a tree-like structure. However, decentralized PCD requires each aggregator to verify the validity of incoming partial proofs using a decider, which cannot trust other nodes by default. In previous schemes, this verification step was a bottleneck because the decider's complexity is linear with respect to the original statement. Additionally, the witness size also grows linearly with the statement, leading to substantial peer-to-peer (P2P) communication overhead. Spartan+KZH-k fold addresses these issues by reducing both communication complexity and witness size to  $O(k \cdot n^{\frac{1}{k}})$ , significantly enhancing the efficiency and scalability of decentralized proving systems.

**Signature aggregation.** Several works have studied signature aggregation for consensus. Handel shows how to build aggregation structures, in the face of adversarial corruptions [Bé+19]. Their work is largely orthogonal and should be compatible with arbitrary aggregate signature schemes. [Kha+21; Aar+24] provide aggregation schemes for hash and lattice-based signature schemes, respectively. However, their constructions only support one level of aggregation, whereas our construction is focused on aggregating already aggregated signatures.

## 2 Technical Overview

**Overview of Hyrax.** At the core of our construction is KZH, a multilinear polynomial commitment scheme, combining ideas from the Hyrax polynomial commitment [Wah+18] and KZG [KZG10]. Similar to Hyrax, we are building a commitment for a matrix  $M \in$

$\mathbb{F}^{m \times n}$ , such that we can open a bilinear vector matrix-vector product, for vectors  $\vec{a} \in \mathbb{F}^m$  and  $\vec{b} \in \mathbb{F}^n$ , i.e. prove that  $y = \vec{a}^T \times M \times \vec{b}$ . This is general enough to construct both univariate and multilinear polynomial commitments, i.e.  $\vec{a}$  and  $\vec{b}$  are extensions of the evaluation point.

In Hyrax, each row of  $M$  is committed using a Pedersen commitment [Ped92]. The resulting commitment vector,  $\vec{D} = [D_1, \dots, D_m] \in \mathbb{G}^m$ , consists of  $m$  group elements, with each element corresponding to a row of  $M$ . Due to the homomorphic properties of the commitment scheme, the verifier can validate an opening efficiently. To verify, the verifier first computes  $C = \langle \vec{a}, \vec{D} \rangle$ . The prover then opens  $C$  to a vector  $\vec{r} \in \mathbb{F}^n$  and claims  $y = \langle \vec{r}, \vec{b} \rangle$ . The verifier checks two conditions:  $C = \text{Commit}(\vec{r})$ , and  $y = \langle \vec{r}, \vec{b} \rangle$ . These checks involve two inner products, one of size  $n$  and the other of size  $m$ . For a matrix with  $\ell$  entries, setting  $n = m = \ell^{\frac{1}{2}}$  yields a verification time of  $O(\ell^{\frac{1}{2}})$ .

Moreover, efficient accumulation schemes for inner products are known [Bün+21; BC23], suggesting that it may be feasible to construct an accumulation scheme for Hyrax. However, Hyrax has a significant limitation: its commitment consists of  $m$  group elements, and while the commitment is homomorphic, performing homomorphic operations requires  $m$  group additions. The primary method for constructing accumulation schemes relies on homomorphically combining commitments. In the case of Hyrax, this approach leads to an accumulation verifier with size  $O(m) = O(\ell^{\frac{1}{2}})$ , which is notably larger than the constant-size accumulation verifiers achievable with other group-based constructions.

Our key insight is that we can modify Hyrax, such that the commitment only consists of a single group element, and the homomorphism can be performed efficiently, using only a single group addition. A strawman approach here, would be to commit to  $\vec{D} \in \mathbb{G}^m$  using a *structure-preserving* commitment to group elements [Abe+16]. While these commitments, preserve the homomorphism, the commitment to a vector of group elements will be a target group element in a pairing-based group. Target group operations are significantly more expensive, especially when implemented as an arithmetic circuit. A single target group scalar multiplication takes tens of thousands of R1CS constraints.

**KZH polynomial commitment scheme.** We aim to design a commitment scheme where the homomorphism only requires a single  $\mathbb{G}_1$  operation, in a pairing-friendly group. To do this, we utilize a common reference string, similar to KZG. Let  $\vec{G} = (G_1, \dots, G_n)$  be the generators for the Pedersen commitment. We now construct  $\vec{H}^{(i)} = \tau^{(i)} \times \vec{G}$ , for each  $i \in [m]$  and a secret trapdoor  $\tau^{(i)}$ . We first commit to the matrix  $M$  by computing the commitment  $C = \sum_{i \in [m], j \in [n]} M_{i,j} \times H_j^{(i)}$ , where  $C \in \mathbb{G}_1$  is a single group element. Next, we compute commitments to each individual row of the matrix using the vector  $\vec{G}$ , where each row commitment is given by  $D_i = \sum_j M_{i,j} \times G_j$ . During the opening phase, the prover sends  $[D_i]_{i=1}^m$ , and the verifier ensures consistency between the  $D_i$ s commitments and  $C$  using a pairing-based check. Specifically, a generator  $V \in \mathbb{G}_2$  is sampled, and the verifier is given  $V_i = \tau^{(i)} \times V$  for all  $i \in [m]$ . The correctness of the decomposition is verified

by checking the equality  $e(\mathbf{C}, \mathbf{V}) = \sum_{i=1}^m e(\mathbf{D}_i, \mathbf{V}_i)$ . Here,  $[\mathbf{D}_i]_{i=1}^m$  corresponds exactly to the Hyrax commitment, allowing us to reuse Hyrax's opening algorithm with the added decomposition check. Furthermore,  $\mathbf{C}$  is a homomorphic commitment to both the  $\mathbf{D}_i$  values and the matrix  $M$ , represented compactly as a single element in  $\mathbb{G}_1$ .

**KZH-fold, a sublinear accumulation scheme for KZH.** Next, we leverage the Prostostar [IBC23] compiler to design an efficient accumulation scheme for KZH, referred to as KZH-fold. The verifier's structure in KZH enables a highly efficient scheme. Specifically, the Hyrax checks, namely multi-scalar multiplications (MSMs), can be efficiently accumulated using existing techniques. Additionally, the KZH verifier validates a pairing product:  $e(\mathbf{C}, \mathbf{V}) = \sum_{i=1}^m e(\mathbf{D}_i, \mathbf{V}_i)$ . Notably, one side of all pairings remains fixed. When combining two equations, we derive:  $e(\mathbf{C} + \mathbf{X} \times \mathbf{C}', \mathbf{V}) = \sum_{i=1}^m e(\mathbf{D}_i + \mathbf{X} \times \mathbf{D}'_i, \mathbf{V}_i)$ , with an overwhelming probability for a random  $\mathbf{X} \in \mathbb{F}$ , if and only if the pairing check holds for both  $(\mathbf{C}, [\mathbf{D}_i]_{i=1}^m)$  and  $(\mathbf{C}', [\mathbf{D}'_i]_{i=1}^m)$ . The linearity of this check ensures no additional error terms (which would belong to the target group  $\mathbb{G}_T$ ) are introduced. The final accumulation verifier thus performs only 3  $\mathbb{G}_1$  scalar multiplications when combining an accumulator with a fresh proof, or 4 scalar multiplications when accumulating two accumulators. The accumulator size matches the size of PCS proof, i.e.  $O(\ell^{\frac{1}{2}})$ . The decider - equivalent to the PCS verifier - is dominated by  $O(\ell^{\frac{1}{2}})$  pairings.

**KZH- $k$ , generalization of KZH to achieve smaller proofs.** We generalize KZH to KZH- $k$ , to further improve the proof size and verifier efficiency, which yields KZH- $k$  fold, an accumulation scheme with a smaller accumulator and more efficient decider. The key insight is that instead of committing to a two-dimensional matrix, we can commit to a  $k$ -dimensional tensor. The matrix vector-matrix product turns into a  $k$ -dimensional tensor product, between the tensor and  $k$  matrices of size  $n^{\frac{1}{k}}$ . We first commit to the entire tensor using a structured reference string. Then we use the same technique to open commitments to all  $k-1$  dimensional slices of the tensor. If the full tensor has  $n$  entries, then there are  $n^{\frac{1}{k}}$  such slices. We use a pairing check and the reference string to check the consistency between the slices and the full commitment. Then we can evaluate the slices homomorphically with the first of  $k$  vectors. This yields a single  $k-1$  dimensional commitment. At this point, we proceed recursively, until we reach a one-dimensional vector that can be opened in  $O(n^{\frac{1}{k}})$ . Since each dimension consists of  $n^{\frac{1}{k}}$  slices, and there are  $k$  slices, the overall proof size and verification time is  $O(k \cdot n^{\frac{1}{k}})$ . The resulting accumulation verifier increases slightly to  $k+1$   $\mathbb{G}_1$  scalar multiplication.

**Accumulation scheme for NP from polynomial accumulation.** To go from accumulation of polynomials to accumulation for all of NP, we leverage the Spartan PIOP for R1CS. Spartan translates an R1CS instance into a number of polynomial checks. Accumulating Spartan checks requires accumulating a witness polynomial evaluation plus three

multilinear extensions of the R1CS matrices  $A$ ,  $B$  and  $C$ . Accumulation of witness polynomial can happen with any PA including KZH-fold and we observe that evaluations of multilinear extensions of the R1CS matrices can be efficiently accumulated, requiring only a logarithmic number of additional field operations for the accumulation verifier and prover. We highlight that this approach works with any other PIOP based on multilinear polynomials such as HyperPlonk [Che+23] and CCS [STW23], but we leave its details to future work.

**Distributed signature aggregation via PCD.** To build a signature aggregation based on IVC/PCD, communication size is crucial in such a P2P setting. We use Spartan+KZH-fold with sublinear proofs to construct an aggregate accountable signature scheme. The IVC aggregates the public key signatures and signer bitfields of a BLS accountable aggregate signature. The key challenge is ensuring accountability by proving that the output bitfield is equivalent to the or of the input bitfields. Let  $\vec{b}^{(1)}, \vec{b}^{(2)}$  and  $\vec{c}$  be three bitfields such that  $\vec{c} = \vec{b}^{(1)} \vee \vec{b}^{(2)}$ . Naively putting this statement into the circuit would make the IVC circuit linear in the number of signers and possibly increase the verification cost. Instead at each aggregation step, we define multilinear extensions of these vectors  $\tilde{b}_1(\vec{X}), \tilde{b}_2(\vec{X})$ , and  $c(\vec{X})$  and commit to them using a multilinear polynomial commitment. In order to prove that  $\vec{c} = \vec{b}^{(1)} \vee \vec{b}^{(2)}$ , we can show that  $\tilde{b}_1(\vec{x}) + \tilde{b}_2(\vec{x}) - \tilde{b}_1(\vec{x}) \cdot \tilde{b}_2(\vec{x}) = \tilde{c}(\vec{x}) \forall \vec{x} \in \{0, 1\}^\mu$ . This is a zerocheck and can be proven using a simple sumcheck protocol as in HyperPlonk [Che+23]. The sumcheck requires evaluating the polynomial commitments to  $\tilde{b}_1, \tilde{b}_2, \tilde{c}$  at a random point. We can instantiate the PCS with KZH and accumulate the opening proofs as part of the IVC. One important consideration is that we are committing to a boolean vector of size millions. Therefore, for efficiency reasons, it is crucial to leverage a PCS such as KZH that takes advantage of the small size of the witness elements for both opening and committing. We detail the scheme and further optimizations in Section 6.

## 3 Preliminaries

### 3.1 Notation

Let  $\mathbb{F}$  be a finite field and  $\mathbb{G}$  a group with scalars in  $\mathbb{F}$ , with additive notation. For  $a \in \mathbb{F}$  and  $\mathsf{G} \in \mathbb{G}$ , the scalar multiplication of  $\mathsf{G}$  by  $a$  is denoted as  $a \times \mathsf{G}$ . For an asymmetric pairing group, we define it as a tuple  $(p, g_1, g_2, \mathbb{G}_1, \mathbb{G}_2, \mathbb{G}_T, e)$ , where  $p$  is the order of groups  $\mathbb{G}_1$  and  $\mathbb{G}_2$ , and  $e$  is an efficiently computable, non-degenerate bilinear map. Let  $\mathsf{GGen}$  be a deterministic polynomial-time algorithm that takes as input a security parameter  $\lambda$  and outputs a such a group description. A function  $f(x)$  is negligible if, for any polynomial  $p(x)$ , there exists a positive integer  $N$  such that for all  $x > N$ , we have  $f(x) < \frac{1}{p(x)}$ . When we say an event happens with overwhelming probability, we mean it occurs with a probability of  $1 - \epsilon(\lambda)$ , where  $\epsilon(\lambda)$  is a negligible function. We use  $\langle \vec{a}, \vec{b} \rangle$  to denote the inner product between two vectors  $\vec{a}, \vec{b} \in \mathbb{F}^n$ , and extend this notation for  $\vec{a} \in \mathbb{F}^n$  and  $\vec{\mathsf{G}} \in \mathbb{G}^n$

as  $\langle \vec{a}, \vec{G} \rangle = \sum_{i=1}^n a_i \times G_i$ . Additionally, we use  $\mathbf{MLP}(\mathbb{F}, d)$  to denote the set of multilinear polynomials with  $d$  variables over the field  $\mathbb{F}$ , which we abbreviate as  $\mathbf{MLP}(d)$  when  $\mathbb{F}$  is understood from the context. Any polynomial in  $\mathbf{MLP}(\mathbb{F}, d)$  can be expressed as:

$$P(X_1, X_2, \dots, X_d) = \sum_{S \subseteq [d]} c_S \prod_{i \in S} X_i, \quad \text{where } c_S \in \mathbb{F}.$$

Here, the sum is taken over all subsets  $S$  of the index set  $[d] = \{1, 2, \dots, d\}$ , and  $c_S$  are coefficients from  $\mathbb{F}$ . Operator  $\parallel$  represents concatenation, e.g.  $\vec{x} \parallel \vec{y}$  is the concatenation of vectors  $\vec{x}$  and  $\vec{y}$ . To indicate equality on vectors, we define  $\mathbf{eq}(\vec{X}, \vec{Y})$  as  $\mathbf{eq}(\vec{X}, \vec{Y}) = \prod_{i=1}^k ((1 - X_i) \cdot (1 - Y_i) + X_i \cdot Y_i)$ , so that for  $\vec{x}, \vec{y} \in \{0, 1\}^k$ ,  $\mathbf{eq}(\vec{x}, \vec{y}) = 1$  if and only if  $\vec{x} = \vec{y}$ . We denote a complete binary tree of depth  $n$  with node values in  $\mathbb{F}$  as  $\mathcal{T}(\mathbb{F}, n)$ . For brevity, we will refer to complete binary trees simply as trees. Given a vector  $\vec{x} \in \mathbb{F}^k$ , the equality tree  $\mathbf{EqTree}(\vec{x})$  is a tree of depth  $k$ . The root node is initialized with 1. At depth  $i$ , the left child of a node  $v$  is  $v \cdot (1 - x_i)$ , and the right child is  $v \cdot x_i$ . The leaves of the tree correspond to the equality function  $\mathbf{eq}(\vec{x}, \vec{y})$  for all  $\vec{y} \in \{0, 1\}^k$ . For any tree  $\mathcal{T}$ , we denote the set of its leaf nodes by  $\mathcal{T}.\text{leaves}$ .

**Cryptographic Assumptions.** We prove security of our protocols in the Algebraic Group Model (AGM) of Fuchsbauer et al. [FKL18], using the *bilinear* version of the  $\mathbf{q}$ - $\mathbf{dlog}$  assumption and quadratic  $\mathbf{CDH}$ . In the AGM, adversaries are restricted to be *algebraic* algorithms, namely, whenever  $\mathcal{A}$  outputs a group element  $[y]$  in a cyclic group  $\mathbb{G}$  of order  $p$ , it also outputs its representation as a linear combination of all previously received group elements. In other words, if  $[y] \leftarrow \mathcal{A}([x_1], \dots, [x_m])$ ,  $\mathcal{A}$  must also provide  $\vec{z}$  such that  $[y] = \sum_{j=1}^m z_j [x_j]$ . This definition generalizes naturally in asymmetric bilinear groups with a pairing  $e : \mathbb{G}_1 \times \mathbb{G}_2 \rightarrow \mathbb{G}_T$ , where for  $i \in 1, 2$ , the adversary must construct  $\mathbb{G}_i$  elements as linear combinations of received  $\mathbb{G}_i$  elements.

We denote a random oracle using  $H$  that we assume is randomly sampled from the random oracle space  $\mathcal{H}$  and initialize it in practice using a secure hash function.

### 3.2 Polynomial commitment schemes

**Definition 1.** *[Multilinear Polynomial Commitment Scheme]* A Multilinear Polynomial Commitment Scheme is a tuple of algorithms  $(\mathbf{Setup}_{\mathbf{PC}}, \mathbf{Commit}_{\mathbf{PC}}, \mathbf{Open}_{\mathbf{PC}}, \mathbf{Verify}_{\mathbf{PC}})$  such that:

- $\mathbf{srs}_{\mathbf{PC}} \leftarrow \mathbf{Setup}_{\mathbf{PC}}(\mathbf{pp}_{\mathbf{PC}}, k)$ : On input the system parameters and number of variables  $k$ , it outputs a structured reference string.
- $\mathbf{C} \leftarrow \mathbf{Commit}_{\mathbf{PC}}(\mathbf{srs}_{\mathbf{PC}}, p(\vec{X}))$ : On input  $\mathbf{srs}_{\mathbf{PC}}$  and a polynomial  $p(\vec{X}) \in \mathbf{MLP}(\mathbb{F}, k)$ , it outputs a commitment  $\mathbf{C}$ .

- $\pi_{\text{PC}} \leftarrow \text{Open}_{\text{PC}}(\text{srs}_{\text{PC}}, p(\vec{X}), \vec{x})$ : On input  $\text{srs}_{\text{PC}}$ ,  $p(\vec{X})$ ,  $k$ , and vector  $\vec{x} \in \mathbb{F}^k$ , outputs an evaluation proof  $\pi_{\text{PC}}$  that  $y = p(\vec{x})$ .
- $1/0 \leftarrow \text{Verify}_{\text{PC}}(\text{srs}_{\text{PC}}, \mathcal{C}, \vec{x}, \pi_{\text{PC}}, y)$ : On input  $\text{srs}_{\text{PC}}$ , the commitment  $\mathcal{C}$ ,  $k$ , vector of evaluations  $\vec{x}$ ,  $y \in \mathbb{F}$ , and the proof of the correct evaluation, it outputs a bit indicating acceptance or rejection.

and satisfies the following properties:

**Completeness.** It captures the fact that an honest prover will always convince the verifier. Formally, for any efficient adversary  $\mathcal{A}$ , we have:

$$\Pr \left[ \text{Verify}_{\text{PC}}(\text{srs}_{\text{PC}}, \mathcal{C}, \vec{x}, \pi_{\text{PC}}, y) = 1 \mid \begin{array}{l} \text{srs}_{\text{PC}} \leftarrow \text{Setup}_{\text{PC}}(\text{pp}_{\text{PC}}, k) \\ p(\vec{X}) \leftarrow \mathcal{A}(\text{srs}_{\text{PC}}) \\ \mathcal{C} \leftarrow \text{Commit}(\text{srs}_{\text{PC}}, p(\vec{X})) \\ \pi_{\text{PC}} \leftarrow \text{Open}(\text{srs}_{\text{PC}}, p(\vec{X}), \vec{x}) \end{array} \right] = 1$$

**Extractability:** Captures the fact that whenever the prover provides a valid opening, it knows a valid pair  $(p(\vec{X}), y) \in \mathbb{F}[\vec{X}] \times \mathbb{F}$ , where  $p(\vec{x}) = y$ . Formally, for all PPT adversaries  $\mathcal{A}$  there exists an efficient extractor  $\mathcal{E}$  such that the probability of the following event is negligible:

$$\Pr \left[ \text{Verify}_{\text{PC}}(\text{srs}_{\text{PC}}, \mathcal{C}, \vec{x}, y, \pi_{\text{PC}}) = 1 \wedge p(\vec{x}) \neq y \mid \begin{array}{l} \text{srs}_{\text{PC}} \leftarrow \text{Setup}_{\text{PC}}(\text{pp}_{\text{PC}}, k) \\ \mathcal{C} \leftarrow \mathcal{A}(\text{srs}_{\text{PC}}) \\ p(\vec{X}) \leftarrow \mathcal{E}(\text{srs}_{\text{PC}}, \mathcal{C}, k) \\ \vec{x} \leftarrow \mathcal{A}(\text{srs}_{\text{PC}}, \mathcal{C}) \\ (y, \pi_{\text{PC}}) \leftarrow \mathcal{A}(\text{srs}_{\text{PC}}, p(\vec{X}), \vec{x}) \end{array} \right]$$

### 3.3 Accumulators

**Definition 2.** [Accumulation Scheme] An accumulation scheme [Bün+21; BC23] for a predicate  $\phi : X \rightarrow \{0, 1\}$  is a tuple of algorithms  $\Pi_{\text{acc}} = (\text{Setup}_{\text{acc}}, \mathsf{P}_{\text{acc}}, \mathsf{V}_{\text{acc}}, \mathsf{D}_{\text{acc}})$ , all of which have access to the same random oracle  $\mathcal{O}_{\text{acc}}$ , such that:

$\text{Setup}_{\text{acc}}(1^\lambda) \rightarrow \text{srs}_{\text{acc}}$ : On input the security parameter, outputs public parameters  $\text{srs}_{\text{acc}}$ .

For simplicity, we assume that all functions implicitly take  $\text{srs}_{\text{acc}}$  as input.

$\mathsf{P}_{\text{acc}}(\text{st}, \pi, \text{acc}_1) \rightarrow (\text{acc}, \text{pf})$ : The accumulation prover implicitly given  $\text{srs}_{\text{acc}}$ , statement  $\text{st}$ , predicate inputs  $\pi = (\pi.x, \pi.w)$ , and an accumulator  $\text{acc}_1 = (\text{acc}_1.x, \text{acc}_1.w)$ , outputs a new accumulator  $\text{acc}$  and corrections terms  $\text{pf}$ .

$\mathsf{V}_{\text{acc}}(\text{acc}_1.x, \text{acc}_2.x, \text{pf}) \rightarrow \text{acc}.x$ : The accumulation verifier implicitly given  $\text{srs}_{\text{acc}}$ , and on input the instances of two accumulators, and the accumulation proof outputs a new accumulator instance  $\text{acc}.x$ .

$D_{\text{acc}}(\text{acc}) \rightarrow 1/0$ : The decider takes as input  $\text{acc}$  and accepts or rejects.

and satisfies completeness and soundness as defined below:

**Completeness.** For all fresh proofs  $\pi$  such that  $\phi(\pi) = 1$  and accumulator  $\text{acc}$  such that  $D_{\text{acc}}(\text{acc}) = 1$ , the following holds:

$$\Pr \left[ \begin{array}{l} V_{\text{acc}}(\text{acc}_1.x, \text{acc}_2.x, \text{pf}) = \text{acc}.x \\ \wedge D_{\text{acc}}(\text{acc}) = 1 \end{array} \middle| \begin{array}{l} \text{srs} \leftarrow \text{Setup}(1^\lambda) \\ (\text{acc}, \text{pf}) \leftarrow P_{\text{acc}}(\text{st}, \pi, \text{acc}_1) \end{array} \right] = 1$$

**Knowledge-soundness.** For every PT adversary  $\mathcal{A}$ , there exists a polynomial-time extractor  $\text{Ext}$  such that the following probability is negligible:

$$\Pr \left[ \begin{array}{l} (D_{\text{acc}}(\text{acc}_1) \neq 1 \vee D_{\text{acc}}(\text{acc}_2) \neq 1) \wedge \\ V_{\text{acc}}(\text{srs}, \text{acc}_1.x, \text{acc}_2.x, \text{pf}) = \text{acc}.x \\ \wedge D_{\text{acc}}(\text{acc}) = 1 \end{array} \middle| \begin{array}{l} \text{srs} \leftarrow \text{Setup}(1^\lambda) \\ (\text{acc}, \text{acc}_1.x, \text{acc}_2.x, \text{pf}) \leftarrow \mathcal{A}(\text{srs}) \\ (\text{acc}_1.w, \text{acc}_2.w) \leftarrow \text{Ext}(\text{acc}, \text{acc}_1.x, \text{acc}_2.x, \text{pf}) \end{array} \right] = 1$$

### 3.4 Incrementally verifiable computation

**Definition 3.** (IVC) An IVC scheme is a tuple of efficient algorithms  $(\text{Setup}_{\text{IVC}}, P_{\text{IVC}}, V_{\text{IVC}})$  with the following interface:

- $\text{Setup}_{\text{IVC}}(\lambda, S) \rightarrow \text{pp}$ : Given a security parameter  $\lambda$ , a poly-size bound  $S \in \mathbb{N}$ , outputs public parameters  $\text{pp}$ .
- $P_{\text{IVC}}(\text{pp}, F, F.x_i, F.w_i, \pi_i) \rightarrow \pi_{i+1}$ : Given public parameters  $\text{pp}$ , a function  $F : \{0, 1\}^a \times \{0, 1\}^b \rightarrow \{0, 1\}^a$  computable by a circuit of size at most  $S$ , an initial state and claimed output  $F.x_i \in \{0, 1\}^a$ , advice  $F.w_i \in \{0, 1\}^b$ , and an IVC proof  $\pi_i$ , outputs a new IVC proof  $\pi_{i+1}$ .
- $V_{\text{IVC}}(\text{pp}, F, F.x_i, \pi_i) \rightarrow 0/1$ : Given public parameters  $\text{pp}$ , a function  $F$ , a claimed output  $F.x_i$ , and an IVC proof  $\pi_i$ , outputs 0 (reject) or 1 (accept).

An IVC scheme satisfies the following properties:

**Completeness.** For every poly-size bound  $S \in \mathbb{N}$ ,  $\text{pp}$  in the output space of  $\text{Setup}_{\text{IVC}}(\lambda, S)$ , function  $F : \{0, 1\}^a \times \{0, 1\}^b \rightarrow \{0, 1\}^a$  computable by a circuit within bound  $S$ , collection of elements  $F.x_i \in \{0, 1\}^a$ ,  $F.w_i \in \{0, 1\}^b$  and IVC proof  $\pi_i$ , the following holds:

$$\Pr \left[ \begin{array}{l} V_{\text{IVC}}(\text{pp}, F, F.x_i, \pi_i) = 1 \\ \Downarrow \\ V_{\text{IVC}}(\text{pp}, F, F.x_{i+1}, \pi_{i+1}) = 1 \end{array} \middle| \begin{array}{l} \pi_{i+1} \leftarrow P_{\text{IVC}}(\text{pp}, F, F.x_i, F.w_i, \pi_i), \\ F.x_{i+1} \leftarrow F(F.x_i, F.w_i) \end{array} \right] = 1$$

**Knowledge soundness.** Let  $S \in \mathbb{N}$  be a poly-size bound and  $\ell(\lambda)$  be a polynomial in the security parameter. Let  $\mathcal{F}$  be an efficient function sampling adversary that outputs a function  $F : \{0,1\}^a \times \{0,1\}^b \rightarrow \{0,1\}^a$  computable by a circuit within the poly-size bound  $S$ . We say that an IVC scheme is knowledge sound if there exists an efficient extractor  $\text{Ext}$  such that for every efficient IVC prover  $\mathsf{P}_{\text{IVC}}^*$  the probability of the following event is greater than  $1 - \text{negl}(\lambda)$ :

$$\Pr \left[ \begin{array}{l} \mathsf{V}_{\text{IVC}}(\mathsf{pp}, F, F.x_i, \pi_i) = 1 \wedge \\ F.x_i = F(F.x_{i-1}, F.w_{i-1}) \wedge \\ (i = 1 \implies F.x_{i-1} = F.x_0) \wedge \\ (i > 1 \implies \mathsf{V}_{\text{IVC}}(\mathsf{pp}, F, F.x_{i-1}, \pi_{i-1}) = 1) \end{array} \middle| \begin{array}{l} \mathsf{pp} \leftarrow \text{Setup}_{\text{IVC}}(\lambda, S) \\ \rho \leftarrow \{0,1\}^{\ell(\lambda)} \\ F \leftarrow \mathcal{F}(\mathsf{pp}; \rho) \\ (F.x_i, \pi_i) \leftarrow \mathsf{P}_{\text{IVC}}^*(\mathsf{pp}, \rho) \\ (F.x_{i-1}, F.w_{i-1}), \pi_{i-1} \leftarrow \text{Ext}(\mathsf{pp}, \rho) \end{array} \right]$$

### 3.5 IVC from accumulators

**Theorem 1.** Let  $\text{NARK}$  be a non-interactive argument that is  $(T - t)$ -predicate-efficient with respect to  $\Phi$ . If  $(\Phi, \text{Setup}_{\text{NARK}})$  has an accumulation scheme  $\text{acc}_\Phi$  then  $\text{NARK}$  has an accumulation scheme  $\text{acc}_{\text{NARK}}$  with the efficiency properties below:

- $\mathsf{P}_{\text{acc}}$  runs in time  $\sum_{i=1}^n T(N, |x_i|)$  plus the time taken to run  $\mathsf{P}_{\text{acc}, \Phi}$ .
- $\mathsf{V}_{\text{acc}}$  runs in time  $\sum_{i=1}^n T(N, |x_i|)$  plus the time taken to run  $\mathsf{V}_{\text{acc}, \Phi}$
- $\mathsf{D}_{\text{acc}}$  takes time equal to  $\mathsf{D}_{\text{acc}, \Phi}$

**Theorem 2.** There exists a polynomial time transformation  $T$  such that if  $\text{NARK} = (\text{Setup}_{\text{NARK}}, \mathsf{P}_{\text{NARK}}, \mathsf{V}_{\text{NARK}})$  is a NARK for circuit satisfiability and  $\text{AS}$  is an accumulation scheme for NARK, then  $\text{IVC} = (\text{Setup}_{\text{IVC}}, \mathsf{P}_{\text{IVC}}, \mathsf{V}_{\text{IVC}}) = T(\text{NARK}, \text{AS})$  is an IVC scheme for constant-depth compliance predicates, provided  $\exists \epsilon \in (0, 1)$  and a polynomial  $\alpha$  s.t.  $v^*(\lambda, m, N, \ell) = O(N^{1-\epsilon} \cdot \alpha(\lambda, m, \ell))$ . Moreover, if the size of the predicate  $\Phi : \mathbb{F}^{(m+2)\ell} \rightarrow \mathbb{F}$  is  $f = \omega(\alpha(\lambda, m, \ell)^{1/\epsilon})$ , then:

- The cost of running  $\text{Setup}_{\text{IVC}}$  is the cost of running  $\text{Setup}_{\text{NARK}}$  and  $\text{Setup}_{\text{acc}}$  on an index of size  $f + o(f)$ .
- The cost of running  $\mathsf{P}_{\text{IVC}}$  is the cost of accumulating  $m$  instance-proof pairs using  $\mathsf{P}_{\text{acc}}$ , and running  $\mathsf{P}_{\text{NARK}}$  on an index of size  $f + o(f)$  and instance of size  $o(f)$ .
- The cost of running  $\mathsf{V}_{\text{IVC}}$  is equal to the cost of running  $\mathsf{V}_{\text{NARK}}$  and  $\mathsf{D}_{\text{acc}}$  on an index of size  $f + o(f)$  and an instance of size  $o(f)$ .

## 4 KZH: An efficiently aggregatable polynomial commitment

We present **KZH** in Figure 2. For a multilinear polynomial  $f(\vec{X})$ , where  $\vec{X} \in \mathbb{F}^k$ , which interpolates a vector in  $\mathbb{F}^{2^k}$ , we set  $\ell = 2^k = |f|$ . We can select any  $\nu, \mu$  such that  $k = \nu + \mu$  and the following costs apply:

- Committing to  $f$  costs  $O(\ell)$  group operations.
- Proof consists of  $2^\nu \mathbb{G}_1$  elements and  $2^\mu$  field elements.
- Opening requires  $2^\nu$  field operations.
- Verifier requires  $2^\nu$  pairings, multi-exponentiations of size  $2^\nu + 2^\mu$ , and  $2^\mu$  field operations.

We can set  $\nu = \mu = \frac{k}{2}$  so  $2^\nu = 2^\mu = 2^{\frac{k}{2}}$ , or choose a trade-off between prover and verifier work based on convenience. For example, when the verifier workload or proof size is more critical, selecting a lower  $\nu$  results in fewer pairings and smaller proof size, but at the expense of more multi-exponentiations by the prover to open the commitment. The polynomial commitment scheme has two key properties: The opening proof can be precomputed during the commitment phase and is  $O(\ell^{\frac{1}{2}})$  in size. Secondly, it can be accumulated efficiently using only  $\mathbb{G}_1$  operation and has an  $O(\ell^{\frac{1}{2}})$  accumulator witness. More precisely, the prover commits to the multilinear commitment  $f(\vec{X}, \vec{Y})$  with  $\vec{X} \in \mathbb{F}^\nu$  and  $\vec{Y} \in \mathbb{F}^\mu$  as a matrix of evaluation points. During the opening at point  $(\vec{x}_0, \vec{y}_0)$ , the prover decomposes the matrix into row commitments. The correctness of this decomposition can be checked using pairings. Intuitively, **KZH** is a proof of correct partial evaluation at point  $\vec{X} = \vec{x}_0$ . Once the verifier is convinced about the correctness of  $f^*(\vec{Y}) = f(\vec{x}_0, \vec{Y})$ , it can evaluate  $f^*(\vec{Y})$  at  $y_0$  on its own. We can then use the technique from Hyrax to evaluate the bivariate commitment as a vector, matrix, or vector product. The technique extends to more variables as presented in Appendix C (which reduces the verification cost). **KZH** is not inherently hiding; however, by utilizing the general compiler described in [Bü+19] for homomorphic polynomial commitments, it can be transformed to achieve hiding. However, the general compiler requires committing to a fully random polynomial, which forces the prover to perform a linear-sized MSM during the opening phase. Recent work, IronDict [Haf+25], building on KZH, demonstrates that it suffices to use a sparse random polynomial with only  $\sqrt[2^k]{|f|}$  non-zero coefficients. They further generalize this result to  $k \cdot \sqrt[2^k]{|f|}$  for the KZH- $k$  setting. In brief, IronDict builds a hiding version of KZH (zk-KZH) in which the opening remains sublinear and hence efficient.

Below we state a theorem proving the security of **KZH** under the  $\mathcal{D}_n$ -find-rep [DRZ20], for a distribution  $\mathcal{D}_n$ . We instantiate  $\mathcal{D}_n$  with our setup  $\text{Setup}_{\text{KZH}}$  algorithm. All the secret trapdoors in our setup appear up to  $m$  times in exponents of  $\mathbb{G}_1$  generators and once in the exponent of an  $\mathbb{G}_2$  generator. [DRZ20]’s proof suggests that this should be equivalent to the  $m, 1$ -dlog assumption [BFL20]. We leave this reduction as an open problem.

$\text{Setup}_{\text{KZH}}(\lambda, k)$  :

- Choose  $\mu, \nu$  such that  $k = 2^{\nu+\mu}$ . Let  $n = 2^\nu$  and  $m = 2^\mu$  and define the boolean cubes as  $B_n = \{0, 1\}^\nu$  and  $B_m = \{0, 1\}^\mu$ .
- Sample  $\{\mathbf{G}^{(\vec{i})} \leftarrow \mathbb{G}_1\}_{\vec{i} \in B_m}$ ,  $\mathbf{V} \leftarrow \mathbb{G}_2$  and sample trapdoor  $\{\tau^{(\vec{j})}\}_{\vec{j} \in B_n}$ ,  $\alpha \leftarrow \mathbb{F}^f$ .
- For  $\vec{i} \in B_n$ ,  $\vec{j} \in B_m$ , define:
  - $\mathbf{H}^{(\vec{i}, \vec{j})} \leftarrow \tau^{(\vec{i})} \times \mathbf{G}^{(\vec{j})}$
  - $\mathbf{H}^{(\vec{j})} \leftarrow \alpha \times \mathbf{G}^{(\vec{j})}$
  - $\mathbf{V}^{(\vec{i})} \leftarrow \tau^{(\vec{i})} \times \mathbf{V} \in \mathbb{G}_2$
  - $\mathbf{V}' \leftarrow \alpha \times \mathbf{V}$
- Let  $\text{srs} \leftarrow ([\mathbf{G}^{(\vec{i})}, \mathbf{H}^{(\vec{i}, \vec{j})}, \mathbf{H}^{(\vec{j})}, \mathbf{V}', \mathbf{V}^{(\vec{i})}]_{\vec{i} \in B_n, \vec{j} \in B_m})$ .
- Output  $\text{srs}$ .

$\text{Commit}_{\text{KZH}}(\text{srs}, f(\vec{X}, \vec{Y}))$ : For  $f \in \text{MLP}(\nu + \mu)$  and  $\vec{X} \in \mathbb{F}^\nu$ ,  $\vec{Y} \in \mathbb{F}^\mu$

- Output  $\mathbf{C} \leftarrow \sum_{\vec{x} \in B_n} \sum_{\vec{y} \in B_m} f(\vec{x}, \vec{y}) \times \mathbf{H}^{(\vec{x}, \vec{y})}$ .
- Let  $\mathbf{D}^{(\vec{x})} \leftarrow \sum_{\vec{y} \in B_m} f(\vec{x}, \vec{y}) \times \mathbf{H}^{(\vec{y})} \forall \vec{x} \in B_n$ .
- Output  $\mathbf{C}$  and  $\text{aux} = (\{\mathbf{D}^{(\vec{x})}\}_{\vec{x} \in B_n})$  as cache.

$\text{Open}_{\text{KZH}}(\text{srs}, f(\vec{X}, \vec{Y}), \vec{x}_0, \vec{y}_0, \text{aux})$ :

- Let  $f^*(\vec{Y}) \leftarrow f(\vec{x}_0, \vec{Y})$ ,  $f^* \in \text{MLP}(\mathbb{F}, \mu)$ .
- Let  $z_0 \leftarrow f^*(\vec{y}_0)$ .
- Output  $\pi \leftarrow (f^*(\vec{Y}), \text{aux} = \{\mathbf{D}^{(\vec{x})}\}_{\vec{x} \in B_n})$ ,  $z_0$ .

$\text{Verify}_{\text{KZH}}(\text{srs}, \mathbf{C}, \vec{x}_0, \vec{y}_0, \pi, z_0)$ : Accept if and only if all checks below pass:

1.  $e(\mathbf{C}, \mathbf{V}') = \sum_{\vec{x} \in B_n} e(\mathbf{D}^{(\vec{x})}, \mathbf{V}^{(\vec{x})})$ ,
2.  $\sum_{\vec{y} \in B_m} f^*(\vec{y}) \times \mathbf{H}^{(\vec{y})} = \sum_{\vec{x} \in B_n} \text{eq}(\vec{x}, \vec{x}_0) \times \mathbf{D}^{(\vec{x})}$ ,
3.  $f^*(\vec{y}_0) = z_0$ .

Figure 2:  $\text{KZH}$  polynomial commitment scheme

**Theorem 3.** *The protocol in Fig. 2 is a complete and knowledge-sound polynomial commitment scheme as defined in Definition 1, in the AGM under the  $(q_1, q_2) - \mathsf{dlog}$  and  $\mathsf{Setup}\text{-}\mathsf{find}\text{-}\mathsf{rep}$  assumptions.*

The proof is deferred to Appendix B.1

**Dual polynomials.** A dual polynomial [GNS24] is a recent primitive that allows us to link a witness committed to using a univariate polynomial commitment scheme with a witness inside a multilinear polynomial commitment scheme. **KZH**, when the SRS is initialized with the powers of  $\tau$ , acts both as a univariate KZG commitment and as a multilinear **KZH** commitment. To be more precise, in Figure 2, when  $G^{(\vec{i})}$  is initialized with  $\tau^{i \times m} \times g$ , and  $\tau^{(\vec{j})}$  is equal to  $\tau^j$ —i.e., we assume  $i$  and  $j$  are the decimal values corresponding to  $\vec{i}$  and  $\vec{j}$ —we observe that:

$$\{H^{(\vec{i}, \vec{j})} : \vec{i} \in B_n, \vec{j} \in B_m\} = \{g^{\tau^i} : i \in [n \times m]\}.$$

Since the commitment  $C$  in **KZH** is an MSM between  $\{H^{(\vec{i}, \vec{j})}\}$  and the values  $f(\vec{x}, \vec{y})$  (i.e., the evaluations of the polynomial on the boolean hypercube), it follows that  $C$  is also a KZG commitment to a univariate polynomial  $g(X)$  defined as:

$$g(X) = \sum_{i \in [n], j \in [m]} f(\vec{i}, \vec{j}) \cdot X^{i \times m + j}.$$

This duality with **KZH** comes for free; for example, the same group element serves as both a KZG and **KZH** commitment. We defer the security proof of this modification of **KZH** to future work.

**Free opening on the boolean hypercube for **KZH**.** As previously mentioned, **KZH** takes advantage of the low-weight witness in both the commitment and opening phases. However, in the special case of the opening function at points on the Boolean hypercube, it is essentially free. Given boolean input vectors  $\vec{x}_0$  and  $\vec{y}_0$ , let  $f^*(\vec{Y}) = f(\vec{x}_0, \vec{Y})$  denote the restriction of  $f$  to a fixed  $\vec{x}_0$ . This corresponds to a row in the matrix of evaluation points, indexed by  $\langle \vec{x}_0 \rangle$ —i.e., the decimal value of  $\vec{x}_0$ . Since this row is already stored, the prover only needs to read it from the matrix. Next, the evaluation point  $z_0 = f^*(\vec{y}_0)$  lies on the boolean hypercube and is already stored, so it does not require any additional computation. We also extend this property to **KZH**- $k$  for  $k > 2$  in Appendix C.1.

#### 4.1 **KZH**-fold: Accumulator with sublinear size

Applying the Protostar compiler, we build an accumulator for **KZH**, the polynomial commitment scheme described in Section 4. For the polynomial evaluation predicate, we have that the instance  $\pi.x$  and witness  $\pi.w$  are as follows:

$$\pi.x = \{C, \vec{x}_0, \vec{y}_0, z_0\}, \pi.w = \{\vec{D} := [D^{(\vec{x})}]_{\vec{x} \in B_n}, f^*(\vec{Y})\}$$

where  $C$  is the commitment to  $f(\vec{X}, \vec{Y})$ ,  $(\vec{x}_0, \vec{y}_0) \in \mathbb{F}^{\nu+\mu}$  is the opening value,  $z_0$  is claimed to be  $z_0 = f(\vec{x}_0, \vec{y}_0)$ , and  $\pi.w$  is the output of  $\text{Open}_{\text{KZH}}$ . The accumulator instance and witness are defined as follows, where the red elements only appear in the accumulator and not in a proof:<sup>g</sup>

$$\text{acc}.x = \{C, \textcolor{red}{T}, \vec{x}_0, \vec{y}_0, z_0, \textcolor{red}{E}\},$$

$$\text{acc}.w = \{\vec{D} := [\mathbf{D}^{(\vec{x})}]_{\vec{x} \in B_n}, \vec{f}^*, \mathcal{T}^{(x)}, \mathcal{T}^{(y)}\}$$

for  $T \in \mathbb{G}_1$ ,  $\mathcal{T}^{(x)} \in \mathcal{T}(\mathbb{F}, \nu)$ ,  $\mathcal{T}^{(y)} \in \mathcal{T}(\mathbb{F}, \mu)$ , and  $\vec{f}^*$  which is the vector of the evaluation of  $f^*(\vec{Y})$  on the boolean hypercube. We also define the function  $\text{Dec}$  to represent the checks performed by  $\text{Verify}_{\text{KZH}}$ . This function computes the error term in the verifier equations, which should evaluate to 0 when evaluated in a fresh proof. Given a tree  $\mathcal{T}$  of depth  $n$  and a vector  $\vec{x} = (x_1, x_2, \dots, x_n)$ , the error tree  $\overline{\text{EqTree}}(\mathcal{T}, \vec{x})$  is another tree of depth  $n$  constructed as follows: The root node of the error tree is initialized to 0; for each node in  $\mathcal{T}$  at depth  $i$  with value  $t$ , having left and right children with values  $\ell$  and  $r$ , respectively, the corresponding nodes in the error tree have left and right child values  $\ell - t \times (1 - x_i)$  and  $r - t \times x_i$ , respectively. Now given the following values,

- $\mathcal{T}_x^{(\text{error})} \leftarrow \overline{\text{EqTree}}(\mathcal{T}^{(x)}, \vec{x}_0)$
- $\mathcal{T}_y^{(\text{error})} \leftarrow \overline{\text{EqTree}}(\mathcal{T}^{(y)}, \vec{y}_0)$
- $e'' \leftarrow \langle f^*, \mathcal{T}^{(y)}. \text{leaves} \rangle - z$
- $E_{\mathbb{G}} \leftarrow \langle \vec{f}^*, (\mathbf{H}^{(\vec{y})})_{\vec{y} \in B_n} \rangle - \langle \mathcal{T}^{(x)}. \text{leaves}, \vec{D} \rangle$

$\text{Dec}$  is defined as it follows:

$$\text{Dec}(\vec{x}_0, \vec{y}_0, z_0, \vec{f}^*, \mathcal{T}^{(x)}, \mathcal{T}^{(y)}, \vec{D}) = \langle \mathcal{T}_x^{(\text{error})} \parallel \mathcal{T}_y^{(\text{error})} \parallel e'', \vec{K} \parallel K' \rangle + E_{\mathbb{G}}.$$

The algorithms  $\text{Setup}_{\text{acc}}$  and  $\text{P}_{\text{acc}}$  are described in Figure 3 whereas  $\text{V}_{\text{acc}}$  and  $\text{D}_{\text{acc}}$  are in Figure 4. In Figure 3, in fact challenge  $\beta$  is the random challenge coming from the verifier in an interactive accumulation protocol, but we directly apply Fiat-Shamir heuristic to make the protocol non-interactive, deriving the random challenge through a random oracle initialized with a hash function. We present an overview of the efficiency of the accumulation scheme below:

**Communication.** The size of the accumulation witness is  $O(n + m) = O(\ell^{\frac{1}{2}})$ . The accumulator instance is constant in size. The communication is significantly lower than Nova, Halo Infinite, HyperNova and Protostar, where it is  $\Theta(\ell)$ . Using the generalization to multivariate polynomial commitments in Appendix C, we can reduce the communication to  $O(k \cdot \ell^{\frac{1}{k}})$

---

<sup>g</sup>Here, proof refers to a fresh accumulator in the context of an accumulator.

<sup>h</sup>Optimized as  $E'' \leftarrow E + \beta \times (E - E') + (1 - \beta)\beta \times Q$

$\text{Setup}_{\text{acc}}(1^\lambda, k)$ :

- $\text{srs}_{\text{KZH}} \leftarrow \text{Setup}_{\text{KZH}}(\lambda, k)$ .
- Parse  $n, m$  from  $\text{srs}_{\text{KZH}}$  and generate  $\vec{K} = (K_1, \dots, K_{2 \cdot (n+m-1)}) \in \mathbb{G}_1^{2 \cdot (n+m-1)}$  and  $K' \leftarrow \mathbb{G}_1$  (unknown DLOG from all other generators).
- Output  $\text{srs} = (\text{srs}_{\text{KZH}}, \vec{K}, K')$ .

$\text{P}_{\text{acc}}(\text{srs}, \text{st}, (\pi.x, \pi.w), (\text{acc}_1.x, \text{acc}_1.w))$ :

- Build accumulator  $(\text{acc}_2.x, \text{acc}_2.w)$  from  $(\pi.x, \pi.w)$ :
  - Parse  $(C_2, \vec{x}_2, \vec{y}_2, z_2) \leftarrow \pi.x$  and  $(\{D_2^{(\vec{x})}\}_{\vec{x} \in B_n}, f_2^*(\vec{Y})) \leftarrow \pi.w$
  - Let  $\mathcal{T}_2^{(x)} \leftarrow \text{EqTree}(\vec{x}_2), \mathcal{T}_2^{(y)} \leftarrow \text{EqTree}(\vec{y}_2)$
  - Parse  $\mathcal{T}_2^{(x)} \in \mathbb{F}^{2n-1}, \mathcal{T}_2^{(y)} \in \mathbb{F}^{2m-1}$  and compute  $T_2 \leftarrow \langle \mathcal{T}_2^{(x)} || \mathcal{T}_2^{(y)}, \vec{K} \rangle$
  - Output  $\text{acc}_2.x = \{C_2, T_2, \vec{x}_2, \vec{y}_2, z_2, 0_{\mathbb{G}}\}, \text{acc}_2.w = (\{D_2^{(\vec{x})}\}_{\vec{x} \in B_n}, \vec{f}_2^*, \mathcal{T}_2^{(x)}, \mathcal{T}_2^{(y)})$
- Compute proof  $\text{pf}$ :
  - Parse  $(C_1, T_1, \vec{x}_1, \vec{y}_1, z_1, E_1) \leftarrow \text{acc}_1.x$  and  $(\{D_1^{(\vec{x})}\}_{\vec{x} \in B_n}, \vec{f}_1^*, \mathcal{T}_1^{(x)}, \mathcal{T}_1^{(y)}) \leftarrow \text{acc}.w$
  - Set  $\text{pf} = Q$  for  $Q \in \mathbb{G}_1$  such that,
$$\begin{aligned} \text{Dec}((1 - X) \cdot (\vec{x}_1, \vec{y}_1, z_1, \vec{f}_1^*, \mathcal{T}_1^{(x)}, \mathcal{T}_1^{(y)}, \vec{D}_1) + X \cdot (\vec{x}_2, \vec{y}_2, z_2, \vec{f}_2^*, \mathcal{T}_2^{(x)}, \mathcal{T}_2^{(y)}, \vec{D}_2)) \\ = (1 - X) \times E_1 + X \times E_2 + (1 - X) \cdot X \times Q \end{aligned}$$
- Accumulate  $(\text{acc}_1.x, \text{acc}_1.w)$  and  $(\text{acc}_2.x, \text{acc}_2.w)$  into  $(\text{acc}.x, \text{acc}.w)$ :
  - Generate challenge  $\beta \leftarrow H(\text{acc}_1.x, \text{acc}_2.x, Q)$  through Fiat-Shamir.
  - Compute new error term

$$E \leftarrow (1 - \beta) \times E_1 + \beta \times E_2 + (1 - \beta)\beta \times Q^h$$

- Compute the following linear combinations:

$$(C, T, \vec{x}, \vec{y}, z) = (1 - \beta) \cdot (C_1, T_1, \vec{x}_1, \vec{y}_1, z_1) + \beta \cdot (C_2, T_2, \vec{x}_2, \vec{y}_2, z_2)$$

and set  $\text{acc}.x = (C, T, \vec{x}, \vec{y}, z, E)$

- Compute the new accumulator witness

$$\text{acc}.w \leftarrow (1 - \beta) \cdot (\{D_1^{(\vec{x})}\}_{\vec{x} \in B_n}, \vec{f}_1^*, \mathcal{T}_1^{(x)}, \mathcal{T}_1^{(y)}) + \beta \cdot (\{D_2^{(\vec{x})}\}_{\vec{x} \in B_n}, \vec{f}_2^*, \mathcal{T}_2^{(x)}, \mathcal{T}_2^{(y)})$$

- Output  $(\text{acc}.x, \text{acc}.w, \text{pf})$

Figure 3: Setup and prover algorithms for KZH-fold

$V_{\text{acc}}(\text{srs}, \text{acc}.x_1, \text{acc}.x_2, \text{pf})$ :

- Parse  $(C_1, T_1, \vec{x}_1, \vec{y}_1, z_1, E_1) \leftarrow \text{acc}_1.x$  and  $(C_2, T_2, \vec{x}_2, \vec{y}_2, z_2, E_2) \leftarrow \text{acc}_2.x$
- Parse  $Q \leftarrow \text{pf}$
- Regenerate challenge  $\beta \leftarrow H(\text{acc}_1.x, \text{acc}_2.x, Q)$
- Compute  $E \leftarrow (1 - \beta) \times E_1 + \beta \times E_2 + (1 - \beta) \cdot \beta \times Q$  and

$$(C, T, \vec{x}, \vec{y}, z) = (1 - \beta) \cdot (C_1, T_1, \vec{x}_1, \vec{y}_1, z_1) + \beta \cdot (C_2, T_2, \vec{x}_2, \vec{y}_2, z_2)$$

- Output  $\text{acc}.x = (C, T, \vec{x}, \vec{y}, z, E)$

$D_{\text{acc}}(\text{srs}, \text{acc}.x, \text{acc}.w)$ :

- Parse  $(C, T, \vec{x}_0, \vec{y}_0, z_0, E) \leftarrow \text{acc}.x$  and  $(\{D^{(\vec{x})}\}_{\vec{x} \in B_n}, \vec{f}^*, \mathcal{T}^{(x)}, \mathcal{T}^{(y)}) \leftarrow \text{acc}.w$
- Output 1 if and only if all following checks pass, otherwise output 0.
  - (i)  $\sum_{\vec{x} \in B_n} e(D^{(\vec{x})}, V^{(\vec{x})}) \stackrel{?}{=} e(C, V')$
  - (ii)  $\langle (\mathcal{T}^{(x)} || \mathcal{T}^{(y)}), \vec{K} \rangle \stackrel{?}{=} T$
  - (iii)  $\text{Dec}(\vec{x}_0, \vec{y}_0, z_0, \vec{f}^*, \mathcal{T}^{(x)}, \mathcal{T}^{(y)}, \vec{D}) \stackrel{?}{=} E$

Figure 4: Verifier and decider algorithms in **KZH-fold**

**Decider complexity.** The decider is essentially has the same characteristic of **KZH** verifier, and thus runs in time  $O(\ell^{\frac{1}{2}})$  or  $O(k \cdot \ell^{\frac{1}{k}})$  in the generalized case.

**Prover complexity.** The accumulation prover performs  $O(n + m) = O(\ell^{\frac{1}{2}})$  operations to combine the two witnesses and compute the cross-term  $Q$ . This contrasts with previous approaches - namely Nova, Halo Infinite, and Protostar - which require a linear number of operations.

**Verifier complexity.** The accumulation verifier performs  $3 - 4 \mathbb{G}_1$  exponentiations, along with a constant number of field operations, which is consistent with schemes like Nova (requiring  $2 - 3 \mathbb{G}_1$  operations) and Protostar (requiring  $3 - 4 \mathbb{G}_1$  operations).

**Theorem 4.** *The protocol in Figures 3 and 4 is an accumulator scheme satisfying completeness and knowledge soundness as in Definition 2, in the AGM under the **dlog** assumption.*

The proof is deferred to Appendix B.2. Intuitively, correctness follows since  $V_{\text{acc}}$  and  $D_{\text{acc}}$  together go through the same computations as  $P_{\text{acc}}$ , and thus the outputs are the same. For soundness, note that if decider's first check passes, since  $\beta$  is computed after the prover outputs  $\text{acc}_1$  and  $\text{acc}_2$ , it implies the first check of the **KZH** verifier is satisfied for  $C_1, \{D_1^{(\vec{x})}\}$  and for  $C_2, \{D_2^{(\vec{x})}\}$ . For the other two **KZH** verifier checks, the decider computes the error terms and verifies their consistency with the error term computed by  $P_{\text{acc}}$ . Again, since  $\beta$  depends on the outputs of  $P_{\text{acc}}$ , the error terms of  $\text{acc}_1$  and  $\text{acc}_2$  are correctly computed and thus the **KZH** checks are satisfied.

## 5 PIOP+PA: IVC/PCD from Polynomial Accumulation

### 5.1 PIOP Accumulation: accumulating Spartan PIOP

In the previous section, we designed a polynomial accumulation scheme (**KZH**-fold). Next, using that, we aim to build an accumulation scheme for the NP-complete language of R1CS. Our strategy is to translate R1CS via Spartan PIOP into polynomial checks and then accumulate those polynomial evaluations with PA. Specifically, when we translate R1CS with Spartan, we obtain an evaluation for the witness polynomial and three evaluation for the multilinear extension of the R1CS matrices. Let  $A, B, C \in \mathbb{F}^{n \times m}$  be the R1CS matrices and subsequently define  $\mu_n = \log_2(n)$  and  $\mu_m = \log_2(m)$ . Further, let  $\tilde{A}(X, Y) \in \mathbb{F}[X_1, \dots, X_{\mu_n}, Y_1, \dots, Y_{\mu_m}]$  be the multilinear extension of  $A$  and similarly define  $\tilde{B}$  and  $\tilde{C}$ . In Spartan [Set20], the prover and verifier compute a random challenge  $\vec{r}$  via Fiat-Shamir and run a sumcheck protocol for the following equation

$$\sum_{\vec{x} \in \{0,1\}^{\mu_n}} \mathbf{eq}(\vec{r}, \vec{x}) \cdot \left( \tilde{A}z(\vec{x}) \cdot \tilde{B}z(\vec{x}) - \tilde{C}z(\vec{x}) \right) = 0$$

in which  $\tilde{A}z(\vec{x}) = \sum_{\vec{y} \in \{0,1\}^{\mu_m}} \tilde{A}(\vec{x}, \vec{y}) \cdot \tilde{z}(\vec{y})$ . Now to accumulate the equation above, we need to accumulate the evaluations of  $\tilde{A}, \tilde{B}, \tilde{C}$  and  $\tilde{z}$  (witness polynomial). We can directly accumulate the witness polynomial with an PA such as **KZH**-fold. However, the same strategy cannot be applied to the multilinear extension of matrices since these polynomials are sparse and interpolating them directly with **KZH**-fold will result in a large SRS, hence we take a different strategy. For extension polynomials  $\tilde{A}, \tilde{B}$  and  $\tilde{C}$ , note that we need to accumulate the evaluations of the same multilinear polynomial at multiple evaluation points, i.e.  $\tilde{A}(r_x^{(1)}, r_y^{(1)}) = z^{(1)}$  and  $\tilde{A}(r_x^{(2)}, r_y^{(2)}) = z^{(2)}$ . This can be done easily using a simple random linear combination. We present an accumulation scheme in Figure 5 for relation  $\mathcal{R}_{\tilde{A}}$ , i.e.  $\tilde{A} \in \text{MLP}(\mathbb{F}, \mu_n + \mu_m)$  as defined below:

$$\mathcal{R}_{\tilde{A}} = \{(r_x \in \mathbb{F}^{\mu_n}, r_y \in \mathbb{F}^{\mu_m}, z \in \mathbb{F}) : \tilde{A}(r_x, r_y) = z\}$$

Given a polynomial accumulation scheme (e.g., **KZH**-fold) and the accumulation of sparse matrix evaluations described in Figure 5, we can now accumulate the polynomial checks produced by the Spartan PIOP. This enables us to construct an accumulation scheme for R1CS, as we describe in detail in the next subsection.

## 5.2 Uniform IVC/PCD from polynomial accumulation

In the previous section, we introduced a polynomial commitment scheme and built an accumulation scheme for its verifier, i.e. the polynomial evaluation predicate in Section 4.1. Notably, many modern NARK constructions have succinct verifiers when given oracle access to a polynomial commitment scheme capable of proving polynomial evaluations. In Subsection 5.1, we introduce a PIOP for R1CS inspired by Spartan with these characteristics. Thus, from Theorem 1 in Section 3.5, an accumulation scheme for PCS (e.g. **KZH**) implies an accumulation scheme for R1CS. Next, from Theorem 2 there exists an efficient transformation that takes the NARK and its accumulation scheme and constructs an IVC (PCD) scheme  $\text{IVC} = (\text{Setup}_{\text{IVC}}, \text{P}_{\text{IVC}}, \text{V}_{\text{IVC}})$  which we just refer to as Spartan+PA. According to Theorem 2, this IVC (PCD) scheme for a step function with size  $n$  (i.e. the step function represented as R1CS has size  $n$ ) has the following efficiency properties:

- $\text{P}_{\text{IVC}}$  time = the prover time of PA.
- $\text{V}_{\text{IVC}}$  time = the decider time of PA.
- Proof size of IVC = the accumulator size of PA.

For example when PA=**KZH**-fold, it implies the prover cost per step is  $O(n)$  while the verifier time and proof size are  $O(n^{\frac{1}{2}})$ . This is in contrast with IVC schemes from Nova, HyperNova and Protostar which have  $O(n)$  prover time, verifier time and proof size. An overview of Spartan+PA's step function initiated with **KZH**-fold can be seen in Figure 6.

$\mathsf{P}_{\mathbf{ABC}}(\tilde{A}, (r_x^{(1)}, r_y^{(1)}, z^{(1)}), (r_x^{(2)}, r_y^{(2)}, z^{(2)}))$ :

- Given two satisfying instances  $(r_x^{(1)}, r_y^{(2)}, z^{(1)}), (r_x^{(2)}, r_y^{(2)}, z^{(2)}) \in \mathcal{R}_{\tilde{A}}$
- Prover computes  $q(X)$  in the following polynomial identity where  $q(x)$  is a polynomial of degree  $\mu + \nu - 2$ .

$$\begin{aligned} \tilde{A}((1 - X) \cdot r_x + X \cdot r'_x, (1 - X) \cdot r_y + X \cdot r'_y) \\ = (1 - X) \cdot z + X \cdot z' + (1 - X) \cdot X \cdot q(X) \end{aligned}$$

Note  $q(X)$  can be computed directly through polynomial interpolation by evaluating the identity above with different  $X$  values.

- Derive challenge

$$\alpha \leftarrow H((r_x^{(1)}, r_y^{(2)}, z^{(1)}), (r_x^{(2)}, r_y^{(2)}, z^{(2)}), q(X))$$

- Compute the accumulated instances as follows:

$$\begin{aligned} r_x &\leftarrow (1 - \alpha) \cdot r_x^{(1)} + \alpha \cdot r_x^{(2)} & r_y &\leftarrow (1 - \alpha) \cdot r_y^{(1)} + \alpha \cdot r_y^{(2)} \\ z &\leftarrow (1 - \alpha) \cdot z^{(1)} + \alpha \cdot z^{(2)} + \alpha \cdot (1 - \alpha) \cdot q(\alpha) \end{aligned}$$

- Output accumulated instance  $(r_x, r_y, z)$  along with accumulation proof  $q(x)$

$\mathsf{V}_{\mathbf{ABC}}((r_x^{(1)}, r_y^{(1)}, z^{(1)}), (r_x^{(2)}, r_y^{(2)}, z^{(2)}), q(X))$ :

- Derive challenge  $\alpha \leftarrow H((r_x^{(1)}, r_y^{(2)}, z^{(1)}), (r_x^{(2)}, r_y^{(2)}, z^{(2)}), q(X))$
- Compute the accumulated instances as it follows:

$$\begin{aligned} r_x &\leftarrow (1 - \alpha) \cdot r_x^{(1)} + \alpha \cdot r_x^{(2)} & r_y &\leftarrow (1 - \alpha) \cdot r_y^{(1)} + \alpha \cdot r_y^{(2)} \\ z &\leftarrow (1 - \alpha) \cdot z^{(1)} + \alpha \cdot z^{(2)} + \alpha \cdot (1 - \alpha) \cdot q(\alpha) \end{aligned}$$

- Output accumulated instance  $(r_x, r_y, z)$

$\mathsf{D}_{\mathbf{ABC}}(\tilde{A}, (r_x, r_y, z))$ : Compute  $z' \leftarrow \tilde{A}(r_x, r_y)$  and assert  $z \stackrel{?}{=} z'$

Figure 5: Matrix evaluation accumulation description




Figure 6: Spartan+PA step (augmented) circuit initiated with KZH-fold

This construction works with any other PCS accumulation scheme too as long as the accumulation verifier is sublinear. In the next section, we will use Spartan+KZH-fold to build an efficient signature aggregation scheme. Our Spartan+PA construction is not zero knowledge; however, we believe that one can use the techniques presented in HyperNova [KS23c] to make our IVC scheme zero knowledge, we leave this to future work.

### 5.3 N-IVC and N-PCD from polynomial accumulation

**Review on previous work.** N-IVC [KS22] extends traditional IVC by allowing each step to execute one of several predefined instructions  $F_1, F_2, \dots, F_k$  rather than a single instruction  $F$ . Earlier implementations relied on a universal circuit that computes all instructions and selects the output based on the program counter, resulting in inefficiency as the prover computes every instruction, even when only one is needed. SuperNova improves this by maintaining a running accumulator for each instruction and using memory techniques (e.g., Merkle trees) to select and accumulate only the relevant accumulator at each step, reducing the per-step computation cost of the prover to align with the step circuit cost. However, the witness size grows linearly with the combined sizes of all instruction witnesses. Protostar [BC23] offers a similar improvement, leveraging the fact that committing to zeros incurs no additional cost. While it also reduces the per-step computation cost of the prover to the cost of the step circuit for N-IVC, like SuperNova, it still requires the prover to manage a witness size that scales linearly with the sum of all instruction witnesses.

Similar to N-IVC, N-PCD [Zhe+23] extends the definition of PCD to support multiple instruction circuits instead of a single instruction. Constructing N-PCD using previous approaches results in both the prover's computation and witness size being linear in the combined size of all instructions. Intuitively, SuperNova maintains a set of running ac-

cumulator, one for each instruction. Accumulating this running accumulator with a fresh accumulator can be done efficiently by selecting the correct running accumulator. However, to construct N-PCD, it must accumulate two sets of running accumulators, leading to a prover time that is linear in the combined size of all instruction circuits, along with the size of the circuit growing linearly with  $k$ , i.e. the number of instructions. Protopstar follows a similar paradigm, building a universal circuit and maintaining a Pedersen commitment to it. To execute one of the instruction circuits, the wires of the other instructions are set to zero. Since these zeroed wires do not contribute to the commitment, the cost of committing to the wires of this universal circuit to run a single instruction matches the step circuit cost. However, accumulating two running accumulators requires computing a new commitment that is linear in the size of the universal circuit. However, the circuit size remains constant, since it requires taking a linear combination between two Pederson commitments.

KiloNova [Zhe+23] naively builds non-uniform PCD based on HyperNova and results in the same issue as SuperNova. Their construction relies on the ability to efficiently fold commitments to sparse CCS matrices, which is necessary for IVC/PCD. Unfortunately, folding different sparse matrices does not necessarily preserve sparseness as demonstrated in Appendix D and that is the reason, in this work we avoid folding sparse matrices with different structures.

**N-IVC and N-PCD from Spartan+PA.** We propose an alternative approach to achieve N-IVC and N-PCD via Spartan+PA with appealing efficiency and communication features. Our N-PCD is the first N-PCD scheme in which the prover is efficient, i.e. the prover time is not linear in the combined size of all instructions and the decider algorithm only requires group operations proportional to the maximum instruction size, while it needs a linear number of field operations in the combined size of all instructions. This is in contrast to SuperNova and Protopstar, where the decider requires linear group operations in the combined size of all circuits. Given that group scalar multiplication is 100x-1000x more expensive than a field operation<sup>i</sup>, the decider’s cost in these schemes is dominated by the number of group operations, making our decider far more efficient. Let  $F_1, F_2, \dots, F_k$  be the instruction circuits. An overview and comparison of our approach to N-IVC and N-PCD can be seen in Tables 3 and 4 respectively. The high-level idea is to accumulate polynomials corresponding to  $F_i$  rather than accumulating the circuit  $F_i$  (i.e. its R1CS representation) directly. The key insight is that any polynomial of degree  $d_i < D$  can be padded to become a polynomial of degree  $D$ , allowing it to be accumulated with a running polynomial of degree  $D$ . To be more precise, to build N-IVC and N-PCD from Spartan+PA, we maintain a running accumulator corresponding to a polynomial of degree  $D$  and use it to accumulate PCS opening statements of degree  $d_i$  (e.g., opening a witness commitment at a random point) required by the Spartan verifier. This strategy is compatible with any polynomial accumulation scheme with a sublinear accumulation verifier. We

---

<sup>i</sup><https://zka.lc/>

defer its details to Appendix D.

Scheme	Prover Time	Verifier Time	Witness Size
SuperNova	$O( F_i )$	$O(\sum_i  F_i ) \mathbb{G}$	$O(\sum_i  F_i )$
Protostar	$O( F_i )$	$O(\sum_i  F_i ) \mathbb{G}$	$O(\sum_i  F_i )$
Spartan+PA	$\mathcal{P}_{\text{acc}}(\max_i  F_i )$	$\mathcal{D}_{\text{acc}}(\max_i  F_i ) + O(\sum_i  F_i ) \mathbb{F}$	$O( \text{acc}  + \sum_i \log  F_i )$
Spartan+KZH-fold	$O(\max_i  F_i )$	$O(\sqrt{\max_i  F_i }) + O(\sum_i  F_i ) \mathbb{F}$	$O(\sqrt{\max_i  F_i } + \sum_i \log  F_i )$

Table 3: Comparison of different N-IVC approaches based on prover/verifier time and witness size. We assume SuperNova is working over Nova and Protostar is working over Pedersen commitment, while we describe our approach as generic over a polynomial accumulation scheme PA, where  $\mathcal{P}_{\text{acc}}(\max_i |F_i|)$  denotes the time for the accumulation prover to accumulate two accumulators of size  $\max_i |F_i|$ , which is  $O(\max_i |F_i|)$  for KZH-fold. Similarly,  $\mathcal{D}_{\text{acc}}(\max_i |F_i|)$  represents the decider time for an accumulator of size  $\max_i |F_i|$ , given by  $O(\sqrt{\max_i |F_i|})$  for KZH-fold.

Scheme	Prover Time	Verifier Time	Witness Size
SuperNova	$O(\sum_i  F_i )$	$O(\sum_i  F_i ) \mathbb{G}$	$O(\sum_i  F_i )$
Protostar	$O(\sum_i  F_i )$	$O(\sum_i  F_i ) \mathbb{G}$	$O(\sum_i  F_i )$
KiloNova	$O(\sum_i  F_i )$	$O(\sum_i  F_i ) \mathbb{G}$	$O(\sum_i  F_i )$
Spartan+PA	$\mathcal{P}_{\text{acc}}(\max_i  F_i ) + \sum_i \log  F_i $	$\mathcal{D}_{\text{acc}}(\max_i  F_i ) + O(\sum_i  F_i ) \mathbb{F}$	$O( \text{acc}  + \sum_i \log  F_i )$
Spartan+KZH-fold	$O(\max_i  F_i ) + \sum_i \log  F_i $	$O(\sqrt{\max_i  F_i }) + O(\sum_i  F_i ) \mathbb{F}$	$O(\sqrt{\max_i  F_i } + \sum_i \log  F_i )$

Table 4: Comparison of different N-PCD approaches based on prover/verifier time and witness size. We assume SuperNova is working over Nova and Protostar is working over Pedersen commitment, while we describe our approach as generic over a polynomial accumulation scheme PA where  $\mathcal{P}_{\text{acc}}(\max_i |F_i|)$  denotes the time for the accumulation prover to accumulate two accumulators of size  $\max_i |F_i|$ , which is  $O(\max_i |F_i|)$  for KZH-fold. Similarly,  $\mathcal{D}_{\text{acc}}(\max_i |F_i|)$  represents the decider time for an accumulator of size  $\max_i |F_i|$ , given by  $O(\sqrt{\max_i |F_i|})$  for KZH-fold.

## 6 PIOP for signature aggregation protocol

In Figure 7 and 8, we provide a protocol enabling bandwidth-efficient recursive aggregation of accountable signatures. A distinctive feature of our protocol is that the circuit size remains independent of the number of signers, made possible by the homomorphic properties of our **KZH** commitment scheme. Our protocol uses - as building blocks - an aggregate signature scheme  $(\mathbf{KGen}_{\text{ss}}, \mathbf{Sign}_{\text{ss}}, \mathbf{Verify}_{\text{ss}})$  (Definition 4), the IVC scheme  $(\mathbf{Setup}_{\text{IVC}}, \mathbf{P}_{\text{IVC}}, \mathbf{V}_{\text{IVC}})$  of Section 5, and our polynomial commitment scheme **KZH** =  $(\mathbf{Setup}_{\text{KZH}}, \mathbf{Commit}_{\text{KZH}}, \mathbf{Open}_{\text{KZH}}, \mathbf{Verify}_{\text{KZH}})$ . Our scheme also uses the famous sumcheck protocol  $(\mathbf{P}_{\text{smck}}, \mathbf{V}_{\text{smck}})$  [Lun+90]. We implement our signature aggregation protocol using BLS as the signature scheme [BLS04], and present its efficiency, along with a comparison to the state of the art, in Section 7. To track the signers, we use a bitvector: a vector  $\vec{b}$  with a size equal to the number of validators such that  $b_k = 1$  if user  $k$  has signed, and 0 otherwise. Here  $\langle k \rangle$  is the  $\mu$ -bit binary representation of  $k$ . The circuit size of the scheme is constant, *independent* of the number of validators, enabling the recursive aggregation of signatures for millions of validators with minimal overhead. This is achieved via utilizing the IVC scheme from Section 5. The scheme proves the union of the bitvector by relying on the fact that  $\vec{b}_1 \vee \vec{b}_2 = \vec{b}_1 + \vec{b}_2 - \vec{b}_1 \circ \vec{b}_2$ . In Figure 8, we build a simple sumcheck-based PIOP for this statement. We compile this PIOP into a proof system using **KZH**, and accumulate the resulting evaluation checks.

The **Setup** algorithm of the signature aggregation scheme initializes the IVC scheme. Users use **KGen** to generate their public and signing key pair  $(\mathbf{sk}, \mathbf{pk})$ . **Initialize** initializes the vector of all public keys from the users in the system. To sign, users run  $\mathbf{Sign}_{\text{ss}}$ . Next, user  $k$  runs **SigToAggSig** to convert their signature into aggregated form. **Aggregate** is similar to an accumulation scheme and is run by a prover and a verifier: it takes two aggregated signatures as input and outputs a new one. The aggregated signature includes an IVC proof  $\pi_{\text{IVC}}$  for the function  $F$ , which is the **KZH** verifier. That is,  $\pi_{\text{IVC}}.x$  consists of the polynomial evaluation claims (including  $F$  and  $F.x$ ) whereas  $\pi_{\text{IVC}}.w$  is a proof that they have been aggregated correctly. Finally, **Verify** (intuitively, the decider of the accumulation scheme) is run to check the validity of aggregated signatures. We provide an overview of the resulting IVC circuit in Figure 9.

**Efficiency.** The aggregate signature consists of the public key, the signature and a polynomial that interpolates the bitvector of signers, as well as an IVC proof (which contains PCS evaluation claims). Using Spartan+KZH-fold from Section 4.1, the IVC proof is  $O(\ell^{\frac{1}{2}})$  in size. Thus the aggregate, accountable signature size is dominated by the bitvector of signers  $\vec{c}$ , which contains at most  $\ell$  bits. This is the minimal information that can be transmitted for an accountable signature. The aggregator's work consists of computing and committing to  $\vec{c}$  which takes at most  $\ell$  group additions (not scalar multiplications as  $\vec{c}$  consists of bits), as well as the work of running the sumcheck prover and the accumulation prover. Both of these are linear prover time and do not require additional commitments.

**Setup**( $1^\lambda, n$ ):

- Sample  $\{(p, g_1, g_2, \mathbb{G}_1, \mathbb{G}_2, \mathbb{G}_T, e)\} \leftarrow \mathbb{G}\text{Gen}(1^\lambda)$
- $\mathbb{G} \leftarrow \mathbb{G}_1$
- $\text{srs}_{\text{IVC}} \leftarrow \text{Setup}_{\text{IVC}}(\lambda)$
- Output  $\text{srs} = (\text{srs}_{\text{IVC}}, \mathbb{G})$

**KGen**( $\lambda$ ):  $(\text{sk}, \text{pk}) \leftarrow \text{KGen}_{\text{ss}}(1^\lambda, n)$

**Initialize**( $\text{srs}_{\text{PC}}, [\text{pk}_i]_{i=1}^n$ ):

Compute vector commitment  $\text{VC}$  such that  $\text{VC}[k] = \text{pk}_k$ .

**Sign**( $\text{pk}, M \in \{0, 1\}^*$ ) :  $\sigma \leftarrow \text{Sign}_{\text{ss}}(\text{sk}, M)$

**SigToAggSig**( $k \in [n \cdot m], \text{pk}_k, \sigma_k$ ): user  $k$  prepares its signature to aggregate

- Set  $\vec{b} = \langle k \rangle \in \{0, 1\}^\mu$
- $\mathbb{B}_k \leftarrow \text{Commit}_{\text{KZH}}(\text{srs}_{\text{KZH}}, b(\vec{X}))$
- Set IVC proof  $\pi_{\text{IVC}}^{(k)} = \perp$
- Output:

$$A_k = (\text{pk}_k, \mathbb{B}_k, \pi_{\text{IVC}, k}.x, b_k(\vec{X}), \sigma_k, \pi_{\text{IVC}}^{(k)}.w)$$

**Verify**( $\text{srs}, A_k$ ): Verify an aggregated signature

- Check  $\mathbb{B} = \text{Commit}_{\text{KZH}}(\text{srs}_{\text{KZH}}, b(\vec{X}))$ .
- Check  $\text{V}_{\text{ss}}(\text{pk}, M, \sigma) = 1$
- Check  $\text{Verify}_{\text{IVC}}(\text{srs}_{\text{IVC}}, F, F.x, \pi_{\text{IVC}}) = 1$

Figure 7: Signature aggregation protocol - 1

**Aggregate**( $A_{k_1}, A_{k_2}$ ):

Aggregate the signatures:

- $A_{k_1} = (\mathsf{pk}_{k_1}, \mathsf{B}_{k_1}, \pi_{\mathsf{IVC}}^{(k_1)}.x, \sigma_{k_1}, b_{k_1}(\vec{X}), \pi_{\mathsf{IVC}}^{(k_1)}.w)$
- $A_{k_2} = (\mathsf{pk}_{k_2}, \mathsf{B}_{k_2}, \pi_{\mathsf{IVC}}^{(k_2)}.x, \sigma_{k_2}, b_{k_2}(\vec{X}), \pi_{\mathsf{IVC}}^{(k_2)}.w)$
- Set  $\mathsf{pk}' \leftarrow \mathsf{pk}_{k_1} + \mathsf{pk}_{k_2}$
- Set  $\sigma' \leftarrow \sigma_{k_1} + \sigma_{k_2}$

Proof of well-formedness of new bitvector

- Compute  $c(\vec{X})$  such that  $c(\vec{x}) = b_{k_1}(\vec{x}) \vee b_{k_2}(\vec{x}) \forall \vec{x} \in \{0, 1\}^\mu$
- Send  $C \leftarrow \mathsf{Commit}_{\mathsf{KZH}}(\mathsf{srs}_{\mathsf{KZH}}, c(\vec{X}))$
- Verifier sends challenge  $\vec{r} \leftarrow \mathbb{F}^\mu$
- Define  $c(\vec{X}) = b_{k_1}(\vec{X}) + b_{k_2}(\vec{X}) - b_{k_1}(\vec{X}) \cdot b_{k_2}(\vec{X})$  and run the sumcheck to prove that

$$\sum_{\vec{x} \in \{0, 1\}^\mu} \mathsf{eq}(\vec{x}, \vec{r})(b_{k_1}(\vec{x}) + b_{k_2}(\vec{x}) - b_{k_1}(\vec{x}) \cdot b_{k_2}(\vec{x}) - c(\vec{x})) = 0$$

Output  $b_{k_1}(\vec{\rho}), b_{k_2}(\vec{\rho}), \vec{c}(\vec{\rho})$  where  $\vec{\rho} \in \mathbb{F}^k$  is the vector of randomness sampled by the verifier during the sumcheck.

- Verifier sends random challenges  $\alpha_1, \alpha_2$  from  $\mathbb{F}$
- Prover computes the polynomial  $p(\vec{X}) = b_{k_1}(\vec{X}) + \alpha_1 b_{k_2}(\vec{X}) + \alpha_2 c(\vec{X})$ , runs  $(\pi, z_0) \leftarrow \mathsf{Open}_{\mathsf{KZH}}(\mathsf{srs}_{\mathsf{KZH}}, p(\vec{X}), \vec{x}_0, \vec{y}_0, \mathsf{aux})$ , for  $\vec{x}_0 || \vec{y}_0 = \vec{\rho}$
- Verifier adds evaluation claim  $(\mathsf{P} = \mathsf{B}_{k_1} + \alpha_1 \mathsf{B}_{k_2} + \alpha_2 C, \vec{x}_0, \vec{y}_0, \pi, z_0)$  to  $\pi'_{\mathsf{IVC}}.x$

New Aggregated Signature:

- $\pi'_{\mathsf{IVC}} \leftarrow \mathsf{P}_{\mathsf{IVC}}(\mathsf{srs}_{\mathsf{IVC}}, F, F.x, F.w, \pi_{\mathsf{IVC}})$
- Let  $A' = (\mathsf{pk}', \sigma', C, \pi'_{\mathsf{IVC}}.x; \sigma', c(\vec{X}), \pi'_{\mathsf{IVC}}.w)$
- Output  $A'$

Figure 8: Signature aggregation protocol - 2




Figure 9: Signature aggregation augmented circuit

The aggregation verifier, which is implemented as a recursive circuit in the IVC protocol, consists of a constant number of group operations and  $\log(\ell)$  native field operations and hashes. These are mostly used to verify the accumulation of PCS evaluation claims. The recursive circuit for each leaf also needs to check that the signer polynomial  $\vec{b}$  is instantiated correctly and that the correct public key is being aggregated. This consists of a single vector commitment check (can be outsourced using a PC) and an evaluation of two Lagrange polynomials. Using the extension from Section C, the communication cost can be lowered to  $O(k \cdot \ell^{\frac{1}{k}}) + \ell$  bits, however, the aggregator’s computation overhead is dominated by opening a KZH- $k$  polynomial commitment of size  $\ell$ , which still costs  $O(\ell^{\frac{1}{2}})$  group scalar multiplications.

## 7 Implementation and efficiency

We implement all our subprotocols in Rust, by leveraging the arkworks library<sup>j</sup>. Our CycleFold [KS23a] module builds on the implementation from the Nexus zkVM project<sup>k</sup>, and our Spartan PIOP module builds on the original Spartan codebase<sup>l</sup>. We made our implementation publicly available as an open-source library<sup>m</sup>.

The accumulation verifier circuit for PCD (accumulating two accumulators) in KZH2-fold and KZH3-fold schemes, respectively requires four and five scalar multiplications, implemented using CycleFold and Ova [Ova]. The total circuit size for KZH2-fold and KZH3-fold verifiers are approximately 60k and 73k constraints on the primary curve and 12k and 15k

<sup>j</sup><https://arkworks.rs>

<sup>k</sup>[https://nexus-xyz.github.io/assets/nexus\\_whitepaper.pdf](https://nexus-xyz.github.io/assets/nexus_whitepaper.pdf)

<sup>l</sup><https://github.com/microsoft/Spartan>

<sup>m</sup>[https://github.com/h-hafezi/kzh\\_fold](https://github.com/h-hafezi/kzh_fold)

on the secondary curve, with about 40% of constraint on the primary curve dedicated to hashing non-native field elements. Our implementation is not highly optimized. Inspired by Nexus, we also implemented a Nova circuit for IVC, accumulating one fresh proof with a running accumulation, resulting in a circuit size of 35k constraints on the primary curve and 6k on the secondary curve<sup>n</sup>. This comparison aligns with expectations, for example, **KZH**2-fold verifier is naturally larger, requiring three to four group scalar multiplications compared to two to three for Nova.

As part of our implementation, we built an augmented circuit for our signature aggregation protocol as seen in Figure 9, along with a smaller augmented circuit for our **KZH**-based folding scheme for **NP**. We used the R1CS PIOP from Section 5.1 to prove our circuits. We ran our benchmarks on a laptop with an Intel i7-1370 CPU and 32GB of RAM and 16 cores. We used the half-pairing cycles of BN254 and Grumpkin as our primary and secondary curves. We present our results in the following sections.

## 7.1 Efficiency of **KZH**

In Figure 10, we provide benchmarks for our variants of **KZH**2, **KZH**3 and **KZH**4 polynomial commitment schemes and compare them with the celebrated **KZG** scheme. **KZG** is efficient and offers constant verification time, while **KZH** benefits from faster opening times and supports a natural accumulation scheme.

## 7.2 Comparison with **Halo Infinite**

**Halo Infinite** [Bon+21] (**HI**) presents an accumulation scheme for arbitrary homomorphic polynomial opening aggregation schemes. The prover aggregates  $n$  polynomial openings taking the polynomials themselves as input. In this section, we compare the efficiency of **KZH**2-fold, **KZH**3-fold and **HI** by implementing all three schemes in our codebase.

In Figure 11, we observe that **KZH**-fold’s prover is significantly faster than **HI**’s. For large witness sizes, **HI** spends most of its time committing to the polynomial  $q(x)$ . On the other hand, we also see that **HI**’s accumulation verifier is significantly faster compared to **KZH**-fold. Finally, we see how **KZH**-fold’s communication overhead scales far more efficiently as the polynomial’s size increases, since in **HI**’s private aggregation scheme the prover must transmit the entire polynomial to the aggregator.

---

<sup>n</sup>Unlike our implementation and Nexus, the original Nova implementation by Microsoft does not use Arkworks. We believe a primary reason for our circuit’s inefficiency is likely due to inefficiencies in Arkworks’ implementation of group operations and non-native field arithmetic in R1CS. For example, a group scalar multiplication by Nova reportedly takes 1k constraints while it takes 3k with Arkworks.




Figure 10: KZH benchmarks and comparison with KZG. KZH polynomial degree  $n$  refers to a multilinear polynomial with  $n$  variables and hence  $2^n$  size of evaluations over boolean hypercube. The polynomial coefficients for KZG and evaluation points over the boolean hypercube are selected randomly. i.e. not small field elements. When polynomial evaluation points in KZH family are set to value  $< 1024$ , we realize a 10-20x improvement in the commitment time.

### 7.3 Comparison with Nova

We have implemented our IVC schemes Spartan+KZH2-fold and Spartan+KZH3-fold and compared it to our implementation of Nova<sup>o</sup> using different-sized  $F$  circuits in Table 5. For the purposes of IVC, we use a circuit  $F$  that iteratively computes Poseidon hashes, and the first column contains the number of Poseidon invocations. At the end of the R1CS PIOP protocol, the decider must evaluate the R1CS matrices  $A$ ,  $B$  and  $C$  at a random point. We outsource this computation by having the prover provide an opening proof. This outsourcing is independent of the rest of the protocol, allowing any polynomial commitment scheme to be used, e.g. SPARK compiler. The commitment to the matrices, which the costly part, can be performed during the setup phase.

As expected, Spartan+KZH-fold prover is slower than Nova, with a factor of almost 3 for moderate computations. However, Spartan+KZH-fold accumulator size is more compact and its verifier times are faster. Spartan+KZH-fold prover is slower for two reasons. First, Nova’s prover cost is essentially two MSMs, whereas Spartan+KZH-fold prover uses KZH to commit to the witness. Furthermore, Spartan+KZH-fold’s augmented circuit must partially

<sup>o</sup>Primarily borrowed from Nexus zkVM project




Figure 11: KZH-fold performance and communication cost, along with a comparison with Halo Infinite private aggregation

verify the Spartan proof’s sumcheck and the accumulation of the matrix evaluations (Section 5.1). We believe that a large part of the slowdown is due to unoptimized code, which can be improved.

#### 7.4 Comparison with BLS aggregation

We implemented our accountable signature aggregation scheme based on Spartan+KZH3-fold from Figure 8 and compared it to the accountable BLS signature aggregation scheme in Table 6. In the BLS scheme, communication cost scales with the size of the multiplicity vector, which incurs a redundancy overhead of  $r \cdot \log d$ , where  $r$  is the number of recursive aggregation layers and  $d$  is the number of aggregators per layer. For an aggregation scheme with a single layer ( $r = 1$ ) with 1 million validators, the multiplicity vector requires 128 kB multiplied by  $\log d$ . With additional recursive layers, this cost increases linearly with  $r$ , further exacerbating bandwidth requirements for larger validator sets. Verification involves a multiscalar multiplication (MSM) to compute the aggregated public key, using the multiplicity vector and validators’ public keys.

In contrast, approach based on Spartan+KZH3-fold, eliminates the need for multiplicity vectors, making its communication cost independent of the number of recursive layers and the number of aggregators. The communication cost of our scheme is dominated by the participation bitfield, whereas the recursive proof itself is less than 40% of the overall size. Our signature aggregation augmented circuit is described in approximately  $2^{19}$  constraints.

# of $H$	Scheme	Prover	Verifier	$ \text{Acc} $	# Constraints
0	Spartan+KZH2-fold	1.1 s	103 ms	74 KB	$2^{17} \approx 131k$
	Spartan+KZH3-fold	0.87 s	62 ms	16 KB	$2^{17} \approx 131k$
	Nova	157 ms	250 ms	3.8 MB	35k
150	Spartan+KZH2-fold	4.0 s	133 ms	148 KB	$2^{19} \approx 524k$
	Spartan+KZH3-fold	3.1 s	63 ms	25 KB	$2^{19} \approx 524k$
	Nova	447 ms	704 ms	9.6 MB	165k
1000	Spartan+KZH2-fold	7.2 s	193 ms	197 KB	$2^{20} \approx 1048k$
	Spartan+KZH3-fold	6.68 s	93 ms	31 KB	$2^{20} \approx 1048k$
	Nova	2.0 s	3.8 s	42 MB	675k
2000	Spartan+KZH2-fold	23.1 s	256 ms	295 KB	$2^{21} \approx 2097k$
	Spartan+KZH3-fold	16.5 s	135 ms	37 KB	$2^{21} \approx 2097k$
	Nova	4.8 s	5.6 s	80.8 MB	1185k

Table 5: Comparison of IVC schemes Spartan+KZH2-fold, Spartan+KZH3-fold and Nova

# of validators	Scheme	Communication	Verifier
$2^{20}$	BLS ( $r = 1, d = 16$ )	512 kB	338 ms
	BLS ( $r = 4, d = 16$ )	2 MB	340 ms
	BLS ( $r = 4, d = 32$ )	4 MB	342 ms
	<b>Ours</b>	<b>205 kB</b>	<b>226 ms</b>
$2^{21}$	BLS ( $r = 1, d = 16$ )	1 MB	669 ms
	BLS ( $r = 4, d = 16$ )	4 MB	670 ms
	BLS ( $r = 4, d = 32$ )	8 MB	673 ms
	<b>Ours</b>	<b>333 kB</b>	<b>276 ms</b>
$2^{22}$	BLS ( $r = 1, d = 16$ )	2 MB	1.29 s
	BLS ( $r = 4, d = 16$ )	8 MB	1.3 s
	BLS ( $r = 4, d = 32$ )	16 MB	1.3 s
	<b>Ours</b>	<b>589 kB</b>	<b>322 ms</b>

Table 6: Comparison of BLS and Spartan+KZH3-fold based accountable signature aggregation schemes

We find that the witness for this circuit is low-weight (with about 33% of the entries being zero or one). As a result, committing to this low-weight witness is significantly more efficient compared to committing to a random vector of the same size. To exploit this property, we pair KZH3-fold with the Spartan PIOP, which only requires computing a single commitment to the witness vector. Table 6 highlights the communication and verification costs of both schemes across different validator counts and recursive layers. Our approach maintains consistent communication costs regardless of  $r$ , while BLS incurs significant growth due to the  $r \cdot \log d$  multiplicative factor.

## Acknowledgements

We would like to thank Alireza Shirzad and Yue Zhang for pointing out small mistakes in a previous version. We would like to thank anonymous reviewers who helped us to improve the paper. This work was supported by Chaincode, Alpen Labs, Google and the Sui Foundation.

## References

[CT10] Alessandro Chiesa and Eran Tromer. “Proof-Carrying Data and Hearsay Arguments from Signature Cards”. In: 2010, pp. 310–331.

[DG08] Jeffrey Dean and Sanjay Ghemawat. “MapReduce: simplified data processing on large clusters”. In: *Commun. ACM* 51.1 (Jan. 2008), 107–113. ISSN: 0001-0782. DOI: [10.1145/1327452.1327492](https://doi.org/10.1145/1327452.1327492). URL: <https://doi.org/10.1145/1327452.1327492>.

[CTV15] Alessandro Chiesa, Eran Tromer, and Madars Virza. “Cluster Computing in Zero Knowledge”. In: 2015, pp. 371–403. DOI: [10.1007/978-3-662-46803-6\\_13](https://doi.org/10.1007/978-3-662-46803-6_13).

[Her24] Polygon Hermez. *Polygon zkvm: Recursion, aggregation and composition of proofs*. <https://github.com/0xPolygonHermez/zkvm- techdocs/blob/main/docs/proof-recursion.pdf>. Accessed: 2024-11-15. 2024. URL: <https://github.com/0xPolygonHermez/zkvm- techdocs/blob/main/docs/proof-recursion.pdf>.

[KB23] Assimakis Kattis and Joseph Bonneau. “Proof of Necessary Work: Succinct State Verification with Fairness Guarantees”. In: 2023, pp. 18–35. DOI: [10.1007/978-3-031-47751-5\\_2](https://doi.org/10.1007/978-3-031-47751-5_2).

[Ben+14] Eli Ben-Sasson et al. “Scalable Zero Knowledge via Cycles of Elliptic Curves”. In: 2014, pp. 276–294. DOI: [10.1007/978-3-662-44381-1\\_16](https://doi.org/10.1007/978-3-662-44381-1_16).

[KST22] Abhiram Kothapalli, Srinath Setty, and Ioanna Tzialla. “Nova: Recursive Zero-Knowledge Arguments from Folding Schemes”. In: 2022, pp. 359–388. DOI: [10.1007/978-3-031-15985-5\\_13](https://doi.org/10.1007/978-3-031-15985-5_13).

[Bün+21] Benedikt Bünz et al. “Proof-Carrying Data Without Succinct Arguments”. In: 2021, pp. 681–710. DOI: [10.1007/978-3-030-84242-0\\_24](https://doi.org/10.1007/978-3-030-84242-0_24).

[KS24] Abhiram Kothapalli and Srinath T. V. Setty. “HyperNova: Recursive Arguments for Customizable Constraint Systems”. In: 2024, pp. 345–379. DOI: [10.1007/978-3-031-68403-6\\_11](https://doi.org/10.1007/978-3-031-68403-6_11).

[BC23] Benedikt Bünz and Binyi Chen. “Protostar: Generic Efficient Accumulation/Folding for Special-Sound Protocols”. In: 2023, pp. 77–110. DOI: [10.1007/978-981-99-8724-5\\_3](https://doi.org/10.1007/978-981-99-8724-5_3).

[KZG10] Aniket Kate, Gregory M. Zaverucha, and Ian Goldberg. “Constant-Size Commitments to Polynomials and Their Applications”. In: 2010, pp. 177–194. DOI: [10.1007/978-3-642-17373-8\\_11](https://doi.org/10.1007/978-3-642-17373-8_11).

[Bün+20] Benedikt Bünz et al. “Recursive Proof Composition from Accumulation Schemes”. In: 2020, pp. 1–18. DOI: [10.1007/978-3-030-64378-2\\_1](https://doi.org/10.1007/978-3-030-64378-2_1).

[Set20] Srinath Setty. “Spartan: Efficient and General-Purpose zkSNARKs Without Trusted Setup”. In: 2020, pp. 704–737. DOI: [10.1007/978-3-030-56877-1\\_25](https://doi.org/10.1007/978-3-030-56877-1_25).

[PST13] Charalampos Papamanthou, Elaine Shi, and Roberto Tamassia. “Signatures of Correct Computation”. In: 2013, pp. 222–242. DOI: [10.1007/978-3-642-36594-2\\_13](https://doi.org/10.1007/978-3-642-36594-2_13).

[Lee21] Jonathan Lee. “Dory: Efficient, Transparent Arguments for Generalised Inner Products and Polynomial Commitments”. In: 2021, pp. 1–34. DOI: [10.1007/978-3-030-90453-1\\_1](https://doi.org/10.1007/978-3-030-90453-1_1).

[Cam+25] Matteo Campanelli et al. *On the Power of Polynomial Preprocessing: Proving Computations in Sublinear Time, and More*. Cryptology ePrint Archive, Paper 2025/238. 2025. URL: <https://eprint.iacr.org/2025/238>.

[KS23a] Abhiram Kothapalli and Srinath Setty. *CycleFold: Folding-scheme-based recursive arguments over a cycle of elliptic curves*. Cryptology ePrint Archive, Report 2023/1192. 2023. URL: <https://eprint.iacr.org/2023/1192>.

[BFS20] Benedikt Bünz, Ben Fisch, and Alan Szepieniec. “Transparent SNARKs from DARK Compilers”. In: 2020, pp. 677–706. DOI: [10.1007/978-3-030-45721-1\\_24](https://doi.org/10.1007/978-3-030-45721-1_24).

[KS23b] Abhiram Kothapalli and Srinath Setty. *CycleFold: Folding-scheme-based recursive arguments over a cycle of elliptic curves*. Cryptology ePrint Archive, Paper 2023/1192. 2023. URL: <https://eprint.iacr.org/2023/1192>.

[ZSC24] Jiaxing Zhao, Srinath Setty, and Weidong Cui. *MicroNova: Folding-based arguments with efficient (on-chain) verification*. Cryptology ePrint Archive, Paper 2024/2099. 2024. URL: <https://eprint.iacr.org/2024/2099>.

[Che+20] Weikeng Chen et al. *Reducing Participation Costs via Incremental Verification for Ledger Systems*. Cryptology ePrint Archive, Paper 2020/1522. 2020. URL: <https://eprint.iacr.org/2020/1522>.

[Bon+20] Joseph Bonneau et al. *Coda: Decentralized Cryptocurrency at Scale*. Cryptology ePrint Archive, Paper 2020/352. 2020. URL: <https://eprint.iacr.org/2020/352>.

[Tya+21] Nirvan Tyagi et al. *VeRSA: Verifiable Registries with Efficient Client Audits from RSA Authenticated Dictionaries*. Cryptology ePrint Archive, Paper 2021/627. 2021. DOI: [10.1145/3548606.3560605](https://doi.org/10.1145/3548606.3560605). URL: <https://eprint.iacr.org/2021/627>.

[Gro+18] Jens Groth et al. “Updatable and Universal Common Reference Strings with Applications to zk-SNARKs”. In: 2018, pp. 698–728. DOI: [10.1007/978-3-319-96878-0\\_24](https://doi.org/10.1007/978-3-319-96878-0_24).

[Resb] Ethereum Research. *Sticking to 8192 Signatures per Slot Post-SSF: How and Why*. <https://ethresear.ch/t/sticking-to-8192-signatures-per-slot-post-ssf-how-and-why/>. Accessed: 2024-11-15.

[Sin] *Single Slot Finality*. <https://ethereum.org/en/roadmap/single-slot-finality/>. Accessed: 2024-11-15.

[But] Vitalik Buterin. *Possible futures of the Ethereum protocol, part 1: The Merge*. <https://vitalik.eth.limo/general/2024/10/14/futures1.html>. Accessed: 2024-11-15.

[D'A+24b] Francesco D'Amato et al. *TOB-SVD: Total-Order Broadcast with Single-Vote Decisions in the Sleepy Model*. 2024. arXiv: [2310.11331 \[cs.DC\]](https://arxiv.org/abs/2310.11331). URL: <https://arxiv.org/abs/2310.11331>.

[DZ23] Francesco D'Amato and Luca Zanolini. *A Simple Single Slot Finality Protocol For Ethereum*. Cryptology ePrint Archive, Report 2023/280. 2023. URL: <https://eprint.iacr.org/2023/280>.

[D'A+24a] Francesco D'Amato et al. *3-Slot-Finality Protocol for Ethereum*. 2024. arXiv: [2411.00558 \[cs.DC\]](https://arxiv.org/abs/2411.00558). URL: <https://arxiv.org/abs/2411.00558>.

[D'A+22] Francesco D'Amato et al. *No More Attacks on Proof-of-Stake Ethereum?* Cryptology ePrint Archive, Report 2022/1171. 2022. URL: <https://eprint.iacr.org/2022/1171>.

[Gil+17] Yossi Gilad et al. *Algorand: Scaling Byzantine Agreements for Cryptocurrencies*. Cryptology ePrint Archive, Report 2017/454. 2017. URL: <https://eprint.iacr.org/2017/454>.

[Yin+19] Maofan Yin et al. “HotStuff: BFT Consensus with Linearity and Responsiveness”. In: 2019, pp. 347–356. DOI: [10.1145/3293611.3331591](https://doi.org/10.1145/3293611.3331591).

[BLS04] Dan Boneh, Ben Lynn, and Hovav Shacham. “Short Signatures from the Weil Pairing”. In: 17.4 (Sept. 2004), pp. 297–319. DOI: [10.1007/s00145-004-0314-9](https://doi.org/10.1007/s00145-004-0314-9).

[BDN18] Dan Boneh, Manu Drijvers, and Gregory Neven. “Compact Multi-signatures for Smaller Blockchains”. In: 2018, pp. 435–464. DOI: [10.1007/978-3-030-03329-3\\_15](https://doi.org/10.1007/978-3-030-03329-3_15).

[Resa] Ethereum Research. *Signature Merging for Large-Scale Consensus*. <https://ethresear.ch/t/signature-merging-for-large-scale-consensus/17386>. Accessed: 2024-11-15.

[KS22] Abhiram Kothapalli and Srinath Setty. *SuperNova: Proving universal machine executions without universal circuits*. Cryptology ePrint Archive, Paper 2022/1758. 2022. URL: <https://eprint.iacr.org/2022/1758>.

[Zhe+23] Tianyu Zheng et al. *KiloNova: Non-Uniform PCD with Zero-Knowledge Property from Generic Folding Schemes*. Cryptology ePrint Archive, Paper 2023/1579. 2023. URL: <https://eprint.iacr.org/2023/1579>.

[BGH19] Sean Bowe, Jack Grigg, and Daira Hopwood. *Halo: Recursive Proof Composition without a Trusted Setup*. Cryptology ePrint Archive, Report 2019/1021. 2019. URL: <https://eprint.iacr.org/2019/1021>.

[Wu+18] Howard Wu et al. *DIZK: A Distributed Zero Knowledge Proof System*. Cryptology ePrint Archive, Paper 2018/691. 2018. URL: <https://eprint.iacr.org/2018/691>.

[Liu+23] Tianyi Liu et al. *Pianist: Scalable zkRollups via Fully Distributed Zero-Knowledge Proofs*. Cryptology ePrint Archive, Paper 2023/1271. 2023. URL: <https://eprint.iacr.org/2023/1271>.

[Ros+24] Michael Rosenberg et al. *Hekaton: Horizontally-Scalable zkSNARKs via Proof Aggregation*. Cryptology ePrint Archive, Paper 2024/1208. 2024. URL: <https://eprint.iacr.org/2024/1208>.

[Wan+24] Wenhao Wang et al. *Cirrus: Performant and Accountable Distributed SNARK*. Cryptology ePrint Archive, Paper 2024/1873. 2024. URL: <https://eprint.iacr.org/2024/1873>.

[Bé+19] Olivier Bégassat et al. *Handel: Practical Multi-Signature Aggregation for Large Byzantine Committees*. 2019. arXiv: [1906.05132 \[cs.DC\]](https://arxiv.org/abs/1906.05132). URL: <https://arxiv.org/abs/1906.05132>.

[Kha+21] Irakliy Khaburzaniya et al. *Aggregating hash-based signatures using STARKs*. Cryptology ePrint Archive, Report 2021/1048. 2021. URL: <https://eprint.iacr.org/2021/1048>.

[Aar+24] Marius A. Aardal et al. “Aggregating Falcon Signatures with LaBRADOR”. In: 2024, pp. 71–106. DOI: [10.1007/978-3-031-68376-3\\_3](https://doi.org/10.1007/978-3-031-68376-3_3).

[Wah+18] Riad S. Wahby et al. “Doubly-Efficient zkSNARKs Without Trusted Setup”. In: 2018, pp. 926–943. DOI: [10.1109/SP.2018.00060](https://doi.org/10.1109/SP.2018.00060).

[Ped92] Torben P. Pedersen. “Non-Interactive and Information-Theoretic Secure Verifiable Secret Sharing”. In: 1992, pp. 129–140. DOI: [10.1007/3-540-46766-1\\_9](https://doi.org/10.1007/3-540-46766-1_9).

[Abe+16] Masayuki Abe et al. “Structure-Preserving Signatures and Commitments to Group Elements”. In: 29.2 (Apr. 2016), pp. 363–421. DOI: [10.1007/s00145-014-9196-7](https://doi.org/10.1007/s00145-014-9196-7).

[Che+23] Binyi Chen et al. “HyperPlonk: Plonk with Linear-Time Prover and High-Degree Custom Gates”. In: 2023, pp. 499–530. DOI: [10.1007/978-3-031-30617-4\\_17](https://doi.org/10.1007/978-3-031-30617-4_17).

[STW23] Srinath Setty, Justin Thaler, and Riad Wahby. *Customizable constraint systems for succinct arguments*. Cryptology ePrint Archive, Paper 2023/552. 2023. URL: <https://eprint.iacr.org/2023/552>.

[FKL18] Georg Fuchsbauer, Eike Kiltz, and Julian Loss. “The Algebraic Group Model and its Applications”. In: 2018, pp. 33–62. DOI: [10.1007/978-3-319-96881-0\\_2](https://doi.org/10.1007/978-3-319-96881-0_2).

[Bü+19] Benedikt Bünz et al. *Proofs for Inner Pairing Products and Applications*. Cryptology ePrint Archive, Paper 2019/1177. 2019. URL: <https://eprint.iacr.org/2019/1177>.

[Haf+25] Hossein Hafezi et al. *IronDict: Transparent Dictionaries from Polynomial Commitments*. Cryptology ePrint Archive, Paper 2025/1580. 2025. URL: <https://eprint.iacr.org/2025/1580>.

[DRZ20] Vanesa Daza, Carla Ràfols, and Alexandros Zacharakis. “Updateable Inner Product Argument with Logarithmic Verifier and Applications”. In: 2020, pp. 527–557. DOI: [10.1007/978-3-030-45374-9\\_18](https://doi.org/10.1007/978-3-030-45374-9_18).

[BFL20] Balthazar Bauer, Georg Fuchsbauer, and Julian Loss. “A Classification of Computational Assumptions in the Algebraic Group Model”. In: 2020, pp. 121–151. DOI: [10.1007/978-3-030-56880-1\\_5](https://doi.org/10.1007/978-3-030-56880-1_5).

[GNS24] Chaya Ganesh, Vineet Nair, and Ashish Sharma. *Dual Polynomial Commitment Schemes and Applications to Commit-and-Prove SNARKs*. Cryptology ePrint Archive, Paper 2024/943. 2024. URL: <https://eprint.iacr.org/2024/943>.

[KS23c] Abhiram Kothapalli and Srinath Setty. *HyperNova: Recursive arguments for customizable constraint systems*. Cryptology ePrint Archive, Paper 2023/573. 2023. URL: <https://eprint.iacr.org/2023/573>.

[Lun+90] Carsten Lund et al. “Algebraic Methods for Interactive Proof Systems”. In: 1990, pp. 2–10. DOI: [10.1109/FSCS.1990.89518](https://doi.org/10.1109/FSCS.1990.89518).

[Ova] Ova: A slightly better Nova. <https://hackmd.io/V4838nnlRKal9ZiTHiGYzw>. Accessed: 2024-11-15.

[Bon+21] Dan Boneh et al. “Halo Infinite: Proof-Carrying Data from Additive Polynomial Commitments”. In: 2021, pp. 649–680. DOI: [10.1007/978-3-030-84242-0\\_23](https://doi.org/10.1007/978-3-030-84242-0_23).

[Blu+91] M. Blum et al. “Checking the correctness of memories”. In: *[1991] Proceedings 32nd Annual Symposium of Foundations of Computer Science*. 1991, pp. 90–99. DOI: [10.1109/SFCS.1991.185352](https://doi.org/10.1109/SFCS.1991.185352).

## A Deferred definitions

### A.1 Signature schemes

**Definition 4.** A signature scheme is parametrized by a message space  $\mathcal{M}$  and consists on a tuple of PPT algorithms  $(\text{KGen}_{\text{ss}}, \text{Sign}_{\text{ss}}, \text{Verify}_{\text{ss}})$  such that:

- $\text{KGen}_{\text{ss}}(n) \rightarrow (\text{sk}, \text{pk})$ : On input security parameter  $n$ , outputs public parameters  $\text{pp}$ , signing key  $\text{pk}$  and verification key  $\text{pk}$ .
- $\text{Sign}_{\text{ss}}(\text{sk}, m) \rightarrow \sigma_m$ : On input  $\text{sk}$  and  $m \in \mathcal{M}$ , outputs a signature  $\sigma_m$  on  $M$ .
- $\text{Verify}_{\text{ss}}(\text{pk}, m, \sigma_m) \rightarrow 0/1$ : takes as input  $\text{pk}$ ,  $m$  and signature  $\sigma_m$  and produces a bit expressing acceptance (1), or rejection (0);

That must satisfy correctness and unforgeability:

**Correctness.** For all  $m \in \mathcal{M}$  the following holds:

$$\Pr \left[ \text{Verify}_{\text{ss}}(\text{pk}, m, \sigma_m) = 1 \mid \begin{array}{l} (\text{pk}, \text{sk}) \leftarrow \text{KGen}_{\text{ss}}(n) \\ \sigma_m \leftarrow \text{Sign}_{\text{ss}}(\text{sk}, m) \end{array} \right] = 1$$

**Unforgeability.** For all PPT adversaries  $\mathcal{A}$ , the following probability is negligible:

$$\Pr \left[ (m, \sigma_m) \notin \mathcal{Q} \mid \begin{array}{l} (\text{pk}, \text{pk}) \leftarrow \text{KGen}_{\text{ss}}(n) \\ (m, \sigma_m) \leftarrow \mathcal{A}^{\mathcal{O}}(\text{pk}, \text{sk}) \\ \text{Verify}_{\text{ss}}(\text{pk}, m, \sigma_m) = 1 \end{array} \right]$$

where  $\mathcal{Q}$  is a list of all the queries  $\mathcal{A}$  makes to the signing oracle  $\mathcal{O}$ .

## B Deferred proofs

### B.1 Proof of theorem 3

*Proof.*

**Completeness.** The commitment  $C$  to  $f(\vec{X})$  is given by

$$C = \sum_{\vec{x} \in B_n} \sum_{\vec{y} \in B_m} f(\vec{x}, \vec{y}) \times H^{(\vec{x}, \vec{y})}.$$

Since  $nm = k$ , this can be computed from the structured reference string (**srs**). The opening proof  $\pi$  for  $(\vec{x}_0, \vec{y}_0)$  is defined as:  $\pi = (f^*(\vec{Y}), \text{aux} = \{D^{(\vec{x})}\}_{\vec{x} \in B_n})$ , where  $f^*(\vec{Y}) = f(\vec{x}_0, \vec{Y})$ , and  $D^{(\vec{x})} = \sum_{\vec{y} \in B_m} f(\vec{x}, \vec{y}) \times H^{(\vec{y})}$ . We see that  $\text{Verify}_{\text{KZH}}(C, (\vec{x}_0, \vec{y}_0), \pi) = 1$ :

(I) Check that  $e(C, V') = \sum_{\vec{x} \in B_n} e(D^{(\vec{x})}, V^{(\vec{x})})$ :

$$\begin{aligned} e(C, V') &\stackrel{(1)}{=} e\left(\sum_{\vec{x} \in B_n} \sum_{\vec{y} \in B_m} f(\vec{x}, \vec{y}) \times H^{(\vec{x}, \vec{y})}, \alpha \times V\right) \\ &\stackrel{(2)}{=} \sum_{\vec{x} \in B_n} e\left(\sum_{\vec{y} \in B_m} f(\vec{x}, \vec{y}) \cdot \tau^{(\vec{x})} \times G^{(\vec{y})}, \alpha \times V\right) \\ &\stackrel{(3)}{=} \sum_{\vec{x} \in B_n} e\left(\sum_{\vec{y} \in B_m} f(\vec{x}, \vec{y}) \cdot \alpha \times G^{(\vec{y})}, \tau^{(\vec{x})} \times V\right) \\ &\stackrel{(4)}{=} \sum_{\vec{x} \in B_n} e\left(\sum_{\vec{y} \in B_m} f(\vec{x}, \vec{y}) \times H^{(\vec{y})}, V^{(\vec{x})}\right) \\ &\stackrel{(5)}{=} \sum_{\vec{x} \in B_n} e(D^{(\vec{x})}, V^{(\vec{x})}) \end{aligned}$$

(1) and (2) is exploding terms  $C, H^{(\vec{x}, \vec{y})}, V'$  and using the bilinearity property, (3) is using property  $e(g^a, g^b) = e(g^b, g^a)$  by interchanging the exponents  $\alpha$  and  $\tau^{(\vec{x})}$ . (4) is replacing  $\alpha \times G^{(\vec{y})}$  with the equivalent value  $H^{(\vec{y})}$  and finally (5) follows from the definition of  $D^{(\vec{x})}$ .

(II) Check that  $\sum_{\vec{y} \in B_m} f^*(\vec{y}) \times \mathsf{H}^{(\vec{y})} = \sum_{\vec{x} \in B_n} \mathsf{eq}(\vec{x}, \vec{x}_0) \times \mathsf{D}^{(\vec{x})}$ .

$$\begin{aligned} \sum_{\vec{x} \in B_n} \mathsf{eq}(\vec{x}, \vec{x}) \times \mathsf{D}^{(\vec{x})} &\stackrel{(1)}{=} \sum_{\vec{x} \in B_n} \sum_{\vec{y} \in B_m} \mathsf{eq}(\vec{x}, \vec{x}_0) \cdot f(\vec{x}, \vec{y}) \times \mathsf{H}^{(\vec{y})} \\ &\stackrel{(2)}{=} \sum_{\vec{y} \in B_m} \left( \sum_{\vec{x} \in B_n} \mathsf{eq}(\vec{x}, \vec{x}_0) \cdot f(\vec{x}, \vec{y}) \right) \times \mathsf{H}^{(\vec{y})} \\ &\stackrel{(3)}{=} \sum_{\vec{y} \in B_m} f^*(\vec{y}) \times \mathsf{H}^{(\vec{y})} \end{aligned}$$

Finally, (III) checking that  $f^*(\vec{y}_0) = z_0$ , follows from the definition of  $z_0$ .

**Knowledge soundness.** Let  $\mathcal{A}$  be a PPT adversary that, on input  $\mathsf{srs}$  outputs a commitment  $\mathsf{C}$ . We define an extractor  $\mathcal{E}$  that outputs  $p(\vec{X}, \vec{Y})$  such that, for any  $((\vec{x}_0, \vec{y}_0), z_0, \pi)$ , if the verifier accepts then  $p(\vec{x}_0, \vec{y}_0) = z_0$  with overwhelming probability. Given  $\mathsf{C}$  and  $\{c_{\vec{x}, \vec{y}}, \hat{c}_{\vec{y}}\}_{\vec{x} \in B_n, \vec{y} \in B_m}$  such that

$$\mathsf{C} = \sum_{\vec{x} \in B_n} \sum_{\vec{y} \in B_m} c_{\vec{x}, \vec{y}} \times \mathsf{H}^{(\vec{x}, \vec{y})} + \sum_{\vec{y} \in B_m} \hat{c}_{\vec{y}} \times \mathsf{H}^{(\vec{y})},$$

$\mathcal{E}$  outputs  $f(\vec{X}, \vec{Y}) = \sum_{\vec{x} \in B_n} \sum_{\vec{y} \in B_m} c_{\vec{x}, \vec{y}} \vec{X}^{\vec{x}} \vec{Y}^{\vec{y}}$ . Under the AGM,  $\mathcal{E}$  does not abort. Similarly, under the AGM we have that all the  $\mathsf{D}^{(\vec{x})}$  are represented as a linear combination of the  $\mathsf{srs}$  elements, i.e.,

$$\mathsf{D}^{(\vec{x})} = \sum_{\vec{y} \in B_m} d_{\vec{y}}^{(\vec{x})} \times \mathsf{H}^{(\vec{y})} + \sum_{\vec{x} \in B_n} \sum_{\vec{y} \in B_m} \hat{d}_{\vec{x}, \vec{y}}^{(\vec{x})} \times \mathsf{H}^{(\vec{x}, \vec{y})}$$

The following conditions are satisfied:

$$\begin{aligned} \text{(I)} \quad e(\mathsf{C}, \mathsf{V}') &= \sum_{\vec{x} \in B_n} e(\mathsf{D}^{(\vec{x})}, \mathsf{V}^{(\vec{x})}), \text{ we first consider each side separately:} \\ e(\mathsf{C}, \mathsf{V}') &= e\left(\sum_{\vec{x} \in B_n} \sum_{\vec{y} \in B_m} c_{\vec{x}, \vec{y}} \times \mathsf{H}^{(\vec{x}, \vec{y})} + \sum_{\vec{y} \in B_m} \hat{c}_{\vec{y}} \times \mathsf{H}^{(\vec{y})}, \alpha \times \mathsf{V}\right) \\ &= e\left(\sum_{\vec{x} \in B_n} \sum_{\vec{y} \in B_m} c_{\vec{x}, \vec{y}} \times \mathsf{H}^{(\vec{x}, \vec{y})}, \alpha \times \mathsf{V}\right) + e\left(\sum_{\vec{y} \in B_m} \hat{c}_{\vec{y}} \times \mathsf{H}^{(\vec{y})}, \alpha \times \mathsf{V}\right) \\ &= \alpha \sum_{\vec{x} \in B_n} \sum_{\vec{y} \in B_m} c_{\vec{x}, \vec{y}} \cdot \tau^{(\vec{x})} \times e(\mathsf{G}^{(\vec{y})}, \mathsf{V}) + \alpha^2 \times e\left(\sum_{\vec{y} \in B_m} \hat{c}_{\vec{y}} \times \mathsf{G}^{(\vec{y})}, \mathsf{V}\right) \end{aligned}$$

$$\begin{aligned}
\sum_{\vec{x} \in B_n} e(\mathsf{D}^{(\vec{x})}, \mathsf{V}^{(\vec{x})}) &= \sum_{\vec{x} \in B_n} e\left(\sum_{\vec{y} \in B_m} d_{\vec{y}}^{(\vec{x})} \times \mathsf{H}^{(\vec{y})} + \sum_{\vec{x} \in B_n} \sum_{\vec{y} \in B_m} \hat{d}_{\vec{x}, \vec{y}}^{(\vec{x})} \times \mathsf{H}^{(\vec{x}, \vec{y})}, \tau^{(\vec{x})} \times \mathsf{V}\right) \\
&= \sum_{\vec{x} \in B_n} e\left(\sum_{\vec{y} \in B_m} d_{\vec{y}}^{(\vec{x})} \cdot \alpha \times \mathsf{G}^{(\vec{y})} + \sum_{\vec{x} \in B_n} \sum_{\vec{y} \in B_m} \hat{d}_{\vec{x}, \vec{y}}^{(\vec{x})} \cdot \tau^{(\vec{x})} \times \mathsf{G}^{(\vec{y})}, \tau^{(\vec{x})} \times \mathsf{V}\right) \\
&= \sum_{\vec{x} \in B_n} \tau^{(\vec{x})} \cdot \left(\alpha \cdot \sum_{\vec{y} \in B_m} d_{\vec{y}}^{(\vec{x})} + \sum_{\vec{x} \in B_n} \sum_{\vec{y} \in B_m} \hat{d}_{\vec{x}, \vec{y}}^{(\vec{x})} \cdot \tau^{(\vec{x})}\right) \times e(\mathsf{G}^{(\vec{y})}, \mathsf{V})
\end{aligned}$$

Now the difference  $e(\mathsf{C}, \mathsf{V}') - \sum_{\vec{x} \in B_n} e(\mathsf{D}^{(\vec{x})}, \mathsf{V}^{(\vec{x})})$  can be seen as degree 2 polynomial of  $\alpha$ , then the coefficients of 1,  $\alpha$ ,  $\alpha^2$  on the two terms are equal or we can break quadratic **CDH**, which implies:

- Coefficient 1.

$$\sum_{\vec{x} \in B_n} \sum_{\vec{y} \in B_m} \hat{d}_{\vec{x}, \vec{y}}^{(\vec{x})} \cdot \tau^{(\vec{x})} \times e(\mathsf{G}^{(\vec{y})}, \mathsf{V}) = 0 \implies \sum_{\vec{x}, \vec{y}} \hat{d}_{\vec{x}, \vec{y}}^{(\vec{x})} \times \mathsf{H}^{(\vec{x}, \vec{y})} = 0$$

This implies  $\hat{d}_{\vec{x}, \vec{y}}^{(\vec{x})} = 0$  for all  $\vec{x}, \vec{y}$ , or we found a multivariate polynomial that vanishes at  $\mathsf{H}^{(\vec{x}, \vec{y})}$  and thus break the setup-find-rep assumption.

- Coefficient  $\alpha$ .

$$\sum_{\vec{x} \in B_n} \sum_{\vec{y} \in B_m} \tau^{(\vec{x})} \cdot c_{\vec{x}, \vec{y}} \times e(\mathsf{G}^{(\vec{y})}, \mathsf{V}) = \sum_{\vec{x} \in B_n} \tau^{(\vec{x})} \cdot \sum_{\vec{y} \in B_m} d_{\vec{y}}^{(\vec{x})} \times e(\mathsf{G}^{(\vec{y})}, \mathsf{V})$$

Then we have that  $c_{\vec{x}, \vec{y}} = d_{\vec{y}}^{(\vec{x})}$  for all  $\vec{x}, \vec{y}$  or we can break the find-rep assumption as above.

- Coefficient  $\alpha^2$ .

$$e\left(\sum_{\vec{y} \in B_m} \hat{c}_{\vec{y}} \times \mathsf{G}^{(\vec{y})}, \mathsf{V}\right) = 0 \implies \sum_{\vec{y} \in B_m} \hat{c}_{\vec{y}} \times \mathsf{G}^{(\vec{y})} = 0$$

We then have:

$$\mathsf{C} = \sum_{\vec{x} \in B_n} \sum_{\vec{y} \in B_m} c_{\vec{x}, \vec{y}} \times \mathsf{H}^{(\vec{x}, \vec{y})}, \quad \mathsf{D}^{(\vec{x})} = \sum_{\vec{y} \in B_m} d_{\vec{y}}^{(\vec{x})} \times \mathsf{H}^{(\vec{y})}$$

(II)  $\sum_{\vec{y} \in B_m} f^*(\vec{y}) \times \mathsf{H}^{(\vec{y})} = \sum_{\vec{x} \in B_n} \mathsf{eq}(\vec{x}, \vec{x}_0) \times \mathsf{D}^{(\vec{x})}$ , we have:

$$\begin{aligned}
\sum_{\vec{y} \in B_m} f^*(\vec{y}) \times \mathsf{H}^{(\vec{y})} &= \sum_{\vec{x} \in B_n} \mathsf{eq}(\vec{x}, \vec{x}_0) \times \mathsf{D}^{(\vec{x})} \\
&= \sum_{\vec{x} \in B_n} \mathsf{eq}(\vec{x}, \vec{x}_0) \times \sum_{\vec{y} \in B_m} c_{\vec{x}, \vec{y}} \times \mathsf{H}^{(\vec{y})} \\
&= \sum_{\vec{y} \in B_m} c_{\vec{x}_0, \vec{y}} \times \mathsf{H}^{(\vec{y})}
\end{aligned}$$

$$\implies \sum_{\vec{y} \in B_m} f^*(\vec{y}) \times \mathsf{H}^{(\vec{y})} = \sum_{\vec{y} \in B_m} c_{\vec{x}_0, \vec{y}} \times \mathsf{H}^{(\vec{y})}$$

Now note that:

$$f^*(\vec{y}) = \sum_{\vec{y} \in B_m} c_{\vec{x}_0, \vec{y}} \mathsf{H}^{(\vec{x}_0, \vec{y})} = f(\vec{x}_0, \vec{Y})$$

or we can break the  $(1, 1) - \mathsf{dlog}$  assumption by finding the roots of

$$P(Y) = \sum_{\vec{y} \in B_m} (f^*(\vec{y}) - c_{\vec{x}_0, \vec{y}}) \times (Y \times \mathsf{G}^{(\vec{y})})$$

and give trapdoor  $\alpha$  as output. Finally, the extractor outputs polynomial  $f(\vec{x}, \vec{y})$ . Since  $f^*(\vec{y}_0) = z_0$ , and  $\mathsf{C}$  commits to  $f(\vec{x}, \vec{y})$ , we have the construction is knowledge sound.  $\square$

## B.2 Proof of theorem 4

*Proof.*

**Completeness.** Consider the following two satisfying accumulators:

- $\mathsf{acc}.x_1 = \{\mathsf{C}_1, T_1, \mathsf{E}_1, \vec{x}_1, \vec{y}_1, z_1\}$
- $\mathsf{acc}.w_1 = \{[\mathsf{D}_1^{(\vec{i})}]_{\vec{i} \in B_n}, \vec{f}_1^*, \mathcal{T}_x^{(1)}, \mathcal{T}_y^{(1)}\}$
- $\mathsf{acc}.x_2 = \{\mathsf{C}_2, T_2, \mathsf{E}_2, \vec{x}_2, \vec{y}_2, z_2\}$
- $\mathsf{acc}.w_2 = \{[\mathsf{D}_2^{(\vec{i})}]_{\vec{i} \in B_n}, \vec{f}_2^*, \mathcal{T}_x^{(2)}, \mathcal{T}_y^{(2)}\}$

As they are valid accumulators, the following hold:

- $- \sum_{i=0}^n e(\mathsf{D}_1^{(i)}, \mathsf{V}_i) = e(\mathsf{C}_1, \mathsf{V})$   
 $- \langle (\mathcal{T}_x^{(1)} || \mathcal{T}_y^{(1)}), \vec{\mathsf{K}} \rangle = T_1$   
 $- E_1 = \mathsf{Dec}(\vec{x}_1, \vec{y}_1, z_1, \vec{f}_1^*, \mathcal{T}_x^{(1)}, \mathcal{T}_y^{(1)}, \vec{\mathsf{D}}_1)$
- $- \sum_{i=0}^n e(\mathsf{D}_2^{(i)}, \mathsf{V}_i) = e(\mathsf{C}_2, \mathsf{V})$   
 $- \langle (\mathcal{T}_x^{(2)} || \mathcal{T}_y^{(2)}), \vec{\mathsf{K}} \rangle = T_2$   
 $- E_2 = \mathsf{Dec}(\vec{x}_2, \vec{y}_2, z_2, \vec{f}_2^*, \mathcal{T}_x^{(2)}, \mathcal{T}_y^{(2)}, \vec{\mathsf{D}}_2)$

Now let  $\mathbf{acc}.x, \mathbf{acc}.w$  be the accumulated instance/witness computed as follows.

$$\begin{aligned}\mathbf{acc}.x &\leftarrow ((1 - \beta) \cdot [\mathbf{C}_1, T_1, \vec{x}_1, \vec{y}_1, z_1] + \beta \cdot [\mathbf{C}_2, T_2, \vec{x}_2, \vec{y}_2, z_2]), \mathbf{E} \\ \mathbf{acc}.w &\leftarrow (1 - \beta) \cdot [\vec{\mathbf{D}}_1, \vec{f}_1^*, \mathcal{T}_x^{(1)}, \mathcal{T}_y^{(1)}] + \beta \cdot [\vec{\mathbf{D}}_2, \vec{f}_2^*, \mathcal{T}_x^{(2)}, \mathcal{T}_y^{(2)}], \mathbf{E}\end{aligned}$$

where  $\mathbf{E} \leftarrow (1 - \beta) \times \mathbf{E}_1 + \beta \times \mathbf{E}_2 + (1 - \beta)\beta \times \mathbf{Q}$ . Below, we show  $\mathbf{acc}$  is also a satisfying accumulator:

- First condition

$$\begin{aligned}\sum_{i=0}^n e(\mathbf{D}^{(i)}, \mathbf{V}_i) &\stackrel{(1)}{=} \sum_{i=0}^n e((1 - \beta) \times \mathbf{D}_1^{(i)} + \beta \times \mathbf{D}_2^{(i)}, \mathbf{V}_i) \\ &\stackrel{(2)}{=} (1 - \beta) \times \sum_{i=0}^n e(\mathbf{D}_1^{(i)}, \mathbf{V}_i) + \beta \times \sum_{i=0}^n e(\mathbf{D}_2^{(i)}, \mathbf{V}_i) \\ &\stackrel{(3)}{=} (1 - \beta) \times e(\mathbf{C}_1, \mathbf{V}) + \beta \times e(\mathbf{C}_2, \mathbf{V}) \\ &\stackrel{(4)}{=} e((1 - \beta) \times \mathbf{C}_1 + \beta \times \mathbf{C}_2, \mathbf{V}) \\ &\stackrel{(5)}{=} e(\mathbf{C}, \mathbf{V})\end{aligned}$$

Where (1) holds by expanding  $\mathbf{D}^{(i)}$  terms, (2), (4) because of bilinearity property, (3) holds because the first condition was satisfied for the underlying instances, and finally (5) holds because of the definition of  $\mathbf{C}$ .

- Second condition.

$$\begin{aligned}\langle (\mathcal{T}_x || \mathcal{T}_y), \vec{\mathbf{K}} \rangle &\stackrel{(1)}{=} \left\langle (1 - \beta) \cdot (\mathcal{T}_x^{(1)} || \mathcal{T}_y^{(1)}) + \beta \cdot (\mathcal{T}_x^{(2)} || \mathcal{T}_y^{(2)}), \vec{\mathbf{K}} \right\rangle \\ &\stackrel{(2)}{=} (1 - \beta) \cdot \left\langle \mathcal{T}_x^{(1)} || \mathcal{T}_y^{(1)}, \vec{\mathbf{K}} \right\rangle + \beta \cdot \left\langle \mathcal{T}_x^{(2)} || \mathcal{T}_y^{(2)}, \vec{\mathbf{K}} \right\rangle \\ &\stackrel{(3)}{=} (1 - \beta) \times T_2 + \beta \times T_2 \\ &\stackrel{(4)}{=} T\end{aligned}$$

(1) holds by definition, whereas (2) is implied by bilinearity of the inner product. (3) and (4) follow by definition.

- Third condition.

$$\begin{aligned}\text{Dec}(\vec{x}, \vec{y}, z, \vec{f}^*, \mathcal{T}_x, \mathcal{T}_y, \vec{\mathbf{D}}) &\stackrel{(1)}{=} \text{Dec}((1 - \beta) \cdot [\vec{x}_1, \vec{y}_1, z_1, \vec{f}_1^*, \mathcal{T}_x^{(1)}, \mathcal{T}_y^{(1)}, \vec{\mathbf{D}}_1] \\ &\quad + \beta \cdot [\vec{x}_2, \vec{y}_2, z_2, \vec{f}_2^*, \mathcal{T}_x^{(2)}, \mathcal{T}_y^{(2)}, \vec{\mathbf{D}}_2]) \\ &\stackrel{(2)}{=} (1 - \beta) \times \mathbf{E}_1 + \beta \times \mathbf{E}_2 + (1 - \beta) \cdot \beta \times \mathbf{Q} \\ &\stackrel{(3)}{=} \mathbf{E}\end{aligned}$$

by definition of  $\mathsf{E}$ .

**Knowledge soundness.** Consider an adversary  $\mathcal{A}$  that outputs  $\hat{\pi} = (\pi.x, \pi.w)$ ,  $\hat{\mathsf{acc}} = (\mathsf{acc}.x, \mathsf{acc}.w)$ ,  $\hat{\mathsf{pf}} \in \mathbb{G}_1$  and  $\mathsf{acc}_1.x, \mathsf{acc}_2.x$ . We build an extractor  $\mathsf{Ext}_{\mathsf{acc}}$  that if  $\mathsf{V}_{\mathsf{acc}}$  and  $\mathsf{D}_{\mathsf{acc}}$  accept, extracts valid witnesses  $\mathsf{acc}_1.w, \mathsf{acc}_2.w$  for  $\mathsf{acc}_1.x, \mathsf{acc}_2.x$ . Since  $\mathsf{acc}.w$  is an equation of degree one, given two accepting transcripts for different challenges  $\beta_1, \beta_2$ ,  $\mathsf{Ext}_{\mathsf{acc}}$  can use the Vandermonde matrix to extract

$$\begin{aligned}\mathsf{acc}_1.w &= (\{\mathsf{D}_1^{(\vec{x})}\}_{\vec{x} \in B_n}, \vec{f}_1^*, \mathcal{T}_1^{(x)}, \mathcal{T}_1^{(y)}), \\ \mathsf{acc}_2.w &= (\{\mathsf{D}_2^{(\vec{x})}\}_{\vec{x} \in B_n}, \vec{f}_2^*, \mathcal{T}_2^{(x)}, \mathcal{T}_2^{(y)}).\end{aligned}$$

We now prove that the extracted witnesses are valid. First, note that since the verifier accepts,  $\mathsf{E} = (1 - \beta) \times \mathsf{E}_1 + \beta \times \mathsf{E}_2 + (1 - \beta) \cdot \beta \times \mathsf{Q}$  and

$$(\mathsf{C}, T, \vec{x}, \vec{y}, z) = (1 - \beta) \cdot (\mathsf{C}_1, T_1, \vec{x}_1, \vec{y}_1, z_1) + \beta \cdot (\mathsf{C}_2, T_2, \vec{x}_2, \vec{y}_2, z_2)$$

The left side of Eq.(i) of the decider is:

$$\begin{aligned}\sum_{\vec{x} \in B_n} e(\mathsf{D}^{(\vec{x})}, \mathsf{V}^{(\vec{x})}) &= \sum_{\vec{x} \in B_n} e\left((1 - \beta) \times \mathsf{D}_1^{(\vec{x})} + \beta \times \mathsf{D}_2^{(\vec{x})}, \mathsf{V}^{(\vec{x})}\right) \\ &= (1 - \beta) \times \sum_{\vec{x} \in B_n} e(\mathsf{D}_1^{(\vec{x})}, \mathsf{V}^{(\vec{x})}) + \beta \times \sum_{\vec{x} \in B_n} e(\mathsf{D}_2^{(\vec{x})}, \mathsf{V}^{(\vec{x})})\end{aligned}$$

Whereas the right side equals

$$e(\mathsf{C}, \mathsf{V}) = e((1 - \beta) \times \mathsf{C}_1 + \beta \times \mathsf{C}_2, \mathsf{V}) = (1 - \beta) \times e(\mathsf{C}_1, \mathsf{V}) + \beta \times e(\mathsf{C}_2, \mathsf{V})$$

Since  $\beta$  is computed as a hash of  $\mathsf{acc}_1.x$  and  $\mathsf{acc}_2.x$ , except with negligible probability  $\sum_{\vec{x} \in B_n} e(\mathsf{D}_1^{(\vec{x})}, \mathsf{V}^{(\vec{x})}) = e(\mathsf{C}_1, \mathsf{V})$  and

$\sum_{\vec{x} \in B_n} e(\mathsf{D}_2^{(\vec{x})}, \mathsf{V}^{(\vec{x})}) = e(\mathsf{C}_2, \mathsf{V})$ . Similarly, Eq.(ii) holds if and only if

$$\begin{aligned}\langle ((1 - \beta)\mathcal{T}_1^{(x)} + \beta\mathcal{T}_2^{(x)} \parallel (1 - \beta)\mathcal{T}_1^{(y)} + \beta\mathcal{T}_2^{(y)}), \vec{\mathsf{K}} \rangle \\ &= (1 - \beta)\langle (\mathcal{T}_1^{(x)} \parallel \mathcal{T}_1^{(y)}), \vec{\mathsf{K}} \rangle + \beta\langle (\mathcal{T}_2^{(x)} \parallel \mathcal{T}_2^{(y)}), \vec{\mathsf{K}} \rangle \\ &= (1 - \beta)T_1 + \beta T_2 \\ &= T.\end{aligned}$$

Thus the equation holds for  $\mathsf{acc}_1.w$  and  $\mathsf{acc}_2.w$ . Finally, replacing the accumulation witness by the extracted ones, we have that Eq.(iii) is

$$\begin{aligned}\mathsf{Dec}((1 - \beta)\vec{x}_1 + \beta\vec{x}_2, (1 - \beta)\vec{y}_1 + \beta\vec{y}_2, (1 - \beta)z_1 + \beta z_2, (1 - \beta)\vec{f}_1^* + \beta\vec{f}_2^*, \\ (1 - \beta)\mathcal{T}_{x,1} + \beta\mathcal{T}_{x,2}, (1 - \beta)\mathcal{T}_{y,1} + \beta\mathcal{T}_{y,2}, (1 - \beta)\vec{D}_1 + \beta\vec{D}_2) \\ = (1 - \beta) \times \mathsf{E}_1 + \beta \times \mathsf{E}_2 + (1 - \beta)\beta \times \mathsf{Q}\end{aligned}$$

The left side of the equation equals

$$\left\langle \mathcal{T}_x^{(\text{err})} \parallel \mathcal{T}_y^{(\text{err})} \parallel \langle \vec{f}^*, \mathcal{T}_{\text{leaves}}^{(y)} \rangle - z, \vec{K} \parallel K' \right\rangle + \langle \vec{f}^*, (\mathsf{H}^{(\vec{y})})_{\vec{y} \in B_n} \rangle - \langle \mathcal{T}_{\text{leaves}}^{(x)}, \vec{D} \rangle.$$

such that:

$$\begin{aligned} \mathcal{T}_x^{(\text{err})} &:= (1 - \beta) \mathcal{T}_{x_1}^{(\text{error})} + \beta \mathcal{T}_{x_2}^{(\text{error})}, \quad \mathcal{T}_y^{(\text{err})} := (1 - \beta) \mathcal{T}_{y_1}^{(\text{error})} + \beta \mathcal{T}_{y_2}^{(\text{error})}, \\ \vec{f}^* &:= (1 - \beta) \vec{f}_1^* + \beta \vec{f}_2^*, \quad \mathcal{T}_{\text{leaves}}^{(y)} := (1 - \beta) \mathcal{T}^{(y_1)}. \text{leaves} + \beta \mathcal{T}^{(y_2)}. \text{leaves}, \\ z &:= (1 - \beta) z_1 + \beta z_2, \quad \mathcal{T}_{\text{leaves}}^{(x)} := (1 - \beta) \mathcal{T}^{(x_1)}. \text{leaves} + \beta \mathcal{T}^{(x_2)}. \text{leaves}, \\ \vec{D} &:= (1 - \beta) \vec{D}_1 + \beta \vec{D}_2. \end{aligned}$$

Term  $\beta$  contains equation (iii) of the Decider for  $\text{acc}_1$ , whereas term  $\beta(1 - \beta)$  contains the one for  $\text{acc}_2$ . Cross terms are in the coefficient of  $\beta(1 - \beta)$ . Then, except with negligible probability,  $D_{\text{acc}}(\text{acc}_1) = D_{\text{acc}}(\text{acc}_2) = 1$  and the extractor succeeds. We now prove that if  $E_1 = 0$ , we can extract a valid opening to  $\vec{C}_1$ . That is,  $(\text{acc}_1.x, \text{acc}_1.w)$  is a valid pair for the predicate  $\Phi$ . From term  $(1 - \beta)$  in the equation above we have that, except with negligible probability,  $\text{Dec}(\vec{x}_1, \vec{y}_1, z_1, \vec{f}_1^*, \mathcal{T}^{(x_1)i}, \mathcal{T}^{(x_2)}, \vec{D}) = 0$ . That is,

$$0 = \langle \mathcal{T}_x^{(\text{error})} \parallel \mathcal{T}_y^{(\text{error})} \parallel \langle \vec{f}_1^*, \mathcal{T}^{(y)}. \text{leaves} \rangle - z_1, \vec{K} \parallel K' \rangle + \langle \vec{f}_1^*, (\mathsf{H}^{(\vec{y})})_{\vec{y} \in B_n} \rangle - \langle \mathcal{T}^{(x)}. \text{leaves}, \vec{D}_1 \rangle$$

**Claim:  $\vec{D}_1$  is base  $(\mathsf{H}^{(\vec{y})})_{\vec{y} \in B_n}$**  We first show that in the algebraic group model, we can write  $\vec{D}_1$  base  $\mathsf{H}^{(\vec{y})}$ . Consider the following check:

$$\sum_{\vec{x} \in B_n} e(D_1^{(\vec{x})}, V^{(\vec{x})}) = e(C_1, V')$$

Note that,  $V^{(\vec{x})}$  contains a factor of  $\tau^{(\vec{x})}$ . The only elements that contain this factor in  $\mathbb{G}_1$  are the  $\mathsf{H}^{((\vec{i}), (\vec{j}))}$  generators. Thus,  $C_1$  can only be written base  $\mathsf{H}^{(\vec{i}, \vec{j})}$ . Otherwise, we can break the discrete logarithm assumption. Conversely, this implies that each  $D_1^{(\vec{x})}$  must be written base  $\mathsf{H}^{(\vec{i})}$ , i.e.  $D_1^{(\vec{x})} = \langle \vec{f}^{(x)}, (\mathsf{H}^{(\vec{i})})_{\vec{i} \in B_n} \rangle$ . This proves the claim. Given this, we can write

$$\begin{aligned} \langle \mathcal{T}^{(x)}. \text{leaves}, \vec{D}_1 \rangle &= \sum_{\vec{x} \in B_n} \mathcal{T}^{(x)}. \text{leaves} \cdot \langle \vec{f}^{(x)}, (\mathsf{H}^{(\vec{i})})_{\vec{i} \in B_n} \rangle \\ &= \langle \sum_{\vec{x} \in B_n} \mathcal{T}^{(x)}. \text{leaves} \cdot \vec{f}^{(x)}, (\mathsf{H}^{(\vec{i})})_{\vec{i} \in B_n} \rangle \\ 0 &= \langle \mathcal{T}_x^{(\text{error})} \parallel \mathcal{T}_y^{(\text{error})} \parallel \langle \vec{f}_1^*, \mathcal{T}^{(y)}. \text{leaves} \rangle - z_1, \vec{K} \parallel K' \rangle + \\ &\quad \langle \vec{f}_1^* - \sum_{\vec{x} \in B_n} \mathcal{T}^{(x)}. \text{leaves} \cdot \vec{f}^{(x)}, (\mathsf{H}^{(\vec{i})})_{\vec{i} \in B_n} \rangle \end{aligned}$$

We can split this equation into

$$\langle \mathcal{T}_x^{(\text{error})} || \mathcal{T}_y^{(\text{error})} || \langle \vec{f}_1^*, \mathcal{T}^{(y)}. \text{leaves} \rangle - z_1, \vec{K} || K' \rangle = 0$$

and

$$\langle \vec{f}_1^* - \sum_{\vec{x} \in B_n} \mathcal{T}^{(x)}. \text{leaves} \cdot \vec{f}_1^{(x)}, (\mathsf{H}^{(\vec{y})})_{\vec{y} \in B_n} \rangle = 0$$

or we can break the  $\mathcal{U}$ -find-rep assumption as the left side of the product is a polynomial that vanishes at the logarithms of the group elements in  $\vec{K}$ . Then, we have that that Eq.(3) in Fig. 2 is satisfied since  $f^*(\vec{y}_1) = \langle \vec{f}_1^*, \mathcal{T}^{(y_1)}. \text{leaves} \rangle = z_1$ . Also,  $\langle \vec{f}_1^*, (\mathsf{H}^{(\vec{y})})_{\vec{y} \in B_n} \rangle = \langle \mathcal{T}^{(x)}. \text{leaves}, \vec{D}_1 \rangle = 0$ , representing Eq.(2) in Figure 2. Finally, from above we have that Eq.(1) is also satisfied. Then, it is enough for  $\text{Ext}_{\text{acc}}$  to run  $\text{Ext}_{\text{KZH}}$ .  $\square$

## C Higher dimension PCS for smaller deciders

We extend KZH-2 to a higher dimensional polynomial commitment which has a more efficient verifier and smaller proof size. This results in a smaller accumulator and a more efficient decider. In particular, we generalize the 2-dimensional KZH-2, which can be viewed as a vector-matrix-vector product, to higher-dimensional tensor products. This reduces the PC verifier from  $\sqrt{n}$  to  $n^{1/k}$ . Note that in order to build efficient accumulation for a multilinear PCS, we need to expand a *short* evaluation point  $\vec{x}$  into *long* vectors, which correspond to  $\text{eq}(\vec{x}, \vec{b})$  for  $\vec{b} \in H \subset \mathbb{F}$ . This transformation is equivalent to the one in KZH-2, and we omit it here for ease of presentation.

### C.1 KZH-k

**Notation.** We denote the space of  $n$  dimensional tensors with dimensions  $(d_1, d_2, \dots, d_n)$  on field  $\mathbb{F}$  with  $\mathbb{F}^{d_1 \times d_2 \times \dots \times d_n}$ . For  $\mathbf{T} \in \mathbb{F}^{d_1 \times d_2 \times \dots \times d_k}$  and  $\vec{x}_1 \in \mathbb{F}^{d_1}$ , we denote tensor inner product as

$$\langle \mathbf{T}, \vec{x}_1 \rangle = \langle \mathbf{T}_1, \vec{x}_1 \rangle \otimes \mathbf{T}_2 \otimes \dots \otimes \mathbf{T}_k.$$

Note that the result is a tensor in  $\mathbb{F}^{d_2 \times \dots \times d_k}$ . Similarly for  $\vec{x}_1 \in \mathbb{F}^{d_1}$  and  $\vec{x}_2 \in \mathbb{F}^{d_2}$ ,  $\langle \mathbf{T}, \vec{x}_1 \otimes \vec{x}_2 \rangle = \langle \langle \mathbf{T}, \vec{x}_1 \rangle, \vec{x}_2 \rangle \in \mathbb{F}^{d_3 \times \dots \times d_k}$ .

**Protocol description.** We construct a commitment scheme for such tensors, where  $\mathbf{T}$  represents the polynomial that can be opened at evaluation point  $(\vec{x}_1, \dots, \vec{x}_k)$  for  $\vec{x}_j \in \mathbb{F}^{d_j}$  as:

$$\langle \langle \langle \langle \mathbf{T}, \vec{x}_1 \rangle, \vec{x}_2 \rangle, \dots, \vec{x}_{k-1} \rangle, \vec{x}_k \rangle = y \in \mathbb{F}.$$

The scheme admits an efficient accumulation scheme and is general enough to support multilinear and univariate polynomial commitments. Compared to two-dimensional KZH, the tradeoff is that the accumulator instance and verifier are of size  $k$ , but the accumulation witness is of size  $n^{\frac{1}{k}}$ . The core insight is that we commit to  $\mathbf{C} = \langle \mathbf{T}, \vec{\mu}_1 \otimes \vec{\mu}_2 \dots \otimes \vec{\mu}_k \rangle \times \mathbf{G}$ , for secret elements  $\vec{\mu}_1, \dots, \vec{\mu}_k$  and group generator  $\mathbf{G}$ , and open  $[\mathbf{C}_i]_{i=1}^k$ , commitments to all  $k-1$  dimensional slices of  $\mathbf{T}$ . The verifier can check that these slices are correct using a pairing with  $\vec{\mu}_1$  and compute  $\mathbf{C}' = \langle (\mathbf{C}_1, \dots, \mathbf{C}_k), \vec{x}_1 \rangle$ .  $\mathbf{C}'$  is now a commitment to the  $k-1$  dimensional tensor  $\mathbf{T}_1 = \langle \mathbf{T}, \vec{x}_1 \rangle$  and we can recursively apply the scheme. We present the full protocol for degree  $[d]^k := (d, d, \dots, d)$  tensor in Figure 12.

**Efficiency.** The commitment size is a single  $\mathbb{G}_1$  element. The commitment time is dominated by an MSM of size  $n$  for tensors of size  $n$ . Part of the opening can be preprocessed, as with KZH-2, reducing the opening time to the tensor product plus  $O(n^{1/2})$  group operations. Concretely, the prover will compute commitments to  $f(\vec{X}, \vec{b})$  for all  $\vec{b} \in \{0, 1\}^{\log(n)/2}$ . Using these the first  $\log(n)/2$  steps of the opening proof can be computed in time  $O(\sqrt{n})$ . The second half of the opening proof can also be computed efficiently using  $f(\vec{\alpha}, \vec{X})$  for the

partial evaluation point  $\vec{\alpha} \in \mathbb{F}^{\log(n)/2}$ . The proof size is  $(k-1) \cdot n^{1/k} \mathbb{G}_1$  elements, as well as  $n^{1/k}$  field elements. The verification time is  $O(k \cdot n^{1/k})$  and dominated by  $k-1$  pairing products of size  $n^{1/k}$ .

**Preprocessing for free Boolean openings.** As in KZH-2, we can preprocess so that openings at Boolean points are essentially *free*: the opening reduces to retrieving a precomputed commitment. Let

$$\mathbf{T}_{\vec{x}_1, \dots, \vec{x}_i} := \langle \dots \langle \mathbf{T}, \vec{x}_1 \rangle, \vec{x}_2 \rangle, \dots, \vec{x}_i \rangle$$

denote the sequential multilinear evaluation of  $\mathbf{T}$  at Boolean points  $\vec{x}_1, \dots, \vec{x}_i$ . During setup, for each  $1 \leq i < k$ , we precompute all commitments of the form

$$\forall \vec{x}_1 \in \{0, 1\}^{d_1}, \dots, \vec{x}_i \in \{0, 1\}^{d_i} : \quad \langle \mathbf{T}_{\vec{x}_1, \dots, \vec{x}_i}, \mathbf{H}_{j+1} \rangle.$$

For each  $i$ , this takes  $O(n)$  time, so the total preprocessing cost is  $O(nk)$ . Once preprocessing is done, any Boolean opening  $(\vec{x}_1, \dots, \vec{x}_k)$  can be resolved without extra computation. In the online phase, the usual computation  $\mathbf{D}_j[i] \leftarrow \langle \langle i \rangle \otimes \mathbf{T}_j, \mathbf{H}_{j+1} \rangle$ , where  $\mathbf{T}_j = \mathbf{T}_{\vec{x}_1, \dots, \vec{x}_{j-1}}$ , is already precomputed, since all the points  $\vec{x}_t$  and  $\langle i \rangle$  are Boolean points. Thus, the opening step reduces to simply selecting the corresponding precomputed commitment.

$\text{KZH}^{(k)}.\text{Setup}(\lambda, d, k)$ :

- Sample  $\mathsf{G} \leftarrow \mathbb{G}_1, \mathsf{V} \leftarrow \mathbb{G}_2$  and  $[[\mu_{i,j}]_{i=1}^d]_{j=1}^k \leftarrow \mathbb{F}$
- $\mathbf{H}_1 = \{\mathsf{H}_{i_1, \dots, i_k} \leftarrow (\prod_{j=1}^k \mu_{i_s, j}) \times \mathsf{G} : \forall i_1, \dots, i_k \in [d]\}$
- $\mathbf{H}_2 = \{\mathsf{H}_{i_2, \dots, i_k} \leftarrow (\prod_{j=2}^k \mu_{i_j, j}) \times \mathsf{G} : \forall i_2, \dots, i_k \in [d]\}$
- $\dots$
- $\mathbf{H}_k = \{\mathsf{H}_{i_k} \leftarrow \mu_{i_k, k} \times \mathsf{G} : \forall i_k \in [d]\}$
- $\mathbf{V} = \{\mathsf{V}_{i,j} \leftarrow \mu_{i,j} \times \mathsf{V} : \forall i \in [d], j \in [k]\}$
- Output  $(\mathsf{G}, \mathsf{V}, \mathbf{H}_1, \mathbf{H}_2, \dots, \mathbf{H}_k, \mathbf{V})$

$\text{KZH}^{(k)}.\text{Commit}(\text{srs}, \mathbf{T})$ : For  $\mathbf{T} \in \mathbb{F}^{d \times d \times \dots \times d}$ , compute the commitment as it follows:

- Output  $\mathsf{C} \leftarrow \langle \mathbf{T}, \mathbf{H}_1 \rangle = \sum_{(i_1, i_2, \dots, i_k) \in [d]^k} \mathbf{T}_{i_1, i_2, \dots, i_k} \times \mathsf{H}_{i_1, i_2, \dots, i_k}$

$\text{KZH}^{(k)}.\text{Open}(\text{srs}, \mathsf{C}, \mathbf{T}, \vec{x}_1, \dots, \vec{x}_k)$ : Given commitment  $\mathsf{C} \in \mathbb{G}_1$ , tensor  $\mathbf{T} \in \mathbb{F}^{d \times d \times \dots \times d}$  and inputs  $\vec{x}_j \in \mathbb{F}^d$ , compute opening as it follows:

- Let  $\mathbf{T}_1 = \mathbf{T}$
- For  $j = 1, \dots, k-1$ :
  - Set  $\mathbf{T}_{j+1} \leftarrow \langle \mathbf{T}_j, \vec{x}_j \rangle$
  - Compute vector  $\vec{\mathsf{D}}_j$  e.g.  $\mathsf{D}_j[i] \leftarrow \langle \langle i \rangle \otimes \mathbf{T}_j, \mathbf{H}_{j+1} \rangle$  for all  $i \in [d]$ , where  $\langle i \rangle$  represents decomposition of  $i$  into  $d$  bits.
- Output  $\pi \leftarrow \{[\vec{\mathsf{D}}_j]_{j \in [k-1]}, \mathbf{T}_k\}$

$\text{KZH}^{(k)}.\text{Verify}(\text{srs}, \mathsf{C}, [\vec{x}_j]_{j \in [k]}, y, \pi)$ : Given commitment  $\mathsf{C} \in \mathbb{G}_1$ , inputs  $\vec{x}_j \in \mathbb{F}^d$ , output  $y \in \mathbb{F}$  and opening proof  $\pi$ , does as it follows:

- Parse  $\{[\vec{\mathsf{D}}_j]_{j \in [k-1]}, \mathbf{T}_k\} \leftarrow \pi$
- Set  $\mathsf{C}_0 = \mathsf{C}$
- For  $j \in 1, \dots, k-1$ 
  1. Check that  $e(\mathsf{C}_{j-1}, \mathsf{V}) = \sum_{i=0}^d e(\mathsf{D}_j[i], \mathsf{V}_{i,j})$
  2. Compute  $\mathsf{C}_j \leftarrow \langle \vec{x}_j, \vec{\mathsf{D}}_j \rangle$
- Check that  $\mathsf{C}_{k-1} = \langle \mathbf{T}_k, \mathbf{H}_k \rangle$
- Check that  $\langle \mathbf{T}_k, \vec{x}_k \rangle = y$

Figure 12:  $\text{KZH-k}$  description

**Theorem 5.** *The protocol in Figure 12 is a complete and knowledge-sound polynomial commitment scheme in the AGM under  $(q_1, q_2)$ -dlog and Setup-find-rep assumption in the algebraic group model.*

*Proof.*

**Completeness.** Consider honestly generated  $\mathsf{C}, [\mathsf{C}_j]_{j=1}^k$ . For the first check, note that  $e(\mathsf{C}_0, \mathsf{V}) = e(\langle \mathbf{T}, \mathbf{H}_1 \rangle, \mathsf{V})$  by construction of  $\mathsf{C}$ . On the other hand,

$$\begin{aligned} \sum_{i=0}^d e(\mathsf{D}_1[i], \mathsf{V}_{i,1}) &= \sum_{i=0}^d e(\langle \langle i \rangle \otimes \mathbf{T}_1, \mathbf{H}_2 \rangle, \mu_{i,1} \times \mathsf{V}) = \sum_{i=0}^d e(\langle \langle i \rangle \otimes \mathbf{T}_1, \mu_{i,1} \times \mathbf{H}_2 \rangle, \mathsf{V}) \\ &= e(\langle \mathbf{T}_1, \mathbf{H}_1 \rangle, \mathsf{V}) \end{aligned}$$

and since  $\mathbf{T}_1 = \mathbf{T}$ , the verifier accepts. For the general case,

$$\begin{aligned} e(\mathsf{C}_{j-1}, \mathsf{V}) &= e(\langle \vec{\mathsf{D}}_{j-1}, \vec{\mathsf{x}}_{j-1} \rangle, \mathsf{V}) = e(\sum_{i=1}^d \vec{\mathsf{D}}_{j-1}[i] \vec{\mathsf{x}}_{j-1}[i], \mathsf{V}) \\ &= e(\sum_{i=1}^d \langle \langle i \rangle \otimes \mathbf{T}_{j-1}, \mathbf{H}_j \rangle \vec{\mathsf{x}}_{j-1}[i], \mathsf{V}) = e(\sum_{i=1}^d \langle \langle \vec{\mathsf{x}}_{j-1}, \mathbf{T}_{j-1} \rangle, \mathbf{H}_j \rangle, \mathsf{V}) \\ &= e(\langle \mathbf{T}_j, \mathbf{H}_j \rangle, \mathsf{V}) = \sum_{i=1}^d e(\langle \mathbf{T}_j, \mathbf{H}_{j+1} \rangle, \mathsf{V}_{i,j}) \\ &= \sum_{i=1}^d e(\mathsf{D}_j[i], \mathsf{V}_{i,j}). \end{aligned}$$

In the second verification equation we have:

$$\begin{aligned} \mathsf{C}_{k-1} &= \langle \vec{\mathsf{x}}_{k-1}, \vec{\mathsf{D}}_{k-1} \rangle = \sum_{i=1}^d \vec{\mathsf{D}}_{k-1}[i] \vec{\mathsf{x}}_{k-1}[i] \\ &= \sum_{i=1}^d \langle \langle i \rangle \otimes \mathbf{T}_{k-1}, \mathbf{H}_k \rangle \vec{\mathsf{x}}_{k-1}[i] = \sum_{i=1}^d \langle \langle \mathbf{T}_{k-1}, \vec{\mathsf{x}}_{k-1} \rangle, \mathbf{H}_k \rangle \\ &= \langle \mathbf{T}_k, \mathbf{H}_k \rangle. \end{aligned}$$

And since the third check follows directly, we have that the verifier accepts.

**Knowledge soundness.** Let  $\mathcal{A}$  be a PPT adversary that on input  $\mathsf{srs}$  outputs a commitment  $\mathsf{C}$ . We define an extractor  $\mathcal{E}$  that outputs  $p(\vec{X}_1, \dots, \vec{X}_k)$  such that, for any tuple  $((\vec{x}_1, \dots, \vec{x}_k), y, \pi)$ , accepted by the verifier,  $p(\vec{x}_1, \dots, \vec{x}_k) = y$  with overwhelming probability. Under the AGM, we assume  $\mathcal{A}$  is algebraic and thus  $\mathcal{A}$  outputs  $\mathsf{C}$  along with  $\{\vec{c}^r\}_{r=1}^k$  such that:

$$\mathsf{C} = \sum_{r=1}^k \langle \vec{c}^r, \mathbf{H}_r \rangle$$

$\mathcal{E}$  outputs  $p(\vec{X}_1, \dots, \vec{X}_k) = (\vec{c}_1, \dots, \vec{c}_k) \otimes (\vec{X}_1, \dots, \vec{X}_k)$ . Under the AGM,  $\mathcal{E}$  does not abort. Similarly, under the AGM we have that there exist  $[\vec{d}_{i,j}^r]_{r=1}^k$  such that for all  $i, j$ :

$$\mathsf{D}_j[i] = \sum_{r=1}^k \langle \vec{d}_{i,j}^r, \mathbf{H}_r \rangle$$

Because the verifier accepts, we have that all their checks are satisfied. In particular, for  $\mathsf{C}$  and all  $[\mathsf{D}_1[i]]_{i=0}^d$ :

$$e(\mathsf{C}, \mathsf{V}) = \sum_{i=1}^d e(\mathsf{D}_1[i], \mathsf{V}_{i,1})$$

Replacing by the extracted  $\mathsf{C}, \mathsf{D}_1[i]$  and the form of  $\mathsf{V}_{i,1}$ , we have

$$e \left( \sum_{r=1}^k \langle \vec{c}^r, \mathbf{H}_r \rangle, \mathsf{V} \right) = \sum_{i=1}^d e \left( \sum_{r=1}^k \langle \vec{d}_{i,1}^r, \mathbf{H}_r \rangle, \mu_{i,1} \times \mathsf{V} \right)$$

Then,

- (1) It must be the case that  $\vec{c}^r = 0$  for all  $r \neq 1$  or we can calculate the discrete logarithm relation between  $\mathbf{H}_2, \dots, \mathbf{H}_k$  and  $[\mathsf{V}_{i,1}]_{i=1}^d$ , breaking the `dlog` assumption. Similarly, we have  $\vec{d}_{i,1}^r = 0$  for all  $r > 2$  or we can find the discrete log relation between  $\mathbf{H}_2$  and  $\mathbf{H}_3, \dots, \mathbf{H}_k$ .
- (2) Also,  $\vec{d}_{i,1}^1 = 0$  or we can extract  $(\mu_{i,1}^2 \prod_{j \neq 1} \mu_{i,j}) \times \mathsf{G}$ , breaking `CDH`.
- (3) Finally, we have that each  $\mathsf{D}_1[i]$  is base  $[\mathsf{H}_{i,i_3 \dots i_k}]_{i_3, \dots, i_k \in [d]}$ , i.e.,  $\mathsf{D}_1[i] = \langle \vec{d}_{i,1}^2, \mu_{i,2} \times \mathbf{H}_3 \rangle$ , or we can find the discrete log relation between  $\mu_{i,1} \times \mu_{s,2} \times \mathbf{H}_3$  and  $\mathbf{H}_1$  for  $s \neq i$ . This implies  $(\vec{d}_{i,1}^2)_s = 0$  for all  $s \neq i$ .

The equation then is

$$e \left( \langle \vec{c}^1, \mathbf{H}_1 \rangle, \mathsf{V} \right) = \sum_{i=1}^d e \left( \langle \vec{d}_{i,1}^2, \mathbf{H}_{2,i} \rangle, \mu_{i,1} \times \mathsf{V} \right)$$

which implies  $\vec{c}_1 = \sum_{i=1}^d \vec{d}_{i,1}^2$ . Indeed, if there exists  $s \in [k]$  such that  $c_s \neq d_{s,1}^2$ ,  $\mu_{s,1}$  is a root of the polynomial  $c_s X - d_{s,1}^2 X$  and we can find it, breaking `dlog`. In the general case, for every  $j = 2, \dots, k$  we have:

$$e(\mathsf{C}_j, \mathsf{V}) = \sum_{i=0}^d e(\mathsf{D}_{j+1}[i], \mu_{i,j+1} \times \mathsf{V})$$

for  $C_j = \langle \vec{x}_j, \vec{D}^j \rangle$ . Then, if  $D^j = \langle \vec{d}^j, \mathbf{H}_j \rangle$ , it must be the case that  $D^{j+1} = \langle \vec{d}^{j+1}, \mathbf{H}_{j+1} \rangle$ , with  $\vec{d}_s^{j+1} = 0$  for all  $s \neq j+1$  or we break **dlog** as in item (1) and (3), and **CDH** as in (2) above. By induction, we have  $D^j = \langle \vec{d}^j, \mathbf{H}_j \rangle$  for all  $j = 1, \dots, k$ . Finally, we have

$$e\left(\langle \vec{x}_j, \vec{D}^j \rangle, V\right) = \sum_{i=0}^d e\left(\langle \vec{d}_i^{j+1}, \mathbf{H}_{j+1} \rangle, \mu_{i,j+1} \times V\right)$$

And thus

$$\langle \vec{x}_j, \langle \vec{d}^j, \mathbf{H}_j \rangle \rangle = \left\langle \sum_{i=0}^d \vec{d}_i^{j+1}, \mathbf{H}_{j+1} \right\rangle$$

So  $\sum_{i=0}^d \vec{d}_i^{j+1} = \vec{x}_j \otimes \vec{d}^j$ , This implies  $\mathbf{T}_k = \vec{x}_{k-1} \otimes \dots \otimes \vec{x}_1 \otimes \vec{c}$  and thus  $y = \vec{x}_k \otimes \mathbf{T}_k$  implies  $y = p(\vec{x}_1, \dots, \vec{x}_k)$  for the polynomial  $p(\vec{X}_1, \dots, \vec{X}_k)$  encoded in  $C$  and we conclude the proof.  $\square$

## C.2 KZH-k accumulation

We now construct an accumulation scheme for **KZH-k**. In particular, we focus on the case where the tensor  $\mathbf{T}$  is a multilinear polynomial. At a high level, the **KZH-k** verifier is still low degree and algebraic, and therefore, we can apply the same accumulation strategy as in the two-dimensional case. Importantly, the accumulator size and the decider time are reduced to  $O(k \cdot n^{1/k})$ . The accumulation verifier performs  $O(k)$   $\mathbb{G}_1$  operations. For a  $k \cdot d$ -linear polynomial, the accumulator instance and witness can be described as it follows: (red terms only appear in accumulators not proofs)

$$\text{acc.}x = \{C, C_1, \dots, C_{k-1} \in \mathbb{G}, \vec{x}_1, \dots, \vec{x}_k \in \mathbb{F}^d, y \in \mathbb{F}, E_{\mathbb{G}} \in \mathbb{G}, e_{\mathbb{F}} \in \mathbb{F}\}$$

$$\text{acc.}w = \{[D_{i,j}]_{j \in [k-1], i \in [0,d]}, \mathbf{T}_k \in \mathbb{F}^d\}$$

The accumulation prover, verifier and decider of **KZH-k** are respectively defined in Figures 13 and 14.

**Efficiency.** The accumulator consists of the PCS proof and is of size  $O(k \cdot n^{1/k})$ . The accumulation decider runs the PCS verifier and is dominated by  $k-1$   $n^{1/k}$  pairing products and the accumulation verifier is dominated by  $k+1$   $\mathbb{G}_1$  operations.

$P_{\text{acc}}(\text{srs}, (\text{acc}.x, \text{acc}.w), (\text{acc}'.x, \text{acc}'.w))$ :

- Parse  $\text{acc}.x, \text{acc}.w$  and  $\text{acc}'.x, \text{acc}'.w$  as below:
  - $\{\mathbf{C}, \mathbf{C}_1, \dots, \mathbf{C}_{k-1}, (\vec{x}_1, \dots, \vec{x}_k, y), (E_{\mathbb{G}}, e_{\mathbb{F}})\} \leftarrow \text{acc}.x$
  - $\{\{[\mathbf{D}_{i,j}]_{j \in [k-1], i \in [0,d]}, \mathbf{T}_k\} \leftarrow \text{acc}.w$
  - $\{\mathbf{C}', \mathbf{C}'_1, \dots, \mathbf{C}'_{k-1}, (\vec{x}'_1, \dots, \vec{x}'_k, y'), (E'_{\mathbb{G}}, e'_{\mathbb{F}})\} \leftarrow \text{acc}'.x$
  - $\{\{[\mathbf{D}'_{i,j}]_{j \in [k-1], i \in [0,d]}, \mathbf{T}'_k\} \leftarrow \text{acc}'.w$
- Let  $\text{Dec}_{\mathbb{G}}$  and  $\text{Dec}_{\mathbb{F}}$  be the verification checks as defined in Figure ???. Compute  $Q \in \mathbb{G}$  such that:

$$\begin{aligned} \text{Dec}_{\mathbb{G}}((1 - X) \cdot (\vec{x}_j, \mathbf{C}_j, [\mathbf{D}_{i,j}]_{i=0}^d) + X \cdot (\vec{x}'_j, \mathbf{C}'_j, [\mathbf{D}'_{i,j}]_{i=0}^{d_j})) \\ = (1 - X) \times E_j + X \times E'_j + (1 - X) \cdot X \times Q. \end{aligned}$$

and  $q \in \mathbb{F}$  such that

$$\begin{aligned} \text{Dec}_{\mathbb{F}}((1 - X) \cdot (\mathbf{T}_k, \vec{x}_k, y) + X \cdot (\mathbf{T}'_k, \vec{x}'_k, y')) \\ = (1 - X) \cdot e_{\mathbb{F}} + X \cdot e'_{\mathbb{F}} + (1 - X) \cdot X \cdot q. \end{aligned}$$

- Derive challenge  $\alpha \leftarrow H(\text{acc}.x, \text{acc}'.x, Q, q)$  through Fiat-Shamir.
- Compute
  - $\mathbf{C}'' \leftarrow (1 - \alpha) \times \mathbf{C} + \alpha \times \mathbf{C}'$
  - $\vec{x}_i'' \leftarrow (1 - \alpha) \cdot \vec{x}_i + \alpha \cdot \vec{x}'_i$  for  $i \in [k]$
  - $y'' \leftarrow (1 - \alpha) \cdot y + \alpha \cdot y'$
  - $\mathbf{C}_j'' \leftarrow (1 - \alpha) \times \mathbf{C}_j + \alpha \times \mathbf{C}'_j$  for  $j \in [1, k - 1]$
  - $\mathbf{D}_{i,j}'' \leftarrow (1 - \alpha) \times \mathbf{D}_{i,j} + \alpha \times \mathbf{D}'_{i,j}$  for each  $j, i$  for  $i \in [k]$  and  $j \in [k - 1]$
  - $E''_{\mathbb{G}} \leftarrow (1 - \alpha) \times E_{\mathbb{G}} + \alpha \times E'_{\mathbb{G}} + (1 - \alpha) \cdot \alpha \times Q$
  - $e''_{\mathbb{F}} \leftarrow (1 - \alpha) \cdot e_{\mathbb{F}} + \alpha \cdot e'_{\mathbb{F}} + (1 - \alpha) \cdot \alpha \cdot q$
  - $\mathbf{T}_k'' \leftarrow (1 - \alpha) \times \mathbf{T}_k + \alpha \times \mathbf{T}'_k$
- Output the new accumulator  $\text{acc}'' = (\text{acc}'''.x, \text{acc}'''.w)$  and  $\text{pf} = \{Q, q\}$  as the accumulation proof.

$$\begin{aligned} \text{acc}'''.x &= \{\mathbf{C}'', [\mathbf{C}_j'']_{j \in [k-1]}, [\vec{x}_i'']_{i \in [k]}, y'', [E''_{\mathbb{G}}, e_{\mathbb{F}}\} \\ \text{acc}'''.w &= \{\{[\mathbf{D}_{i,j}'']_{j \in [k-1], i \in [0,d_j]}, \mathbf{T}_k''\} \end{aligned}$$

Figure 13: KZH-k accumulation prover

$V_{\text{acc}}(\text{srs}, \text{acc}.x, \text{acc}'.x, \text{pf} = \{Q \in \mathbb{G}, q \in \mathbb{F}\})$ :

- Input  $\text{acc}.x, \text{acc}'.x$  and  $\text{pf} = \{Q, q\}$ .
- Regenerate challenge  $\alpha \leftarrow H(A.X, A'.X, \text{pf})$
- Compute
  - $\mathbf{C}'' \leftarrow (1 - \alpha) \times \mathbf{C} + \alpha \times \mathbf{C}'$
  - $\vec{x}_i'' \leftarrow (1 - \alpha) \cdot \vec{x}_i + \alpha \cdot \vec{x}_i'$  for  $i \in [k]$
  - $y'' \leftarrow (1 - \alpha) \cdot y + \alpha \cdot y'$
  - $\mathbf{C}_j'' \leftarrow (1 - \alpha) \times \mathbf{C}_j + \alpha \times \mathbf{C}'_j$  for  $j \in [1, k - 1]$
  - $E''_{\mathbb{G}} \leftarrow (1 - \alpha) \times E_{\mathbb{G}} + \alpha \times E'_{\mathbb{G}} + (1 - \alpha) \cdot \alpha \times Q$
  - $e''_{\mathbb{F}} \leftarrow (1 - \alpha) \cdot e_{\mathbb{F}} + \alpha \cdot e'_{\mathbb{F}} + (1 - \alpha) \cdot \alpha \times q$
- Output the new accumulator instance  $\text{acc}''$ .

$$\text{acc}'' = \{\mathbf{C}'', [\mathbf{C}_j'']_{j \in [k-1]}, [\vec{x}_i'']_{i \in [k]}, y'', E''_{\mathbb{G}}, e''_{\mathbb{F}}\}$$

$D_{\text{acc}}(\text{srs}, \text{acc}.x, \text{acc}.w)$ :

- Parse instance and witness as it follows:
  - $\{\mathbf{C}, (\mathbf{C}_1, \dots, \mathbf{C}_{k-1}), (\vec{x}_1, \dots, \vec{x}_k, y), E_{\mathbb{G}}, e_{\mathbb{F}}\} \leftarrow \text{acc}.x$
  - $\{[\vec{D}_j = [D_{i,j}]_{i \in [0, d]}]_{j=1}^{k-1}, \mathbf{T}_k\} \leftarrow \text{acc}.w$
- Set  $\mathbf{C}_0 \leftarrow \mathbf{C}$
- For each  $j \in [1, k - 1]$  check that

$$e(\mathbf{C}_{j-1}, \mathbf{V}) - \sum_{i=0}^d e(\mathbf{D}_{i,j}, \mathbf{V}_{i,j}) = 0$$

- Check that  $\text{Dec}_{\mathbb{G}}([\vec{x}_i]_{i=1}^k, [\mathbf{C}_i]_{i=1}^{k-1}, [\vec{D}_j \in \mathbb{G}^d]_{j=1}^{k-1}) = \sum_{j=1}^{k-1} (\mathbf{C}_j - \langle \vec{x}_j, \vec{D}_j \rangle) = E_{\mathbb{G}}$
- Check that  $\langle \mathbf{T}_k, \mathbf{H}_k \rangle = \mathbf{C}_{k-1}$
- Check that  $\text{Dec}_{\mathbb{F}}(\vec{x}_k, \mathbf{T}_k, y) = \langle \mathbf{T}_k, \vec{x}_k \rangle - y = e_{\mathbb{F}}$

Figure 14:  $\text{KZH-}k$  accumulation verifier and decider

**Theorem 6.**  $\text{KZH-}k$ -fold is a secure accumulation scheme, also under the dlog-assumption in the algebraic group model.

*Proof.*

**Completeness.** Consider the following two satisfying accumulator instances:

- $\text{acc}.x = \{\mathbf{C}, \mathbf{C}_1, \dots, \mathbf{C}_{k-1}, (\vec{x}_1, \dots, \vec{x}_k, y), (E_{\mathbb{G}}, e_{\mathbb{F}})\}$

- $\text{acc}.w = \{[\mathbf{D}_{i,j}]_{j \in [k-1], i \in [0,d]}, \mathbf{T}_k\}$
- $\text{acc}'.x = \{C', C'_1, \dots, C'_{k-1}, (\vec{x}'_1, \dots, \vec{x}'_k, y'), (E'_{\mathbb{G}}, e'_{\mathbb{F}})\}$
- $\text{acc}'.w = \{[\mathbf{D}'_{i,j}]_{j \in [k-1], i \in [0,d]}, \mathbf{T}'_k\}$

It is straightforward to see that honest  $\mathsf{P}_{\text{acc}}$  and  $\mathsf{V}_{\text{acc}}$  output the same  $\text{acc}''.x$  as they follow the same instructions. Then it is left to see that on input  $(\text{acc}'' . x, \text{acc}'' . w)$  computed by an honest prover,  $\mathsf{D}_{\text{acc}}$  always accepts. For each  $j \in [1, k-1]$ :

$$\begin{aligned}
e(C''_{j-1}, \mathbf{V}) &= e((1-\alpha) \times C_{j-1} + \alpha \times C'_{j-1}, \mathbf{V}) = (1-\alpha) \times e(C_{j-1}, \mathbf{V}) + \alpha \times e(C'_{j-1}, \mathbf{V}) \\
&= (1-\alpha) \times \sum_{i=0}^d e(\mathbf{D}_{i,j}, \mathbf{V}_{i,j}) + \alpha \times \sum_{i=0}^d e(\mathbf{D}'_{i,j}, \mathbf{V}_{i,j}) \\
&= \sum_{i=0}^d e((1-\alpha) \times \mathbf{D}_{i,j} + \alpha \times \mathbf{D}'_{i,j}, \mathbf{V}_{i,j}) \\
&= \sum_{i=0}^d e(\mathbf{D}''_{i,j}, \mathbf{V}_{i,j})
\end{aligned}$$

so the first equation holds. For the second check, we have:

$$\begin{aligned}
\mathsf{Dec}_{\mathbb{G}}([\vec{x}_i]_{i=1}^k, C'', [C''_i]_{i=1}^{k-1}, [\vec{\mathbf{D}}''_j]_{j=1}^{k-1}) \\
&= \mathsf{Dec}_{\mathbb{G}}([\vec{x}_i]_{i=1}^k, (1-\alpha) \times C + \alpha \times C', [(1-\alpha) \times C_i + \alpha \times C'_i]_{i=1}^{k-1}, [(1-\alpha) \times \vec{\mathbf{D}}_j + \alpha \times \vec{\mathbf{D}}'_j]_{j=1}^{k-1}) \\
&= (1-\alpha) \times \mathsf{E}_{\mathbb{G}} + \alpha \times \mathsf{E}'_{\mathbb{G}} + (1-\alpha)\alpha \times \mathbf{Q} = \mathsf{E}''_{\mathbb{G}}
\end{aligned}$$

by construction of  $\mathbf{Q}$ . The third equation verifies as

$$\begin{aligned}
\langle \mathbf{T}''_k, \mathbf{H}_k \rangle &= \langle (1-\alpha) \times \mathbf{T}_k + \alpha \times \mathbf{T}'_k, \mathbf{H}_k \rangle = (1-\alpha) \times \langle \mathbf{T}_k, \mathbf{H}_k \rangle + \alpha \times \langle \mathbf{T}'_k, \mathbf{H}_k \rangle \\
&= (1-\alpha) \times C_{k-1} + \alpha \times C'_{k-1} = C''_{k-1}.
\end{aligned}$$

Finally, by definition of  $e''_{\mathbb{F}}$

$$\begin{aligned}
\mathsf{Dec}_{\mathbb{F}}(\vec{x}''_k, \mathbf{T}''_k, y'') &= \langle \mathbf{T}''_k, \vec{x}''_k \rangle - y'' \\
&= \langle (1-\alpha)e_{\mathbb{F}} + \alpha e'_{\mathbb{F}} + (1-\alpha) + (1-\alpha)\alpha q \\
&= e''_{\mathbb{F}},
\end{aligned}$$

and  $\mathsf{D}_{\text{acc}}$  outputs 1, concluding the proof of completeness.

**Knowledge soundness.** Consider an adversary  $\mathcal{A}$  that outputs  $\hat{\pi} = (\pi.x, \pi.w)$ ,  $\hat{\mathbf{acc}}'' = (\mathbf{acc}'' . x, \mathbf{acc}'' . w)$ ,  $\hat{\mathbf{pf}} \in \mathbb{G}_1 \times \mathbb{F}$  and  $\mathbf{acc} . x, \mathbf{acc}' . x$ . We build an extractor  $\mathbf{Ext}_{\mathbf{acc}}$  such that if  $\mathbf{V}_{\mathbf{acc}}$  and  $\mathbf{D}_{\mathbf{acc}}$  accept, extracts valid witnesses  $\mathbf{acc} . w, \mathbf{acc}' . w$  for  $\mathbf{acc} . x, \mathbf{acc}' . x$ . Since  $\mathbf{acc}'' . w$  is an equation of degree one, given two accepting transcripts for different challenges  $\alpha_1, \alpha_2$ ,  $\mathbf{Ext}_{\mathbf{acc}}$  can use the Vandermonde matrix to extract

$$\mathbf{acc} . w = \{ \{ [\mathbf{D}_{i,j}]_{j \in [k-1], i \in [0,d]}, \mathbf{T}_k \}, \quad \mathbf{acc}' . w = \{ \{ [\mathbf{D}'_{i,j}]_{j \in [k-1], i \in [0,d]}, \mathbf{T}'_k \} .$$

Since  $\mathbf{D}_{\mathbf{acc}}(\mathbf{acc}'' . x, \mathbf{acc}'' . w)$  accepts, we have the first check passes, i.e.,

$$e(\mathbf{C}''_{j-1}, \mathbf{V}) = \sum_{i=0}^d e(\mathbf{D}''_{i,j}, \mathbf{V}_{i,j}) .$$

We analyze each side of the equation independently:

$$\begin{aligned} e(\mathbf{C}''_{j-1}, \mathbf{V}) &= e((1-\alpha) \times \mathbf{C}_{j-1} + \alpha \times \mathbf{C}'_{j-1}, \mathbf{V}) \\ &= (1-\alpha) \times e(\mathbf{C}_{j-1}, \mathbf{V}) + \alpha \times e(\mathbf{C}'_{j-1}, \mathbf{V}) \\ \sum_{i=0}^d e(\mathbf{D}''_{i,j}, \mathbf{V}_{i,j}) &= \sum_{i=0}^d e((1-\alpha) \times \mathbf{D}_{i,j} + \alpha \times \mathbf{D}'_{i,j}, \mathbf{V}_{i,j}) \\ &= (1-\alpha) \times \sum_{i=0}^d e(\mathbf{D}_{i,j}, \mathbf{V}_{i,j}) + \alpha \times \sum_{i=0}^d e(\mathbf{D}'_{i,j}, \mathbf{V}'_{i,j}) \end{aligned}$$

Since  $\alpha$  is computed as a hash of  $\mathbf{acc} . x$  and  $\mathbf{acc}' . x$ , except with negligible probability  $e(\mathbf{C}_{j-1}, \mathbf{V}) - \sum_{i=0}^d e(\mathbf{D}_{i,j}, \mathbf{V}_{i,j}) = 0$  and  $e(\mathbf{C}'_{j-1}, \mathbf{V}) - \sum_{i=0}^d e(\mathbf{D}'_{i,j}, \mathbf{V}'_{i,j}) = 0$ . Similarly, replacing the accumulation witness by the extracted ones, we have that Eq.(ii)'s left side is

$$\sum_{j=1}^{k-1} (\mathbf{C}''_j - \langle \vec{x}''_j, \vec{\mathbf{D}}''_j \rangle) = \sum_{j=1}^{k-1} ((1-\alpha)\mathbf{C}_j + \alpha\mathbf{C}'_k - \langle (1-\alpha)\vec{x}_j + \alpha\vec{x}'_j, (1-\alpha)\vec{\mathbf{D}}_j + \alpha\vec{\mathbf{D}}'_j \rangle)$$

whereas from the verifier's output we have that the right side equals  $(1-\alpha) \times \mathbf{E}_{\mathbb{G}} + \alpha \times \mathbf{E}'_{\mathbb{G}} + (1-\alpha) \cdot \alpha \times \mathbf{Q}$ . Because  $\alpha$  is computed as a hash of  $\mathbf{acc} . x$  and  $\mathbf{acc}' . x$  we have that except with negligible probability the equation hold for any  $X$  and, in particular, when  $X = 1$  we got  $\sum_{j=1}^{k-1} \mathbf{C}_j - \langle \vec{x}_j, \vec{\mathbf{D}}_j \rangle = \mathbf{E}_{\mathbb{G}}$  and for  $X = 0$ ,  $\sum_{j=1}^{k-1} \mathbf{C}'_j - \langle \vec{x}'_j, \vec{\mathbf{D}}'_j \rangle = \mathbf{E}'_{\mathbb{G}}$ . With identical reasoning, we have that  $\langle \mathbf{T}_k, \vec{x}_k \rangle - y = e_{\mathbb{F}}$  and  $\langle \mathbf{T}'_k, \vec{x}'_k \rangle - y' = e'_{\mathbb{F}}$ . Finally,

$$\langle \mathbf{T}''_k, \mathbf{H}_k \rangle = \langle (1-\alpha)\mathbf{T}_k + \alpha\mathbf{T}'_k, \mathbf{H}_k \rangle = (1-\alpha)\langle \mathbf{T}_k, \mathbf{H}_k \rangle + \alpha\langle \mathbf{T}'_k, \mathbf{H}_k \rangle$$

$$\mathbf{C}''_{k-1} = (1-\alpha)\mathbf{C}_{k-1} + \alpha\mathbf{C}'_{k-1}$$

which, as above, implies  $\mathbf{C}_{k-1} = \langle \mathbf{T}_k, \mathbf{H}_k \rangle$ , and  $\mathbf{C}'_{k-1} = \langle \mathbf{T}'_k, \mathbf{H}'_k \rangle$  except with negligible probability. We conclude the extracted  $\mathbf{acc} . w$  and  $\mathbf{acc}' . w$  are valid witnesses. We now

prove that if  $E_{\mathbb{G}} = e_{\mathbb{F}} = 0$ , we can extract a valid opening to  $\vec{c}$ . That is,  $(\text{acc.}x, \text{acc.}w)$  is a valid pair for the predicate  $\Phi$ . Note that the first check by the decider is the same as  $\text{KZH}'$ s verifier first check. Following above, from the second check we can extract that  $\sum_{j=1}^{k-1} C_j - \langle \vec{x}_j, D_j \rangle = E_{\mathbb{G}} = 0$ . Since  $D_j$  is base  $\mathbf{H}_j$ , we have that  $C_j - \langle \vec{x}_j, D_j \rangle = 0$  for all  $j \in [k]$ . Finally, the last check is  $\langle \mathbf{T}_k, \vec{x}_k \rangle = y$ , and we have extracted satisfying  $\text{KZH}$  verifier checks, and thus can extract  $p(\vec{X}_1, \dots, \vec{X}_k)$  such that  $p(\vec{x}_1, \dots, \vec{x}_k) = y$ .

□

## D Non-Uniformity from Polynomial Accumulation

**Background.** Non-uniform IVC (N-IVC) [KS22] extends the definition of IVC by allowing each step to execute one of several predefined instructions  $F_1, F_2, \dots, F_k$  instead of a single instruction  $F$ . Previously, non-uniform IVC was implemented using a universal circuit that contains subcircuits for all instructions  $F_i$ . This circuit evaluates all subcircuits and selects the correct output based on the program counter. However, this approach is inefficient because the prover must perform computations for every instruction, even though only one instruction is needed at each step, and the witness size of the universal circuit scales linearly with the sum of the witness sizes of all instructions, making it non-ideal both computation-wise and memory-wise. Non-uniform PCD (N-PCD) [Zhe+23] is a similar work which extends the definition of PCD to support multiple instructions in the leaves instead of a single instruction.

**Previous work on non-uniform IVC.** SuperNova [KS22] introduced a more efficient method for N-IVC where the step circuit maintains a running accumulator  $U_i$  (a relaxed committed R1CS instance) for each instruction  $F_i$ . When receiving a new, fresh accumulator instance  $u_i$ , the prover uses memory techniques (e.g. a Merkle tree or offline memory techniques [Blu+91]) to select the appropriate running accumulator  $U_i$ . Next, the prover accumulates  $U_i$  with  $u_i$ . This approach ensures the computational effort corresponds only to the selected instruction, but the witness size grows linearly with the sum of the witness sizes for all instructions  $F_i$ .

Protostar [BC23] offers a similar improvement to construct N-IVC, leveraging the fact that committing to zeros with Pederson commitment incurs no additional cost. While it also reduces computational overhead, like SuperNova, it still requires the prover to manage a witness size that scales linearly with the sum of all instruction witnesses. Another drawback, Protostar’s approach, unlike SuperNova, is dependent on Pederson being homomorphic and may not be compatible with hash-based polynomial commitment schemes.

**N-IVC and N-PCD from PA.** We observe that polynomial accumulation offers more flexibility than circuit-specific accumulation. For example, each polynomial of degree  $d < D$ , can be seen as a polynomial of degree  $D$  by simply assuming the coefficients of  $x^{d+1}, x^{d+2}, \dots, x^D$  are zero. As a result, given an accumulation scheme for a polynomial of degree  $D$ , different polynomials of degree  $d_i < D$  can be accumulated by considering them as degree  $D$ . Supernova directly translates each circuit as an R1CS instance and since two different R1CS instances cannot be accumulated, the prover must keep one running accumulator for each instruction  $F_i$ . However, similar to IVC from Spartan+PA in Section 5, we leverage Spartan PIOP to translate each instruction  $F_i$  as polynomials. Recalling Section 5.1, to accumulate circuit  $F_i$ , we need to accumulate polynomial  $\omega_i(\cdot)$  corresponding to the R1CS witness and matrix evaluations of  $A_i$ ,  $B_i$  and  $C_i$ , corresponding to the

R1CS construction of  $F_i$ . Similar to Section 5, we take two different strategies to handle the accumulation of witness polynomial  $\omega_i(\cdot)$  and matrices evaluations. For each  $F_i$ , assume its witness polynomial is of degree  $d_i$ . We consider a running polynomial of degree  $d_i < D$ , and in each step accumulate  $\omega_i(\cdot)$  with this running PCS accumulator. However, the same strategy cannot be applied to matrix evaluations. Accumulating different  $A_i$ ,  $B_i$ , and  $C_i$  evaluations via PCS accumulation is impractical because the resulting accumulated matrices may not be sparse. This would lead to matrices with  $O(kn)$  non-zero elements instead of  $O(n)$ , where  $k$  is the number of instructions. To address this, we adopt an approach similar to SuperNova’s to handle matrix evaluations efficiently. To elaborate further, the prover maintains a separate running accumulator for each matrix evaluation. Using memory techniques, the prover dynamically selects the appropriate running accumulator at each step and updates it with fresh matrix evaluations. Notably, these matrix evaluations scale logarithmically with the size of the original circuit, which is a key factor in the efficiency of our N-IVC and N-PCD schemes compared to SuperNova.

Our N-PCD approach, apart from witness size and decider time, also improves the prover’s time. As previously mentioned in Section 5.3, both SuperNova and Protostar approaches fail to work for N-PCD since accumulating two sets of running accumulators takes linear time in the combined size of all instructions. However, this is not the case for us, a running accumulator in our N-PCD approach based on Spartan+PA, similar to N-IVC, consists of a single PCS accumulator and  $k$  instances of the matrix evaluation accumulator, i.e. one per instruction. Accumulating two running accumulators requires accumulating the two corresponding PCS accumulators, plus accumulating each instance of the matrix evaluation accumulator with its corresponding instance. The initial task requires  $\mathcal{P}_{\text{acc}}(\max_i |F_i|)$  computation and the latter takes  $\sum_i \log |F_i|$ . To conclude, each step of our N-PCD prover costs  $\mathcal{P}_{\text{acc}}(\max_i |F_i|) + \sum_i \log |F_i|$ . For example, when instantiated with a linear prover time accumulator such as **KZH**-fold, the prover time is  $\max_i |F_i| + \sum_i \log |F_i|$ , which is much smaller than  $\sum_i |F_i|$  compared to the previous approaches of building N-PCD. The decider algorithm for both N-IVC and N-PCD requires running the decider algorithm for the PCS accumulator, plus evaluating all polynomial extensions of  $A$ ,  $B$  and  $C$  matrices. The former requires running  $\mathcal{D}_{\text{acc}}$  on a polynomial of degree  $\max_i |F_i|$  and the latter requires  $O(\sum_i |F_i|)$  field operations. Given that field operations are much less expensive than group operations, we expect the cost of the decider to be dominated by  $\mathcal{D}_{\text{acc}}$  and hence our scheme has a much faster decider time than SuperNova and Protostar, which requires a linear number of scalar multiplications in the combined size of all circuits. We leave formalization and proofs to future work.