

FRÍANT

MATERIALS REFERENCE GUIDE



TABLE OF CONTENTS

INTRODUCTION

Pattern Direction	3	Worksurface Thickness Guide	68
Fabric Direction Guide	4-57	Laminate Grain Direction Guide	69-75
COM Form	67		

FABRIC

JOURNEY

Memo Samples	4
System 2	5
Novo	7
Interra	9
Dash	10
Verity	11
My-Hite & Beam	13

PASSAGE

Memo Samples	15
System 2	16
Novo	17
Interra	18

TERRAIN

Memo Samples	19
System 2	20
Novo	21
Interra	22

SLIDE

Memo Samples	23
System 2	25
Novo	27
Interra	29
Dash	30
Verity	31
My-Hite & Beam	33

SILKY

Memo Samples	35
System 2	36
Novo	38
Interra	40
Dash	41
Verity	42
My-Hite & Beam	44

SKY

Memo Samples	46
System 2	47
Novo	49
Interra	51
Dash	52
Verity	53
My-Hite & Beam	55

STICKS

Memo Samples	57
System 2	58
Novo	60
Interra	62
Dash	63
Verity	64
My-Hite & Beam	66

COM Form


	67
--	----

LAMINATE

Worksurface Thickness Guide	68
Laminate Grain Direction	
Worksurfaces	69
Panels	73

Pattern Direction










- Fabric direction is not always determined by the way the pattern is shown on memo sample.
- Certain product construction and sizes require fabric to be applied only Directionally or Non-Directionally.
- Some products have fabric applied either Directionally or Non-Directionally. (Upcharges may apply on some products, see price books for details).
- Please refer to this Fabric Direction Guide for specific pattern application defaults on all of our products.
- Our Customer Service Team is happy to answer any questions regarding fabric direction.



Journey - PF801








- Fabric direction is not always determined by the way the pattern is shown on memo sample.
- Certain product construction and sizes require fabric to be applied only Directionally or Non-Directionally.
- Some products have fabric applied either Directionally or Non-Directionally. (Upcharges may apply on some products, see price books for details).
- Please refer to this Fabric Direction Guide for specific pattern application defaults on all of our products.
- Our Customer Service Team is happy to answer any questions regarding fabric direction.

Memo Sample Non-Directional Application Shown






Journey - PF801

System 2, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Panels	85H	 <p>Directional</p>	NA
	32 - 67H	 <p>Non-Directional</p>	 <p>Directional</p>
Tackboards 8 or 16H	24 - 60 W	 <p>Non-Directional</p>	 <p>Directional</p>
Fabric Covered Flipper Doors 16H	24 - 60 W	 <p>Non-Directional</p>	 <p>Directional</p>








Journey - PF801

System 2, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Privacy Screens 24H	72 W	 Non-Directional	NA
	42 - 66 W	 Non-Directional	 Directional




Journey - PF801

Novo, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Monolithic Panels	85H	 <p>Directional</p>	NA
	32 - 67H	 <p>Non-Directional</p>	 <p>Directional</p>
Segmented Panels	All Sizes	 <p>Non-Directional</p>	 <p>Directional</p>
Tackboards 8 or 16H	24 - 48W	 <p>Non-Directional</p>	 <p>Directional</p>





Journey - PF801

Novo, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Privacy Screens 24H	72 W	 <p>Non-Directional</p>	NA
	42 - 66 W	 <p>Non-Directional</p>	 <p>Directional</p>







Journey - PF801

Interra, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Fabric Covered Tiles	All Sizes	 <p>Directional</p>	NA
Privacy Screens 24H	72 W	 <p>Non-Directional</p>	NA
	42 - 66 W	 <p>Non-Directional</p>	 <p>Directional</p>








Journey - PF801

Dash, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Wall Mounted Tackboards 12 - 28H	66 - 84 W	 Non-Directional	NA
	36 - 60 W	 Non-Directional	 Directional
Privacy Screens 24H	72 W	 Non-Directional	NA
	42 - 66 W	 Non-Directional	 Directional




Journey - PF801

Verity, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Track Mounted Tackboards 14 - 18H	66 - 84 W	 <p>Non-Directional</p>	NA
	36 - 60 W	 <p>Non-Directional</p>	 <p>Directional</p>
Worksurface Mounted Tackboards 14 - 18H	22 - 28 W	 <p>Non-Directional</p>	 <p>Directional</p>
Supporting Cabinet Tackboards 15H	24 - 30 W	 <p>Non-Directional</p>	 <p>Directional</p>







Journey - PF801

Verity, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Privacy Screens 24 & 39H	72 W	 Non-Directional	NA
	42 - 66 W	 Non-Directional	 Directional




Journey - PF801

My-Hite & Beam, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Worksurface Mounted Tackboards 14H	66 - 72 W	 Non-Directional	NA
	24 - 60 W	 Non-Directional	 Directional
Beam Mounted Screens 24H	66 - 72 W	 Non-Directional	NA
	36 - 60 W	 Non-Directional	 Directional

Journey - PF801



My-Hite & Beam, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Privacy Screens 24 & 39H	72 W	 Non-Directional	NA
	42 - 66 W	 Non-Directional	 Directional

Passage - PF601



- Fabric direction is not always determined by the way the pattern is shown on memo sample.
- Certain product construction and sizes require fabric to be applied only Directionally or Non-Directionally.
- Some products have fabric applied either Directionally or Non-Directionally. (Upcharges may apply on some products, see price books for details).
- Please refer to this Fabric Direction Guide for specific pattern application defaults on all of our products.
- Our Customer Service Team is happy to answer any questions regarding fabric direction.

Memo Sample Non-Directional Application Shown








Passage - PF601

System 2, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Panels	85H	 Directional	NA
	32 - 67H	 Non-Directional	 Directional


Passage - PF601

Novo, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Monolithic Panels	85H	 <p>Directional</p>	NA
	32 - 67H	 <p>Non-Directional</p>	 <p>Directional</p>
Segmented Panels	All Sizes	 <p>Non-Directional</p>	 <p>Directional</p>

Passage - PF601


Interra, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Fabric Covered Tiles	All Sizes	 Directional	NA

Terrain - PF701

- Fabric direction is not always determined by the way the pattern is shown on memo sample.
- Certain product construction and sizes require fabric to be applied only Directionally or Non-Directionally.
- Some products have fabric applied either Directionally or Non-Directionally. (Upcharges may apply on some products, see price books for details).
- Please refer to this Fabric Direction Guide for specific pattern application defaults on all of our products.
- Our Customer Service Team is happy to answer any questions regarding fabric direction.

Memo Sample Non-Directional Application Shown




PF701-1 Cloud



PF701-2 Dusk



PF701-3 Wave





PF701-4 Earth








Terrain - PF701

System 2, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Panels	85H	 Directional	NA
	32 - 67H	 Non-Directional	 Directional


Terrain - PF701

Novo, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Monolithic Panels	85H	 <p>Directional</p>	NA
	32 - 67H	 <p>Non-Directional</p>	 <p>Directional</p>
Segmented Panels	All Sizes	 <p>Non-Directional</p>	 <p>Directional</p>

Terrain - PF701







Interra, Fabric Direction Guide











		GROUP 1 (Default)	GROUP 5
Fabric Covered Tiles	All Sizes	 Directional	NA

Slide - PF101

- Although Slide pattern does not have a large repeat/pattern, appearance may vary especially in different lighting
- Appearance may also vary when applied directionally versus non-directionally.








Memo Sample Non-Directional Application Shown








Slide - PF101

System 2, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Panels	85H	 <p>Directional</p>	NA
	32 - 67H	 <p>Non-Directional</p>	 <p>Directional</p>
Tackboards 8 or 16H	24 - 60 W	 <p>Non-Directional</p>	 <p>Directional</p>
Fabric Covered Flipper Doors 16H	24 - 60 W	 <p>Non-Directional</p>	 <p>Directional</p>








Slide - PF101

System 2, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Privacy Screens 24H	72 W	 Non-Directional	NA
	42 - 66 W	 Non-Directional	 Directional




Slide - PF101

Novo, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Monolithic Panels	85H	 <p>Directional</p>	NA
	32 - 67H	 <p>Non-Directional</p>	 <p>Directional</p>
Segmented Panels	All Sizes	 <p>Non-Directional</p>	 <p>Directional</p>
Tackboards 8 or 16H	24 - 48W	 <p>Non-Directional</p>	 <p>Directional</p>





Slide - PF101

Novo, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Privacy Screens 24H	72 W	 Non-Directional	NA
	42 - 66 W	 Non-Directional	 Directional







Slide - PF101

Interra, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Fabric Covered Tiles	All Sizes	 <p>Directional</p>	NA
Privacy Screens 24H	72 W	 <p>Non-Directional</p>	NA
	42 - 66 W	 <p>Non-Directional</p>	 <p>Directional</p>








Slide - PF101

Dash, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Wall Mounted Tackboards 12 - 28H	66 - 84 W	 <p>Non-Directional</p>	NA
	36 - 60 W	 <p>Non-Directional</p>	 <p>Directional</p>
Privacy Screens 24H	72 W	 <p>Non-Directional</p>	NA
	42 - 66 W	 <p>Non-Directional</p>	 <p>Directional</p>




Slide - PF101

Verity, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Track Mounted Tackboards 14 - 18H	66 - 84 W	 Non-Directional	NA
	36 - 60 W	 Non-Directional	 Directional
Worksurface Mounted Tackboards 14 - 18H	22 - 28 W	 Non-Directional	 Directional
Supporting Cabinet Tackboards 15H	24 - 30 W	 Non-Directional	 Directional







Slide - PF101

Verity, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Privacy Screens 24 & 39H	72 W	 Non-Directional	NA
	42 - 66 W	 Non-Directional	 Directional




Slide - PF101

My-Hite & Beam, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Worksurface Mounted Tackboards 14H	66 - 72 W	 Non-Directional	NA
	24 - 60 W	 Non-Directional	 Directional
Beam Mounted Screens 24H	66 - 72 W	 Non-Directional	NA
	36 - 60 W	 Non-Directional	 Directional

Slide - PF101






My-Hite & Beam, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Privacy Screens 24 & 39H	72 W	 Non-Directional	NA
	42 - 66 W	 Non-Directional	 Directional

Silky - PF401







- Although Silky pattern does not have a large repeat/pattern, appearance may vary especially in different lighting.
- Appearance may also vary when applied directionally versus non-directionally.

Memo Sample Non-Directional Application Shown






Silky - PF401

System 2, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Panels	85H	 <p>Directional</p>	NA
	32 - 67H	 <p>Non-Directional</p>	 <p>Directional</p>
Tackboards 8 or 16H	24 - 60 W	 <p>Non-Directional</p>	 <p>Directional</p>
Fabric Covered Flipper Doors 16H	24 - 60 W	 <p>Non-Directional</p>	 <p>Directional</p>







Silky - PF401

System 2, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Privacy Screens 24H	72 W	 <p>Non-Directional</p>	NA
	42 - 66 W	 <p>Non-Directional</p>	 <p>Directional</p>




Silky - PF401

Novo, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Monolithic Panels	85H	 <p>Directional</p>	NA
	32 - 67H	 <p>Non-Directional</p>	 <p>Directional</p>
Segmented Panels	All Sizes	 <p>Non-Directional</p>	 <p>Directional</p>
Tackboards 8 or 16H	24 - 48W	 <p>Non-Directional</p>	 <p>Directional</p>





Silky - PF401

Novo, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Privacy Screens 24H	72 W	 <p>Non-Directional</p>	NA
	42 - 66 W	 <p>Non-Directional</p>	 <p>Directional</p>







Silky - PF401

Interra, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Fabric Covered Tiles	All Sizes	 <p>Directional</p>	NA
Privacy Screens 24H	72 W	 <p>Non-Directional</p>	NA
	42 - 66 W	 <p>Non-Directional</p>	 <p>Directional</p>








Silky - PF401

Dash, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Wall Mounted Tackboards 12 - 28H	66 - 84 W	 <p>Non-Directional</p>	NA
	36 - 60 W	 <p>Non-Directional</p>	 <p>Directional</p>
Privacy Screens 24H	72 W	 <p>Non-Directional</p>	NA
	42 - 66 W	 <p>Non-Directional</p>	 <p>Directional</p>




Silky - PF401

Verity, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Track Mounted Tackboards 14 - 18H	66 - 84 W	 <p>Non-Directional</p>	NA
	36 - 60 W	 <p>Non-Directional</p>	 <p>Directional</p>
Worksurface Mounted Tackboards 14 - 18H	22 - 28 W	 <p>Non-Directional</p>	 <p>Directional</p>
Supporting Cabinet Tackboards 15H	24 - 30 W	 <p>Non-Directional</p>	 <p>Directional</p>







Silky - PF401

Verity, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Privacy Screens 24 & 39H	72 W	 <p>Non-Directional</p>	NA
	42 - 66 W	 <p>Non-Directional</p>	 <p>Directional</p>




Silky - PF401

My-Hite & Beam, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Worksurface Mounted Tackboards 14H	66 - 72 W	 <p>Non-Directional</p>	NA
	24 - 60 W	 <p>Non-Directional</p>	 <p>Directional</p>
Beam Mounted Screens 24H	66 - 72 W	 <p>Non-Directional</p>	NA
	36 - 60 W	 <p>Non-Directional</p>	 <p>Directional</p>

Silky - PF401





My-Hite & Beam, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Privacy Screens 24 & 39H	72 W	 <p>Non-Directional</p>	NA
	42 - 66 W	 <p>Non-Directional</p>	 <p>Directional</p>







Sky - PF301

- Fabric direction is not always determined by the way the pattern is shown on memo sample.
- Certain product construction and sizes require fabric to be applied only Directionally or Non-Directionally.
- Some products have fabric applied either Directionally or Non-Directionally. (Upcharges may apply on some products, see price books for details).
- Please refer to this Fabric Direction Guide for specific pattern application defaults on all of our products.
- Our Customer Service Team is happy to answer any questions regarding fabric direction.

Memo Sample Non - Directional Application Shown






System 2, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Panels	85H	 <p>Directional</p>	NA
	32 - 67H	 <p>Non-Directional</p>	 <p>Directional</p>
Tackboards 8 or 16H	24 - 60 W	 <p>Non-Directional</p>	 <p>Directional</p>
Fabric Covered Flipper Doors 16H	24 - 60 W	 <p>Non-Directional</p>	 <p>Directional</p>








Sky - PF301

System 2, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Privacy Screens 24H	72 W	 <p>Non-Directional</p>	NA
	42 - 66 W	 <p>Non-Directional</p>	 <p>Directional</p>



Sky - PF301

Novo, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Monolithic Panels	85H	 <p>Directional</p>	NA
	32 - 67H	 <p>Non-Directional</p>	 <p>Directional</p>
Segmented Panels	All Sizes	 <p>Non-Directional</p>	 <p>Directional</p>
Tackboards 8 or 16H	24 - 48W	 <p>Non-Directional</p>	 <p>Directional</p>





Sky - PF301

Novo, Fabric Direction Guide







		GROUP 1 (Default)	GROUP 5
Privacy Screens 24H	72 W	 <p>Non-Directional</p>	NA
	42 - 66 W	 <p>Non-Directional</p>	 <p>Directional</p>

Sky - PF301








Interra, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Fabric Covered Tiles	All Sizes	 <p>Non - Directional</p>	NA
Privacy Screens 24H	72 W	 <p>Non-Directional</p>	NA
	42 - 66 W	 <p>Non-Directional</p>	 <p>Directional</p>

Dash, Fabric Direction Guide




		GROUP 1 (Default)	GROUP 5
Wall Mounted Tackboards 12 - 28H	66 - 84 W	 <p>Non-Directional</p>	NA
	36 - 60 W	 <p>Non-Directional</p>	 <p>Directional</p>
Privacy Screens 24H	72 W	 <p>Non-Directional</p>	NA
	42 - 66 W	 <p>Non-Directional</p>	 <p>Directional</p>

Verity, Fabric Direction Guide






		GROUP 1 (Default)	GROUP 5
Track Mounted Tackboards 14 - 18H	66 - 84 W	 Non-Directional	NA
	36 - 60 W	 Non-Directional	 Directional
Worksurface Mounted Tackboards 14 - 18H	22 - 28 W	 Non-Directional	 Directional
Supporting Cabinet Tackboards 15H	24 - 30 W	 Non-Directional	 Directional

Sky - PF301

Verity, Fabric Direction Guide




		GROUP 1 (Default)	GROUP 5
Privacy Screens 24 & 39H	72 W	 Non-Directional	NA
	42 - 66 W	 Non-Directional	 Directional

My-Hite & Beam, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Worksurface Mounted Tackboards 14H	66 - 72 W	 <p>Non-Directional</p>	NA
	24 - 60 W	 <p>Non-Directional</p>	 <p>Directional</p>
Beam Mounted Screens 24H	66 - 72 W	 <p>Non-Directional</p>	NA
	36 - 60 W	 <p>Non-Directional</p>	 <p>Directional</p>

Sky - PF301

My-Hite & Beam, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Privacy Screens 24 & 39H	72 W	 Non-Directional	NA
	42 - 66 W	 Non-Directional	 Directional

Sticks - PF501

- Although Sticks pattern does not have a large repeat/pattern, appearance may vary especially in different lighting.
- Appearance may also vary when applied directionally versus non-directionally.

Memo Sample

Non-Directional Application Shown







PF501-3 Sage





Sticks - PF501

System 2, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Panels	85H	 <p>Directional</p>	NA
	32 - 67H	 <p>Non-Directional</p>	 <p>Directional</p>
Tackboards 8 or 16H	24 - 60 W	 <p>Non-Directional</p>	 <p>Directional</p>
Fabric Covered Flipper Doors 16H	24 - 60 W	 <p>Non-Directional</p>	 <p>Directional</p>




Sticks - PF501

System 2, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Privacy Screens 24H	72 W	 <p>Non-Directional</p>	NA
	42 - 66 W	 <p>Non-Directional</p>	 <p>Directional</p>


Sticks - PF501

Novo, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Monolithic Panels	85H	 <p>Directional</p>	NA
	32 - 67H	 <p>Non-Directional</p>	 <p>Directional</p>
Segmented Panels	All Sizes	 <p>Non-Directional</p>	 <p>Directional</p>
Tackboards 8 or 16H	24 - 48W	 <p>Non-Directional</p>	 <p>Directional</p>





Sticks - PF501

Novo, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Privacy Screens 24H	72 W	 <p>Non-Directional</p>	NA
	42 - 66 W	 <p>Non-Directional</p>	 <p>Directional</p>






Sticks - PF501

Interra, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Fabric Covered Tiles	All Sizes	 <p>Directional</p>	NA
Privacy Screens 24H	72 W	 <p>Non-Directional</p>	NA
	42 - 66 W	 <p>Non-Directional</p>	 <p>Directional</p>








Sticks - PF501

Dash, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Wall Mounted Tackboards 12 - 28H	66 - 84 W	 <p>Non-Directional</p>	NA
	36 - 60 W	 <p>Non-Directional</p>	 <p>Directional</p>
Privacy Screens 24H	72 W	 <p>Non-Directional</p>	NA
	42 - 66 W	 <p>Non-Directional</p>	 <p>Directional</p>



Sticks-501

Verity, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Track Mounted Tackboards 14 - 18H	66 - 84 W	 <p>Non-Directional</p>	NA
	36 - 60 W	 <p>Non-Directional</p>	 <p>Directional</p>
Worksurface Mounted Tackboards 14 - 18H	22 - 28 W	 <p>Non-Directional</p>	 <p>Directional</p>
Supporting Cabinet Tackboards 15H	24 - 30 W	 <p>Non-Directional</p>	 <p>Directional</p>






Sticks - PF501

Verity, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Privacy Screens 24 & 39H	72 W	 <p>Non-Directional</p>	NA
	42 - 66 W	 <p>Non-Directional</p>	 <p>Directional</p>

Sticks-501

My-Hite & Beam, Fabric Direction Guide

		GROUP 1 (Default)	GROUP 5
Worksurface Mounted Tackboards 14H	66 - 72 W	 <p>Non-Directional</p>	NA
	24 - 60 W	 <p>Non-Directional</p>	 <p>Directional</p>
Beam Mounted Screens 24H	66 - 72 W	 <p>Non-Directional</p>	NA
	36 - 60 W	 <p>Non-Directional</p>	 <p>Directional</p>

COM Form



ALL
WORKSTYLES
WELCOME

Date: _____

Customer's Own Material (COM) Form

For testing of new COM fabrics and application directions on previously approved fabrics
ONLY ONE FABRIC PER FORM

Testing (Must be submitted prior to order submission)
 To indicate direction for order application (Must be submitted along with PO to orders@friant.com)

Directions for COM Testing

- Attach 2.5 yards of the fabric to this form. (If testing on more than one product, attach 2.5 yards of fabric per product.)
- Forward the completed test form and test fabric to the address below:
Friant & Associates
Attn Fabric Department
 1980 West Ave 140th, San Leandro, CA 94577
- Provide Customer Service Representative with tracking for test fabric.
- Please allow 5 business days (from receipt of Sample by Friant) for testing and notification of written approval by your Customer Service Representative.

Additional Notes for COM Order Application

- Leadtime does not begin until the COM fabric is approved and the COM form / tracking number are provided to Customer Service Representative.
- Contact Customer Service Representative for yardage required.
- Contact Customer Service Representative to confirm the Friant Plant the actual order fabric should be sent to.**

DEALER INFORMATION

PO NUMBER (not reqd for testing) _____

DEALER CONTACT		DEALERSHIP	
ADDRESS	CITY	STATE	ZIP
PHONE #	EMAIL	FRIANT CUSTOMER SERVICE REP	

FABRIC INFORMATION

FABRIC MANUFACTURER	MANUFACTURER PHONE #
PATTERN NAME	PATTERN #
COLOR NAME	COLOR #
YARDAGE SENT FOR TESTING (RECOMMENDED 2.5 YDS PER PRODUCT TEST)	

FABRIC TO BE APPLIED TO

SYSTEM 2 & NOVO

SEAT CUSHIONS

FLIPPER DOORS

INTERRA

TACKBOARDS

PRIVACY SCREEN

FABRIC DIRECTION REQUIRED

NON-DIRECTIONAL 


DIRECTIONAL 

1980 West Ave 140th, San Leandro, CA 94577 / T: 877-828-0410 / F: 510.535.5237 / www.friant.com pg 1 of 2

Customer's Own Material (COM) Form

recommended but not required

FABRIC DIRECTION SAMPLE



Staple fabric sample here to indicate fabric direction

1980 West Ave 140th, San Leandro, CA 94577 / T: 877-828-0410 / F: 510.535.5237 / www.friant.com
Aug 2019 pg 2 of 2

Worksurface Thickness

Product Line	1"	1 1/8"	1 3/16"
Beam		✓	
Dash	✓		
Interra		✓	
Mesa-Laminate			✓
My-Hite		✓	
Novo		✓	
System 2		✓	
Verity	✓		


*My-Hite tops for use with individual system matches the thickness of the system.

*Gitana thicknesses vary and do not match other product lines.

Laminate Grain Direction Guide













- Refer to this guide for default laminate grain direction.
- If any items require alternative grain directions, please contact Customs for assistance
- Some products will have a random grain direction, as noted in the following guide. If a specific grain direction is needed for these items, please contact Customs for assistance.
- For all edge banding, grain direction will run along the length of the edge band. See image below:

Edge Banding Grain Direction















Laminate Grain Direction

Worksurfaces

<p>Rectangular</p> 	<p>Rectangular Extension</p> 	<p>Rectangular Extension Crossgrain</p> 
<p>Notched Corner</p>  <p style="text-align: center;">OR</p>  <p style="text-align: center;">Grain direction is random for notched corners. For a specific grain direction, please contact Customs Team</p>		<p>Extended Notched Corner</p> 
<p>Curved Corner</p>  <p style="text-align: center;">OR</p>  <p style="text-align: center;">Grain direction is random for curved corners. For a specific grain direction, please contact Customs Team</p>		<p>Extended Curved Corner</p> 
<p>Extended Curved Corner Peninsula</p> 	<p>Extended Curved Corner P Shape Peninsula</p> 	<p>Extended Notched Corner Peninsula</p> 


Laminate Grain Direction

Worksurfaces

<p>120° Rectangular</p> 	<p>Wedge</p> 	<p>Rectangular Asymmetrical</p> 
<p>120° Wedge</p> 	<p>Quarter Round</p> 	<p>Half Circle</p> 
<p>120° Corner/90° ends</p> 	<p>120° Corner/120° ends</p> 	<p>135° Corner</p> 
<p>135° Double Corner</p> 	<p>D Top</p> 	<p>Ellipse End Peninsula</p> 

Laminate Grain Direction


Worksurfaces




Laminate Grain Direction

Panels


Hardsurface




Hardsurface Partial Glaze



Gallery




Interra Laminate Tile



Laminate Grain Direction


Panels

grain direction


















Laminate Grain Direction

Panels



















Laminate Grain Direction

Tabletops, Credenzas, Peds, Laterals, and Overheads

<p>Resting Tabletop</p> 	<p>Freestanding Tabletop</p> 	<p>Return Tabletop</p> 	<p>Return Tabletop</p> 
<p>Return Tabletop</p> 	<p>3 Section Credenza</p>  <ul style="list-style-type: none"> • Credenza backs have side-to-side laminate grain. 	<p>Mobile Credenza</p> 	
<p>Supporting Pedestal</p>  <ul style="list-style-type: none"> • Pedestals, Storage Cabinets and Lateral files have vertical laminate grain on backs. 	<p>Supporting Storage Cabinet</p> 	<p>Supporting Lateral File</p> 	
<p>Lateral File</p> 	<p>Wall Mounted Overhead, Laminate Swing Doors, Open Shelf</p>  <ul style="list-style-type: none"> • Overhead and hutch backs have side to side laminate grain 	<p>Hutch Overhead, Open Shelf Shared</p> 	
<p>Hutch Overhead, Sliding Door</p> 	<p>Laminate Open Shelf, 17H</p> 		

Laminate Grain Direction

Towers, Bookcases, and 2 Stage

<p>Pedestal Tower</p>  <p>FOR ALL SHELVES</p> <ul style="list-style-type: none"> • All vertical surfaces have vertical grain direction. • All horizontal surfaces have side-to-side grain direction. 	<p>Shared Storage Tower</p> 	<p>Wardrobe</p> 	
<p>24 Wide Tower</p> 	<p>30 Wide Tower</p> 	<p>Locker</p> 	<p>Combo Wardrobe Bookcase with Doors</p> 
<p>Combo Wardrobe Bookcase with Open Shelves</p> 	<p>Combo bookcase with cube shelves</p> 	<p>Cube Bookshelf</p> 	
<p>Classic Bookcase</p> 	<p>Storage Cabinet</p> 	<p>Fixed Modesty Panel</p> 	<p>Modesty Panel</p> 
<p>Leg Encasement Shroud</p> 	<p>2 Stage 3 Section Credenza</p>  <ul style="list-style-type: none"> • Credenza backs have side-to-side grain direction 		

Laminate Grain Direction

Casegoods

