

Plastics HOTLINE

rdgmedia
PUBLICATION

May 2023

In This Issue: Blades Machinery 13 | Row Electrical Equipment 13 | PCS Co. 11 | Burger & Brown Engineering 7

BARREL BORE GAUGES

Checks IDs $\frac{3}{4}''$ – 24''
Checks barrel lengths to 30'



Over 30 years experience designing, manufacturing,
rebuilding, Screws and Barrels.

For Injection, extrusion and mold molding.

FLITE
TECHNOLOGY
www.flitetech.com

toll free: (800) 327-9310
phone: (321) 631-2050
fax: (321) 636-3508



#MAGUIRE TRIPLEA



ACCURATE - ADVANCED - AUTOMATIC



THE BEST IN CLASS
MGF GRAVIMETRIC FEEDER
FOR THE PLASTICS INDUSTRY

- ★ **Accurate:** Twin load cell control measuring and adjusting for every gram of masterbatch or additive
- ★ **Advanced:** Unique control software features provide faster start-ups and color change
- ★ **Automatic:** 100% color inject with automatic color control for every situation

MAGUIRE[®]
Intelligent Simplicity

Want a free trial for 100% results with the MGF Gravimetric Feeder? Call us now to find out more.

@MaguireProducts Maguire-Products MaguireProducts info@maguire.com | www.maguire.com

USA Toll Free +1 888 459 2412 | Canada +1 905 879 1100 | Europe +44 1827 338 280 | Asia +65 6848 7117 | Taiwan +886 4 2658 1535

INNOVATIVE ROBOTICS LINE FOR PLASTICS INJECTION MOLDING !



H5 SERIES

- Molding Machine Size : 750 ~ 4,000 Tons
- Full Servo Robot up with 5 Axis AC Digital Servo.
- Industry First !. reverse (1 Axis) + Articulated Robot (4 Axis)
- Heavy Payload, Low ceiling & Less foot print
- Application : Basic Take out, Stacking, Insert Over Molding, Gate cutting, 2ndary automation!
- Features : High Strength Steel Frame, Powerful AC servo Motor, High Precision NSK Liner Motion Guide.

H5-C10 Controller

- 7" Wide Touch Screen
- ARM Cortex-A8 CPU, DDR2 512 MB
- Body Attached I.O box
- High-Performance EtherCAT Communication
- User-Friendly Icon-Based Control Screen.
- Developed with 30 years experience in the plastics molding industry.
- CE Certified Components, ISO 9001 Quality Production.

EPIK SERIES (Single or Double Arm Model)

- Molding Machine Size : 200 ~ 800 Tons
- Single or Double Arm Model (3~7 Axis AC Servo Control)
- Control : HYK-70 (Keba) Controller
- Application : Basic Take out, Stacking, Insert Over Molding, In Mold Labeling and Other 2ndary Automation, Sprue Picking
- Features : High Strength Steel Frame, High Strength AC servo Motor, Low Noise NSK Liner Motion Guide

HYK-70 (KEBA) Controller

- 7" Wide Touch Screen
- 1.2 GHz, ARM Cortex-A9 Core
- Ergonomic Design,
- High-Performance EtherCAT Communication
- High Quality Components, ISO 9001 Quality Production.
- User-Friendly Icon-Based Control Screen.
- Mode and teaching type programming for beginner mode
- Line by line programming for expert mode

EPIK-W SERIES (Flat Front Style Robot)

- Molding Machine Size : 400 ~ 4,000 Tons
- Flat Front style Robot with Single Arm Model
- Control : HYK-70 (KEBA) Controller
- Application : Basic Take out, Stacking, Insert Over Molding, In Mold Labeling and Other 2ndary Automation.
- Features : Longer parts handling, Low ceiling.



ISO9001 QUALITY

CE CERTIFIED



UNIK- SERIES (Mini Servo Robot)

- Molding Machine Size : 50 ~ 200 Tons
- Single or Double Arm Model
- Control : HYK-70 (KEBA) Controller
- Application : Take out, Stacking, Gate cutting, 2ndary Automation, Light Application.



HYROBOTICS CORP.
5319 BROWN AVE. ST.LOUIS MO 63120, USA
WWW.HYROBOTICS.COM

NEO series

Design drives change.



Tederic, Your Global Partner

No matter where you are located in the world, Tederic can provide you with premium, high-quality plastic injection molding machines and exceptional after sales service and parts support.

In addition to the Tederic headquarters in China, we have 4 overseas subsidiaries, and our distributors and agents are located in 38 countries around the world.



The all new NEO Series

The **NEO** family of premium injection molding machines are designed to offer stable, precise, efficient and energy saving performance.

Excellent specifications, Industry 4.0 ready controller, and leading brand componentry, all used in conjunction with cutting-edge design, produce machines that are perfect for even the most demanding applications.



NEO • T
Servo-toggle IMM 90t - 500t



NEO • H
Two-platen IMM 550t - 7000t



NEO • E + Ec
All-electric IMM 55t - 1088t



NEO • M
Multi-material IMM 170t - 4000t

COMPONENTS OF YOUR SUCCESS!

FOCUSED ON PERFORMANCE



Progressive Components' new v15 Catalog delivers advancements that will assist mold builders and molders for years ahead:

- New standards for greaseless/cleanroom molding.
- New options for alignment, undercut release, and side action wear strips, gibbs, and center guides.
- Advantages for mold monitoring and asset tracking.

Contact us to receive a new Catalog or CADalog®, to optimize the design, build, and running of your molds.

PROGRESSIVE
COMPONENTS

WWW.PROCOMPS.COM/V15



Temperature Control Units

Water Units : up to 300°F at 35-100 GPM

Oil Units : up to 500°F at 20-100 GPM

Over 30 Years Experience
In Temperature Control
Unit Production!



Dual Zone Dolly



Water Units
Some units in stock
Call for information



Oil Units



Stacking Stand

Low capital investment, simple start up & operation, easy to maintain, microprocessor control instruments that are easy to read and understand, factory sales and service support along with new product warranties are the reasons why TempTek water and oil products are superior. Call now for Pricing & Delivery!

317-887-6352

www.TempTek.com
525 East Stop 18 Road
Greenwood Indiana 46143

TEMPTEK

Molding Engineered Resins?

High Temperature Cooling is a Must!

Demanding cooling conditions require equipment to match.

Manage High Temperature Cooling

Lines using 100% leak-tested manifolds.

add

Flow Meters or Flow Regulators

to manage and optimize flow.

- Control zones individually in challenging molding environments
- Stainless Steel construction
- GPM or LPM scales
- Optional temperature gauges

ManifoldBuilder.com

Flow Meters



Flow Regulators



Assemblies



*Create custom assemblies
and download 3D Models
using our on-line
configurator*

Visit www.ManifoldBuilder.com to create your custom engineered solution in 3D.

 **Burger & Brown**
ENGINEERING

*In Support of
Scientific CoolingSM
Principles*

 **SMARTFLOW**[®]

www.smartflow-usa.com

Highest Conveying Capacity

- Continuous push / pull conveying
- Plastic pellets, powders & fly ash
- Exclusive dual blower design
- Low temperature rise
- Blow to silos / fill trucks & railcars
- Up to 135,000 lbs / hr thru 6" line




Christianson

Pneumatic Conveying Equipment

800-328-8896

www.christianson.com



 **CHEM-VAC**
COOL UNDER PRESSURE.[™]



The Blending Revolution is Here!

On the Plant Floor!!

Our patented, modular, virtually maintenance-free system moves blending and color changing to ground level. No more catwalks, scissor lifts, ladders, or climbing to swap out canisters or perform maintenance. And because it is cart-based, ColorStream can move easily between multiple machines.




plastrac

610-356-3000 • Plastrac.com
sales@plastrac.com

GLOBEIUS®
 USA • CANADA • MEXICO

**BETTER.
 QUALITY.
 SOLUTIONS.**

BETTER in supplying the
 North American Plastics Industry
 with Quality Products!



Hy-Electric Cranes for the Molding Industry



Slow Speed Granulators



Conveyors / Separators



Mold Releases / Cleaners

Several models
 in stock
NOW!
 Contact us
 today



www.globeius.com



SCAN TO VISIT
 OUR WEBSITE

Heavy Duty Mold Racks

ASK FOR CLEAN PLAST® PURGE COMPOUNDS AND NEWLY RELEASED MOLD CARE PRODUCTS!








“DON’T just purge to purge, PURGE TO CLEAN using the original **CLEAN PLAST®** purging compound. Contact me today to arrange for a FREE purge trial at your plant and see the difference a **CLEAN PLAST® PURGE** will make.” *—Rochelle Lemieux, President*

- **CLEAN PLAST®** is safe to Purge through Hot Runners including pre-form molds!
- **CLEAN PLAST®** is safe for all resins including PET Bottle grade.
- **CLEAN PLAST®** has no harmful abrasives or solvents!
- **CLEAN PLAST®** ingredients are GRAS by the FDA.
- **CLEAN PLAST®** cleans Screws, Barrels, Accumulators, Hot Runners and Stack Molds.
- **CLEAN PLAST®** can be used in Injection Molding, Extrusion, and Blow Molding.





MOLD CARE



Along with purging products, Clean Plast® also offers a line of mold care sprays that can be used for mold and tool applications. Our mold care products consist of: CPMC100 Mold Cleaner and Degreaser, our environmentally friendly CPMC101 Go Green® Mold Cleaner, CPMC200 Mold Rust Preventive, CPMC300 Heavy-Duty Mold Release, CPMC301 Food Safe Mold Release, and CPMC400 Silicone Mold Release. Contact us for more information and a free sample!

Visit us at: www.CLEANPLAST.com

A 100% Woman Owned Business



New Jersey Precision Technologies, Inc.
Improving lives through manufacturing innovation

FAST
Plastic Extrusion Tooling

Less than one week for most die, transition, & calibrator tools
Tooling production in 24hrs for most plate dies & transitions

Quotes in 24 hrs Built in 1 week Operating 24 / 7

40+ EDM Machines 20+ CNC Machines

Scan here to learn more about NJPT Extrusion Tools! 

(800) 409-3000 sales@njpt.com
1081 Bristol Rd Moutainside, NJ 07092 www.NJPT.com 

RECHNER SENSORS
CAPACITIVE LEVEL CONTROL


IECEx, AtEx


Fine Powders


Viscous Liquids


Plastics


Food

482 Fahrenheit
250 Celsius

www.rechner.com - 1-800-544-4106 - Sanborn, NY

Water Chillers

Over 30 Years
Experience in
Chiller Production!

Portable Chillers : .25-40 tons at .7-92 GPM

Indoor Portable Chiller ... Air or Water Cooled ... some units in stock to 20 tons.

Central Chillers : 5-180 tons at 48-540 GPM

Indoor & Outdoor units ... Air or Water Cooled
Complete chiller & pump system packages or stand alone chilling modules.


Portable Chillers


Central Chillers

Low capital investment, simple start up & operation, easy to maintain, microprocessor control instruments that are easy to read and understand, factory sales and service support along with new product warranties are the reasons why TempTek water products are superior. Call now for Pricing & Delivery!

317-887-6352

www.TempTek.com
525 East Stop 18 Road
Greenwood Indiana 46143



TIE BARS



Back into Production With Minimal Downtime

Tie Bars & Nuts



Birch Machinery • 989-624-9371

email: generalinfo@birchmachinery.com

Website: www.birchmachinery.com

Any Machine - Anywhere in North America!

PCS COMPANY / Molding Solutions



Visit www.pcs-company.com

Phone: 800-521-0546 | email: sales@pcs-company.com

simply flexible

NORRES

INDUSTRIAL HOSES

For the Plastics Industry

**AIRDUC®
PUR 355HT**

High-temperature, heavy duty, abrasion resistant suction and transport hose, 255°F

**AIRDUC®
PUR 355AS**

Heavy duty, abrasion resistant, antistatic suction and transport hose, 195°F

**AIRDUC®
PUR 356GS**

Super heavy duty, abrasion resistant, antistatic suction and transport hose, 195°F

**AIRDUC® PUR
355 FOOD**

Heavy duty, abrasion resistant, food and pharmaceutical hose, 195°F

**AIRDUC® PUR
350 FOOD-AS**

Medium heavy duty, abrasion resistant, antistatic food and pharmaceutical hose, 195°F

**Full Line NORRES
Distributor**

plastiXs
manufacturing solutions

QUICK QUOTES
sales@plastixs.com
888.792.2223

IMPROVED PROCESS EFFICIENCY

DURABILITY

Our extruders provide a greater stability and longer system life that help maintain a healthy bottom line.

QUALITY

Our years of experience are reflected in every filter that we build. This leads to a superior filter to anything else on the market.

EXPERTISE

Our technological skills and expertise allow us to build the pelletizing die you need for your operation.

TECHNOLOGY

We have mastered the design and construction of water baths, giving our customers an edge in their extrusion business.



EXTRUDERS • SCREEN CHANGERS • PELLETIZERS • AIR STRIPPERS • WATER BATHS



CONTACT US TO SPEAK TO AN EXTRUSION EXPERT

Working together to provide solutions today for tomorrow's demands

Worcester, MA, USA | Phone: (508) 852-0040 | www.berlynecm.com

REPS WANTED - PLEASE CONTACT US

Increase your machines longevity by rebuilding the toggle linkage.



We can rebuild the whole "top half" or just the linkage.



Birch Machinery • 989-624-9371

email: generalinfo@birchmachinery.com

Website: www.birchmachinery.com

Any Machine - Anywhere in North America!

Better Plastic Solutions Inc.

Dyna Con Cleated Conveyor, 12" Wide

Advantage 10Kw Mold Temperature Control Units
230 & 460 voltage

2012 Cincinnati 225 ton Injection Molding Machine

Whittmann 5 ton Air Cooled Chiller

Motan Luxor CA8-S Membrane Dryer

20 & 45 Ton Toshiba Molding Presses

www.bplasticsolutions.com

Contact: Ben @ 612-940-2774



**HIGH QUALITY EQUIPMENT AND CUSTOMIZED SOLUTIONS
FOR YOUR NEEDS IN RECYCLING AND EXTRUSION**

Thanks to our vast experience in the plastic industry and of our selected OEMs, IRS can offer you:

- recycling / upcycling systems for plastics
- extrusion systems
- filtration systems
- washing systems
- drying systems
- size reduction equipment



 **GAMMA MECCANICA**

RECYCLING LINES FOR PLASTIC MATERIALS



BRUNO FOLCIERI

Granulators for Plastic Materials

 **PLASMAQ**

Recycling and recovery equipment

 **BD PLAST**

Filtering Systems

We are more than just a sales agency

www.irecyclingsolutions.com | office@irecyclingsolutions.com | TOLL FREE: 877 675-0775



Garden City Plastics Equip.
104 Lake Rd. Garden City, MO. 64747
816-862-8703, www.gcplastics.com

For Sale:

- Cincinnati Milacron 85-Ton Inj. Molder
- Bekum H-121
- Uniroy 24 Station Wheel
- Fischer FHB-106-1&2
- Molding Machine Heads
- Magic MGL-5
- Akei AO-70
- Bekum H-111
- Bekum H-151
- Chillers, Grinders, Marley Towers & Tanks
- High Pressure Air-Compressors
- Uniroy Dual Shuttle, 2008 & 2010

BLADES
Machinery Co., Inc.

Tel: 847-439-2126 • Fax: 847-439-0917



www.bladesmachinery.com

e-mail: blades@bladesmachinery.com

THE GRANULATOR SUPERSTORE®

GRANULATORS

- (6) Wortex UP-730, 735, 755HS
- (5) Cumberland 30T, 56T
- (3) Rapid CR-66
- (65) 8x10 Nelmor 5 HP
- (20) 9x12 Rapid 7.5 HP
- (3) Cumberland Model 18, 20, 30
- (40) 10x12 Nelmor 10 HP
- Rapid 10"x18"
- (10) B&J BP27, BP32
- (6) Cumberland 1215
- (110) Nelmor 1215, 1220
- (1) B&J 1248 w/Feed Rolls
- (5) Conair CG1418, 1424
- (1) Rapid 1418K
- (5) Cumberland 1628
- (14) Cumberland 284, 484, 584, 684
- (4) Cumberland 1426L, 60 HP
- (4) Nelmor 1436 w/Feedrolls, 1454
- (5) 24B Cumberland 75 HP
- (7) Cumberland 1456
- (8) Cumberland 1616, 1620, 1628
- (6) Nelmor 1620, 1624, 1628
- (4) 28B Cumberland 75 HP
- (5) Rapid 1824, 1831
- (5) Nelmor 1820, 2020, 2238
- (8) 37B Cumberland
- (1) CMG 1842I
- Herbold SMS 4/160 H5-2
- (1) Granutech 2048, 100HP, 2548
- (2) Cumberland 50B, 72B
- (2) Cumberland 2428I
- Cumberland Model 80, 81
- (5) Rapid Model 2442R, M, H
- Ball & Jewel 3030 (100 HP)
- 26x80 Condux 150 HP
- Nelmor 3048
- Condux CS 800/1200 9 Knife
- (2) Cumberland 3250

• Novatech GFH2500 Gas Pack

• Unadyne DHD-25 Gas Dryer System

• (2) Novatec GFH 2000 Gas Pack

EXTRUDERS AND LINES

- 2.5" NRM Extruder 24:1 Non-Vented
- (4) 1" Wayne Extruder, Killion
- (3) Davis Standard 1 1/2"
- Davis Standard 3" 24:1, 30:1
- Davis Standard 3 1/2" 24:1, 30:1
- 3 1/2" Egan Extruder 30:1
- PTI 4" Extruder
- 4 1/2" PTI Pelletizing Line
- 6" CDL Extruder, Vented, 30:1
- Egan 6" 30:1 Vented Extruder
- Leistrich 34mm Twin Screw
- W&P 20mm, 40mm & 80mm Twin Screw
- Steer 12mm Twin Screw
- 6 1/2" Davis Standard 27:1, 1999
- (65) Sheet Dies 4"-96" Width
- (6) EDI 20" PVC Siding Dies
- 24"x50" PTI Roll Stack
- Gloucester 24"x60" Roll Stack
- Gloucester 20"x66" Roll Stack
- PTI 66" wide Roll Stack
- 78" PTI Sheet Line

JUST ARRIVED:

- Gloucester Roll Stack 24"x55"
- Gloucester Extruders 4 1/2", 2-3 1/2", 2-2 1/2"
- Herbold SMS 80/100 Granulator
- Weima ZMK 4-Shaft Shredder
- Cumberland x-1000
- Herbold HGS 150/100 Guillotine
- Herbold RM 110/2 Shredder
- Davis Standard 130mm Extruders
- (3) CDS 6"x36" Belt Pullers
- (2) Aaron Process 150 cu ft, SS Blenders
- (1) Cumberland FX1018
- Rossi 200 cu. ft Vertical Blenders
- CMS-10 Air Swept Mill System
- Franklin Miller KM30 Vulcanator
- Pallman PX 315 Pulveriser
- Maxon SDFK 67" Sheeter
- 600 HP 460V AC Motor (unused)
- Pallman PS6-6 Rubber Bale Grinder
- (1) 250 Cubic Feet, SS Ribbon Blenders
- Parkinson Series 50, 60" Winder
- (1) Procedyne TCF-2430 FD
- Rosenthal Sheeters 36", 60", 72"

SHREDDERS

- (1) ShredTech ST 10
- ShredPax AZ-80
- Vecoplan RG52/100 SPR

THERMOFORMING LINES

- Brown CS-4500, 1995 w/ Trim Press
- Brown Trim Presses: T-301, T-340, T-360
- Lyle 40"x40", 50"x50"

TEMP. CTRL., UNITS CHILLERS

- (4) Sterlco 12 KW Oil Unit
- (6) Thermocare 2, 3 Ton
- AEC 20 Ton
- McQuay 40 Ton

PELLETIZERS

- (12) Cumberland 6", 8", 11", 14", 20"
- (3) Conair T208
- (3) Automatik Sphero 220
- (1) Sheer Bay B20-P long cut
- (3) Witte Screeners
- Sweco 18" & 30" Screeners
- (1) Carter Day Spin Dryer
- Simon Day Spin Dryer
- Sheer Bay SGS 400L Pelletizer

DRYERS

- (25) Conair CD30, CD100, CS101, CD-200, CD-300, CD-600
- Una-Dyne DHD-8, DHD-25 w/Hoppers
- (1) Novatec MPC 1000 Drier
- Novatec MPC 1750 Drier

PIPE & PROFILE EQUIPMENT

- 5' Conair Gatto Vacuum Tank
- 18" wide United Belt Puller
- S.I.C.A. 10" Planetary Saw
- Battenfeld Upcut Saw
- Battenfeld 6"x56" Puller


Screen Changers

- (2) BD Plast 350mm Screen Change
- (5) Beringer 12" Screen Changers
- Gnuess SFX75 Screen Changer
- HiTech 4.75" Continuous Screen Changer
- (5) Beringer 8" Screen Changer
- Xalloy 4 1/2" Screen Changer
- (3) MGB 12" Screen Changer

"IN STOCK" • OVER 15,000 KNIVES, SCREENS & PARTS

ROW ELECTRICAL EQUIPMENT INC.

P.O. Box 2812 • Toledo, Ohio 43606 • 419-248-4479 • 800-248-4479
Fax No. 419-244-8887 • sales@rowelectrical.com • www.rowelectrical.com



100,000 Sq. Ft. Warehouse

We sell new and used
industrial electrical equipment, including:

- D.C. and A.C. Motors
- D.C. Drives
- A.C. Starters
- Transformers
- Switchgear
- Circuit Breakers
- 1 HP Thru 3500 HP
- Phase Converters

CALL 24 HOURS • WE BUY USED ELECTRICAL EQUIPMENT

CUTTING EDGE KNIVES

**SPECIALISTS IN ALL MAKES AND MODELS
OF KNIVES FOR THE PLASTIC INDUSTRY**

*Granulator Knives

*Pelletizer Knives

*Specialty Blades

*Under Water Pelletizer Knives

*Pulverizer Discs

*Granulator Screens

*Refurbish Your Grinders

*Sharpening

*Die Face Resurfacing

Call Today • 1-800-508-9701 • 412-279-9350

lorraine@cuttingedgeknife.com

www.cuttingedgeknife.com

FACTS Machinery Group

**Downstream
Extrusion Equipment**

- Cooling Tanks
- Vacuum Tanks
- Belted Pullers
- Cutters & Saws

330.928.2332

factsmachinerygroup.com



Air Cooled Portable Chillers

Durable and Efficient

2-100 ton. in capacity



Wide service temperature and operating range.



Learn more: 1.800.473.9178 www.waterchillers.com



United Plastics, Inc.
1227 Garfield Avenue • Flint, MI 48505
PH: 810-238-2186 • FAX: 810-238-2273
email: roy@unitedplasticsinc.com
www.unitedplasticsinc.com

BUY/SELL:

Plastic and surplus regrind, repro, virgin materials, dunnage, trays, pallets, crates, parts, sheet, pipe, purge

SERVICES:

Washing & Drying Capabilities,
Toll Grinding 200,000 lbs. + per day

GRINDING

- GRANULATION/COARSE GRINDING
- PULVERIZING/FINE GRINDING
- CRYOGENIC GRINDING
- SIFTING/CLASSIFYING
- BLENDING/MIXING
- REPACKAGING



AllgrindPlastics
P.O. Box 363
Bloomsbury, NJ 08804
908-479-4400
web site: www.allgrind.com
e-mail: info@allgrind.com

CUSTOM

AAA Maguire
Gravimetric Feeder



The Maguire MGF is the best-in-class Gravimetric Feeder for the Plastics Industry. Accurate: 0.2% with dual load cell technology. Advanced: Intuitive state of the art controls with communication. Automatic: control of 100% dispense – not just during screw recovery. Price \$3455.00
<https://bit.ly/3MPQe2F>



We Buy & Sell "POLYEVERYTHING"™

POLYMARK

All Recyclable Polymer Materials Needed

Special Requirements Now:

- TPE/TPV Reg, Pell, Purge
- PET and PETG
- PC • Engineering Resins

All Colors • Any Quantity

Serving Clients Nationwide and All Export Markets

POLYMARK™

1147 Willow Ave., Marietta, GA 30067
PH: 770-952-1147 • FAX: 770-951-2474
ron@polymark.com


CleanPlast

With material prices skyrocketing, I have a solution to help you control your costs and maximize production. Contact me, Rochelle Lemieux, President and CEO of Clean Plast® Premium Purge Compounds and Premium Mold Care Products. I usually cut change over times significantly by using the correct grade of Clean Plast® Purge for the application. And, with on-site technical support it is a slam dunk winner for you in reducing costs and increasing output. When the production run is over, use Clean Plast® Premium Mold care products for cleaning and protecting the mold while in storage, or for a weekend shut down. WWW.CLEANPLAST.COM



Plastixs

Plastixs manufactures HiTemp & Xtreme HiTemp water and oil manifold assemblies that ensure optimal cooling and heating for applications from 300°F to 600°F. Since 1999, the product experts at Plastixs quickly identify and deliver the right components and supplies that tie your systems together so you have less downtime, quality problems and safety issues – especially in high-temperature, cooling and heating applications for the plastics industry. Put our extensive knowledge, in-house engineering support, and responsive customer service to work for you. Contact us at sales@plastixs.com or call 888-792-2223.



www.plastixs.com/products/plastixs/high-temperature

Innovative Recycling Solutions

At IRS it is a fundamental aspect, together with consultancy and sales, to guarantee the supply of spare parts in a timely and simple way. We know how important it is for a producer to reduce routine maintenance time to replace worn equipment parts. For this reason we have a well-equipped warehouse and suppliers able to deliver spare parts quickly and precisely. Furthermore, most of our OEMs are the main producers of parts and components. ircyclingsolutions.com



TEDERIC

Premium injection molding machinery by TEDERIC. Products range from 55t to 7000t and include servo-toggle, servo-2 platen, hybrid electric, all-electric, and specialty multi-material solutions. With more than 1000 employees and worldwide sales to more than 130 countries, Tederic has a vibrant and growing global footprint. Tederic North America provides sales, service and spare parts support to a growing number of satisfied, repeat customers across the US and Canada. Make your next machine a TEDERIC. www.tedericglobal.com



ZERMA-AMERICA's New ZRS 2600 Pipe Shredder For Larger Diameter Pipes



Zerma is excited to announce it has developed a new ZRS series pipe shredder which can be used to process plastic pipes with a diameter of up to 7 feet and a length of up to 22 feet. The **ZRS 2600** shreds pipes with different diameters and wall thicknesses, as well as pipes that are nested. The operator control panel offers an intuitive touchscreen interface, enabling complete control and monitoring of the process to maximize productivity. The shredding will automatically start when the heavy, hydraulically-operated cover is closed and locked. A robust hydraulic pusher presses the pipes against two rotors arranged vertically rotating in the same direction. Once the pusher finishes the complete stroke, it will retract, the shredder switches off, and a new loading cycle can start. The feeding hopper can accept various sizes of pipes, even cascading multiple pipe diameters, speeding up the production process and increasing the overall performance of the pipe shredder. Zerma-America will be installing the newest ZRS pipe shredder at a North American pipe manufacturer.

Please call 239-219-1100 or email Sales@ZERMA-AMERICA.com for more details. Check our full line up at www.zerma-america.com.

Cold Shot Chillers

Enjoy peace of mind with the Cold Shot Guardian™ predictive maintenance app. Guardian™ remotely monitors your Cold Shot chiller and provides real-time operational information, with up to the minute conditions. The Cold Shot Guardian™ app also provides text and email notifications of maintenance milestones, the alarm status, fault codes, and any questionable operating conditions that may cause chiller failure. Our chillers are ruggedly dependable, and our 24/7 support team is reliable and eager to help. <https://waterchillers.com>



Stop Wasting Scrap Parts with Moditec Slow Speed Granulators

Moditec granulators are BETTER in engineered plastics recycling with innovative slow speed grinding. Especially adapted for the recycling of sprues, small and big, and also for parts for besides press operations. Get virgin-like, high quality regrind from engineered plastics with its ergonomic design and reversible combs. Some models in stock now for quick delivery. For more information visit <https://globieus.com/collections/moditec>



IN STOCK NOW

No Strings Attached: Nozzle Tips, Nozzle Caddie, And Wrench

Fin Tip Nozzles from Progressive Components provide the best solution to prevent mold-damaging strings. This patented new design dramatically reduces the solidification time, the root cause of string formation. To keep Nozzle Tips within reach, the Nozzle Caddie magnetically mounts to the molding press. And, because removing and installing nozzle tips can be a real 'knuckle buster,' our Nozzle Wrench is the preferred tool for mold setup personnel. For more information visit <https://procomps.com/NozzleTips>.



PLASTICS HOTLINE
AN RDG MEDIA, INC. PUBLICATION
P.O. Box 529
ESTERO, FL 33929

CALL 586-227-9344



LOG Injection Molding Machines

Providing Solutions for Your Injection Molding Needs



LOG manufactures a wide range of high-precision, injection molding machines for diverse applications. We work with you to ensure we are providing the best molding solutions based on your application and business requirements. You can count on us for advanced technology, application expertise, and after-sales support to help improve your overall injection molding productivity and profitability. The LOG Injection Molding platforms of cost effective A series are all hydraulic with variable displacement pumps, and the energy efficient S Series servo units, spans from 90 to 2,200 U.S. tons.

S-8 SERIES MODEL	INJECTION UNIT OZ	US TONS	CLAMP STROKE INCHES	SCREW DIAMETER INCHES	TIE BAR SPACING INCHES	PRICE
90 T	5.1	100	12.6	1.4	14 x 14	\$ 62,500
130 T	8.4	145	15.0	1.7	16 x 16	\$ 74,400
160 T	10.5	175	16.9	1.8	18 x 18	\$ 79,500
210 T	15.1	230	18.9	2	20 x 20	\$ 85,400
300 T	30	330	24.4	2.6	24 x 23	\$ 120,000

**Stock Units
Ready For
Immediate
Delivery**