

R Package **FME** : Inverse Modelling, Sensitivity, Monte Carlo – Applied to a Steady-State Model

Karline Soetaert
NIOZ Yerseke
The Netherlands

Abstract

Rpackage **FME** (Soetaert and Petzoldt 2010) contains functions for model calibration, sensitivity, identifiability, and Monte Carlo analysis of nonlinear models.

This vignette, (`vignette("FMEsteady")`), applies **FME** to a partial differential equation, solved with a steady-state solver from package **rootSolve**

A similar vignette (`vignette("FMEdyna")`), applies the functions to a dynamic simulation model, solved with integration routines from package **deSolve**

A third vignette (`vignette("FMEother")`), applies the functions to a simple nonlinear model

`vignette("FMEcmc")` tests the Markov chain Monte Carlo (MCMC) implementation

Keywords: steady-state models, differential equations, fitting, sensitivity, Monte Carlo, identifiability, R.

1. A steady-state model of oxygen in a marine sediment

This is a simple model of oxygen in a marine (submersed) sediment, diffusing along a spatial gradient, with imposed upper boundary concentration oxygen is consumed at maximal fixed rate, and including a monod limitation.

See (Soetaert and Herman 2009) for a description of reaction-transport models.

The constitutive equations are:

$$\begin{aligned}\frac{\partial O_2}{\partial t} &= -\frac{\partial Flux}{\partial x} - cons \cdot \frac{O_2}{O_2 + k_s} \\ Flux &= -D \cdot \frac{\partial O_2}{\partial x} \\ O_2(x=0) &= upO2\end{aligned}$$

```
> par(mfrow=c(2, 2))  
> require(FME)
```

First the model parameters are defined...

```
> pars <- c(upO2 = 360, # concentration at upper boundary, mmolO2/m3  
+          cons = 80, # consumption rate, mmolO2/m3/day
```

```
+ ks = 1,      # O2 half-saturation ct, mmolO2/m3
+ D = 1)      # diffusion coefficient, cm2/d
```

Next the sediment is vertically subdivided into 100 grid cells, each 0.05 cm thick.

```
> n <- 100                # nr grid points
> dx <- 0.05             #cm
> dX <- c(dx/2, rep(dx, n-1), dx/2) # dispersion distances; half dx near boundaries
> X <- seq(dx/2, len = n, by = dx) # distance from upper interface at middle of box
```

The model function takes as input the parameter values and returns the steady-state condition of oxygen. Function `steady.1D` from package **rootSolve** ((Soetaert 2009)) does this in a very efficient way (see (Soetaert and Herman 2009)).

```
> O2fun <- function(pars)
+ {
+   derivs<-function(t, O2, pars)
+   {
+     with (as.list(pars),{
+
+       Flux <- -D* diff(c(upO2, O2, O2[n]))/dX
+       dO2 <- -diff(Flux)/dx - cons*O2/(O2 + ks)
+
+       return(list(dO2, UpFlux = Flux[1], LowFlux = Flux[n+1]))
+     })
+   }
+
+   # Solve the steady-state conditions of the model
+   ox <- steady.1D(y = runif(n), func = derivs, parms = pars,
+                 nspec = 1, positive = TRUE)
+   data.frame(X = X, O2 = ox$y)
+ }
```

The model is run

```
> ox <- O2fun(pars)
```

and the results plotted...

```
>
```

```
> plot(ox$O2, ox$X, ylim = rev(range(X)), xlab = "mmol/m3",
+      main = "Oxygen", ylab = "depth, cm", type = "l", lwd = 2)
```

2. Global sensitivity analysis : Sensitivity ranges

The sensitivity of the oxygen profile to parameter `cons`, the consumption rate is estimated. We assume a normally distributed parameter, with mean = 80 (`parMean`), and a variance=100 (`parCovar`). The model is run 100 times (`num`).




Figure 1: The modeled oxygen profile - see text for R-code

```
> print(system.time(
+ Sens2 <- sensRange(parms = pars, func = O2fun, dist = "norm",
+                   num = 100, parMean = c(cons = 80), parCovar = 100)
+ ))
```

```
user system elapsed
0.172  0.000  0.171
```

The results can be plotted in two ways:

```
> par(mfrow = c(1, 2))
> plot(Sens2, xyswap = TRUE, xlab = "O2",
+      ylab = "depth, cm", main = "Sensitivity runs")
> plot(summary(Sens2), xyswap = TRUE, xlab = "O2",
+      ylab = "depth, cm", main = "Sensitivity ranges")
> par(mfrow = c(1, 1))
```

3. Local sensitivity analysis : Sensitivity functions

Local sensitivity analysis starts by calculating the sensitivity functions

```
> O2sens <- sensFun(func=O2fun,parms=pars)
```

The summary of these functions gives information about which parameters have the largest effect (univariate sensitivity):

```
> summary(O2sens)
```




Figure 2: Results of the sensitivity run - left: all model runs, right: summary - see text for R-code

	value	scale	L1	L2	Mean	Min	Max	N
upO2	360	360	7.0	8.8	7.0	1.0e+00	13.4176	100
cons	80	80	8.3	11.8	-8.3	-2.3e+01	-0.0084	100
ks	1	1	2.2	3.7	2.2	1.2e-04	9.6137	100
D	1	1	8.1	11.4	8.1	8.4e-03	22.0312	100

In bivariate sensitivity the pair-wise relationship and the correlation is estimated and/or plotted:

```
> pairs(O2sens)
```

```
> cor(O2sens[,-(1:2)])
```

	upO2	cons	ks	D
upO2	1.0000000	-0.9784082	0.8375806	0.9787945
cons	-0.9784082	1.0000000	-0.9323093	-0.9999609
ks	0.8375806	-0.9323093	1.0000000	0.9317287
D	0.9787945	-0.9999609	0.9317287	1.0000000

Multivariate sensitivity is done by estimating the collinearity between parameter sets (Brun, Reichert, and Kunsch 2001).

```
> Coll <- collin(O2sens)
```

```
> Coll
```

	upO2	cons	ks	D	N	collinearity
1	1	1	0	0	2	7.6
2	1	0	1	0	2	2.9




Figure 3: pairs plot - see text for R-code

```

3      1      0      0      1      2          7.7
4      0      1      1      0      2          4.4
5      0      1      0      1      2        204.3
6      0      0      1      1      2          4.4
7      1      1      1      0      3         24.3
8      1      1      0      1      3        229.0
9      1      0      1      1      3         25.5
10     0      1      1      1      3        215.8
11     1      1      1      1      4        236.3

```

```
> plot(Coll, log = "y")
```

4. Fitting the model to the data

Assume both the oxygen flux at the upper interface and a vertical profile of oxygen has been measured.

These are the data:

```

> O2dat <- data.frame(x = seq(0.1, 3.5, by = 0.1),
+   y = c(279,260,256,220,200,203,189,179,165,140,138,127,116,
+   109,92,87,78,72,62,55,49,43,35,32,27,20,15,15,10,8,5,3,2,1,0))
> O2depth <- cbind(name = "O2", O2dat)      # oxygen versus depth
> O2flux <- c(UpFlux = 170)                # measured flux

```

First a function is defined that returns only the required model output.

```

> O2fun2 <- function(pars)
+ {

```




Figure 4: collinearity - see text for R-code

```

+ derivs<-function(t, O2, pars)
+ {
+   with (as.list(pars),{
+
+     Flux <- -D*diff(c(upO2, O2, O2[n]))/dX
+     dO2 <- -diff(Flux)/dx - cons*O2/(O2 + ks)
+
+     return(list(dO2,UpFlux = Flux[1], LowFlux = Flux[n+1]))
+   })
+ }
+
+ ox <- steady.1D(y = runif(n), func = derivs, parms = pars, nspec = 1,
+               positive = TRUE, rtol = 1e-8, atol = 1e-10)
+
+ list(data.frame(x = X, O2 = ox$y),
+       UpFlux = ox$UpFlux)
+ }

```

The function used in the fitting algorithm returns an instance of type `modCost`. This is created by calling function `modCost` twice. First with the modeled oxygen profile, then with the modeled flux.

```

> Objective <- function (P)
+ {
+   Pars <- pars
+   Pars[names(P)]<-P
+   modO2 <- O2fun2(Pars)
+
+   # Model cost: first the oxygen profile
+   Cost <- modCost(obs = O2depth, model = modO2[[1]],

```

```

+           x = "x", y = "y")
+
+ # then the flux
+ modFl <- c(UpFlux = mod02$UpFlux)
+ Cost <- modCost(obs = 02flux, model = modFl, x = NULL, cost = Cost)
+
+ return(Cost)
+ }

```

We first estimate the identifiability of the parameters, given the data:

```

> print(system.time(
+ sF<-sensFun(Objective, parms = pars)
+ ))

```

```

user system elapsed
0.034  0.000  0.034

```

```

> summary(sF)

```

	value	scale	L1	L2	Mean	Min	Max	N
up02	360	360	4.3	5.84	4.3	0.5069	13.3	36
cons	80	80	3.7	5.96	-3.6	-15.3722	0.5	36
ks	1	1	0.4	0.86	0.4	-0.0069	3.1	36
D	1	1	3.7	5.96	3.7	0.0342	15.4	36

```

> collin(sF)

```

	up02	cons	ks	D	N	collinearity
1	1	1	0	0	2	8.6
2	1	0	1	0	2	3.1
3	1	0	0	1	2	8.7
4	0	1	1	0	2	4.2
5	0	1	0	1	2	50.6
6	0	0	1	1	2	4.2
7	1	1	1	0	3	14.2
8	1	1	0	1	3	50.8
9	1	0	1	1	3	14.7
10	0	1	1	1	3	50.6
11	1	1	1	1	4	51.0

The collinearity of the full set is too high, but as the oxygen diffusion coefficient is well known, it is left out of the fitting. The combination of the three remaining parameters has a low enough collinearity to enable automatic fitting. The parameters are constrained to be >0

```

> collin(sF, parset = c("up02", "cons", "ks"))

```

```

up02 cons ks D N collinearity
1    1    1    1 0 3          14

> print(system.time(
+   Fit <- modFit(p = c(up02 = 360, cons = 80, ks = 1),
+                   f = Objective, lower = c(0, 0, 0))
+ ))

    user  system elapsed
0.154   0.000   0.153

> (SFit<-summary(Fit))

Parameters:
      Estimate Std. Error t value Pr(>|t|)
up02  292.937      2.104 139.237 <2e-16 ***
cons   49.686      2.369  20.974 <2e-16 ***
ks      1.297      1.366   0.949  0.349
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 4.401 on 33 degrees of freedom

Parameter correlation:
      up02  cons  ks
up02 1.0000 0.5789 0.2977
cons 0.5789 1.0000 0.9014
ks   0.2977 0.9014 1.0000

We next plot the residuals

> plot(Objective(Fit$par), xlab = "depth", ylab = "",
+       main = "residual", legpos = "top")

and show the best-fit model

> Pars <- pars
> Pars[names(Fit$par)] <- Fit$par
> mod02 <- O2fun(Pars)

> plot(O2depth$y, O2depth$x, ylim = rev(range(O2depth$x)), pch = 18,
+       main = "Oxygen-fitted", xlab = "mmol/m3", ylab = "depth, cm")
> lines(mod02$O2, mod02$X)

```

5. Running a Markov chain Monte Carlo

We use the parameter covariances of previous fit to update parameters, while the mean squared residual of the fit is use as prior fo the model variance.




Figure 5: residuals - see text for R-code




Figure 6: Best fit model - see text for R-code

```
> Covar <- SFit$cov.scaled * 2.4^2/3
> s2prior <- SFit$modVariance
```

We run an adaptive Metropolis, making sure that ks does not become negative...

```
> print(system.time(
+ MCMC <- modMCMC(f = Objective, p = Fit$par, jump = Covar,
+ niter = 1000, ntrydr = 2, var0 = s2prior, wvar0 = 1,
+ updatecov = 100, lower = c(NA, NA, 0))
+ ))
```

number of accepted runs: 745 out of 1000 (74.5%)

```
user system elapsed
5.625 0.000 5.625
```

```
> MCMC$count
```

```
dr_steps      Alfasteps  num_accepted num_covupdate
      658           1974           745             9
```

Plotting the results is similar to previous cases.

```
> plot(MCMC, Full=TRUE)
```

```
> hist(MCMC, Full = TRUE)
```

```
> pairs(MCMC, Full = TRUE)
```

or summaries can be created:

```
> summary(MCMC)
```

```
mean      up02      cons      ks      var_model
sd        3.223552  3.022602  1.64476598  988.202835
min       280.588455  43.117030  0.00954692   1.672061
max       307.130519  67.747428  11.52511980 17047.136017
q025     291.422922  48.609816  0.87552382   10.461882
q050     293.193776  50.289930  1.61930480   23.611592
q075     294.871472  52.319850  2.86264453   65.163501
```

```
> cor(MCMC$par)
```

```
up02      cons      ks
up02  1.0000000  0.5844240  0.2073395
cons  0.5844240  1.0000000  0.8343213
ks    0.2073395  0.8343213  1.0000000
```




Figure 7: MCMC plot results - see text for R-code




Figure 8: MCMC histogram results - see text for R-code




Figure 9: MCMC pairs plot - see text for R-code




Figure 10: MCMC range plot - see text for R-code

Note: we pass to `sensRange` the full parameter vector (`parms`) and the parameters sampled during the MCMC (`parInput`).

```
> plot(summary(sensRange(parms = pars, parInput = MCMC$par, f = O2fun, num = 500)),
+       xyswap = TRUE)
> points(O2depth$y, O2depth$x)
```

6. Finally

This vignette is made with Sweave (Leisch 2002).

References

Brun R, Reichert P, Kunsch H (2001). “Practical Identifiability Analysis of Large Environmental Simulation Models.” *Water Resources Research*, **37**(4), 1015–1030.

- Leisch F (2002). “Dynamic Generation of Statistical Reports Using Literate Data Analysis.” In W Härdle, B Rönz (eds.), *COMPSTAT 2002 – Proceedings in Computational Statistics*, pp. 575–580. Physica-Verlag, Heidelberg.
- Soetaert K (2009). **rootSolve**: *Nonlinear Root Finding, Equilibrium and Steady-State Analysis of Ordinary Differential Equations*. R package version 1.6, URL <http://CRAN.R-project.org/package=rootSolve>.
- Soetaert K, Herman PMJ (2009). *A Practical Guide to Ecological Modelling. Using R as a Simulation Platform*. Springer-Verlag, New York.
- Soetaert K, Petzoldt T (2010). “Inverse Modelling, Sensitivity and Monte Carlo Analysis in R Using Package **FME**.” *Journal of Statistical Software*, **33**(3), 1–28. URL <http://www.jstatsoft.org/v33/i03/>.

Affiliation:

Karline Soetaert
Royal Netherlands Institute of Sea Research (NIOZ)
4401 NT Yerseke, Netherlands
E-mail: k.soetaert@nioz.nl
URL: <http://www.nioz.nl>