



EFIS

Ethiopian Federated Identity System

Federation Operator Practice: Metadata Registration Practice Statement

Authors	EthERNet
Publication Date	25-Nov-21
Version	1.1

Contents

1. Definitions and Terminology	1
2. Introduction and Applicability	2
3. Member Eligibility and Ownership	3
4. Metadata Format	4
5. Entity Eligibility and Validation	5
5.1 Entity Registration	5
5.2 EntityID Format	5
5.3 Entity Validation	5
6. Entity Management	6
6.1 Entity Change Requests	6
6.2 Unsolicited Entity Changes	6
7. References	7

1. Definitions and Terminology

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in RFC 2119 [RFC2119].

The following definitions are used in this document:

Federation	Identity Federation. An association of organisations that come together to securely exchange information as appropriate about their users and resources to enable collaborations and transactions.
Federation Member	An organisation that has joined the Federation by agreeing to be bound by the Federation Policy in writing.
Federation Operator	Organisation providing the infrastructure for Authentication and Authorisation to Federation Members.
Federation Policy	A document describing the obligations, rights and expectations of the federation members and the federation Operator.
Entity	A discrete component that a member wishes to register and describe in metadata. This is typically an Identity Provider or Service Provider.
Registry	System used by the Federation Operator to register entity metadata. This may be via a self-service tool or via other manual processes.
Registered Representatives	Individuals authorized to act on behalf of the member. These may take on different roles with different rights attached to them.

2. Introduction and Applicability

This document describes the metadata registration practices of the Federation Operator with effect from the publication date shown on the cover sheet. All new entity registrations performed on or after that date SHALL be processed as described here until the document is superseded.

This document SHALL be published on the Federation website at: <https://efis.ethernet.edu.et/> updates to the documentation SHALL be accurately reflected in entity metadata.

An entity that does not include a reference to a registration policy MUST be assumed to have been registered under historic, undocumented registration practice regime. Requests to re-evaluate a given entity against a current MRPS MAY be made to the Federation help desk.

3. Member Eligibility and Ownership

Members of the Federation are eligible to make use of the Federation Operator's registry to register entities. Registration requests from other sources SHALL NOT be accepted.

The procedure for becoming a member of the Federation as an Identity Provider is documented at: <https://efis.ethernet.edu.et/join.html>

The membership procedure verifies that the prospective member has legal capacity and requires that all members enter into a contractual relationship with the Federation Operator by agreeing to the Federation policy. The Operator makes checks based on the legal name provided. The checks are conducted with a number of official databases.

The membership process also identifies and verifies Registered Representatives, who are permitted to act on behalf of the organization in dealings with the Federation Operator. Verification is achieved by:

- Checking and verifying administrative, technical and security contact information (institutional email, phone number)
- Checking and verifying organization official letter against contact person's information
- Checking organization's web site against EthERNet's database
- Checking and verifying organization name and scientific role against respected Ministry's database in Ethiopia.

The process also establishes a canonical name for the Federation member. The canonical name of member MAY change during the membership period, for example as a result of corporate name changes or mergers. The member's canonical name is disclosed in the entity's **<md:OrganizationName>** element.

4. Metadata Format

Metadata for all entities registered by the Federation Operator SHALL make use of the [SAML-Metadata-RPI-V1.0] metadata extension to indicate that the Federation Operator is the registrar for the entity and to detail the version of the MRPS statement that applies to the entity.

Registration practices change over time, editions of this document are distinguished by their dates of publication and by a compact URL derived from that date. The compact URL for an MRPS published on a particular date SHALL be: MRPS-YYYYMMDD Where:

- YYYY represents the document's year of publication.
- MM represents the document's month of publication, from “ 01 ” to “ 12 ”
- DD represents the document's day of publication, from “ 01 ” to “ 31 ”

The MRPS SHALL be published on the EFIS web site at the following URL:

<https://efis.ethernet.edu.et/docs/mrps.pdf>

The following is a non-normative example:

```
<mdrpi:RegistrationInfo
  registrationAuthority="https://efis.ethernet.edu.et"
  registrationInstant="2021-11-29T13:39:41Z">
  <mdrpi:RegistrationPolicy xml:lang="en">
    http://efis.ethernet.edu.et/docs/MRPS20121110
  </mdrpi:RegistrationPolicy>
</mdrpi:RegistrationInfo>
```

5. Entity Eligibility and Validation

In this section entity registration, entityID format and validation will be described.

5.1 Entity Registration

The process by which a federation member can register an entity is described at <https://efis.ethernet.edu.et/join.html>

The Federation Operator SHALL verify the member's right to use particular domain names in relation to entityID attributes and, for Identity Provider entities, any scope elements.

The right to use a domain name SHALL be established in one of the following ways:

- A member's canonical name matches registrant information shown in DNS.
- A member MAY be granted the right to make use of a specific domain name through a permission letter from the domain owner on a per-entity basis and scope compliant. Identity Provider entities, scopes MUST be rooted in the DNS domain name space, it allows the scopes to begin with DNS domain names but there can be left most extensions that aren't listed Permission SHALL NOT be regarded as including permission for the use of sub-domains.

5.2 EntityID Format

Values of the entityID attribute registered MUST be an absolute URI using the http, https or urn schemes.

https-scheme URIs are RECOMMENDED to all members.

http-scheme and https-scheme URIs used for entityID values MUST contain a host part whose value is a DNS domain.

5.3 Entity Validation

On entity registration, the Federation Operator SHALL carry out entity validations checks. These checks include:

- Ensuring all required information is present in the metadata.
- Ensuring metadata is correctly formatted.
- Ensuring URLs specified in the metadata are technically reachable.
- Ensuring protocol endpoints are properly protected with TLS / SSL certificates.

6. Entity Management

Once a member has joined the Federation any number of entities MAY be added, modified or removed by the organization.

6.1 Entity Change Requests

Any request for entity addition, change or removal from Federation members needs to be communicated from or confirmed by their respective Registered Representatives.

Communication of change happens via e-mail, Federation registry tool.

6.2 Unsolicited Entity Changes

The Federation Operator may amend or modify the Federation metadata at any time in order to:

- Ensure the security and integrity of the metadata.
- Comply with inter-federation agreements.
- Improve interoperability.
- Add value to the metadata.

Changes will be communicated to Registered Representatives for the entity.

7. References

[RFC2119]	Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119 , March 1997.
[SAML-Metadata-RPI-V1.0]	SAML V2.0 Metadata Extensions for Registration and Publication Information Version 1.0. 03 April 2012. OASIS Committee Specification 01. http://docs.oasisopen.org/security/saml/Post2.0/saml-metadata-rpi/v1.0/cs01/saml-metadata-rpi-v1.0-cs01.html
[SAML-Metadata-OS]	OASIS Metadata for the OASIS Security Assertion Markup Language (SAML) V2.0: https://docs.oasis-open.org/security/saml/v2.0/saml-metadata-2.0-os.pdf
Ethiopian Federated Identity System (EFIS) Identity Federation Policy	Ethiopian Identity Federation Policy Document