



Commercial Syn Bags Ltd.

Commercial House, 3- 4, Jaora Compound, M. Y. H. Road,
Indore, Madhya Pradesh, India- 452001.

INDEX

List of Tables	iii
List of Graphs	iv
List of Figures.....	iv
CHAPTER 1 INTRODUCTION	1
1.1 Intended user	1
1.2 Standards/ guidelines used	1
1.3 Objectives of Carbon Footprint Study	2
CHAPTER 2 DESCRIPTION OF THE ORGANIZATION/ COMPANY.....	3
2.1 Project Location.....	3
2.2 Area Statement	3
2.3 Raw material details.....	5
CHAPTER 3 METHODOLOGY AND REPORTING BOUNDARIES	8
3.1 Methodology	8
3.1.1 Definition of Calculation Boundaries.....	8
3.1.2 Selection of Conversion Factors.....	8
3.1.3 Application of Conversion Factors/ Emission Factors	8
3.2 Operational boundaries considered for the project	9
CHAPTER 4 GHG INVENTORY AND EMISSION QUANTIFICATION	11
4.1 Unit 1.....	11
4.1.1 Category 1	11
4.1.2 Category 2	11
4.1.3 Category 3.....	11

4.1.4 Category 4.....	12
4.1.5 Total emissions.....	13
4.2 Unit 2.....	15
4.2.1 Category 1.....	15
4.2.2 Category 2.....	15
4.2.3 Category 3.....	15
4.2.4 Category 4.....	16
4.2.5 Total emissions.....	17
4.3 Unit 3- SEZ.....	19
4.3.1 Category 1.....	19
4.3.2 Category 2.....	19
4.3.3 Category 3.....	19
4.3.4 Category 4.....	20
4.3.5 Total emissions.....	21
CHAPTER 5 GHG REDUCTION INITIATIVES AND AVOIDED EMISSIONS.....	23
5.1 Carbon Sequestration.....	23
5.2 Avoided emissions.....	23
CHAPTER 6 CONCLUSION.....	24
6.1 Unit 1.....	24
6.2 Unit 2.....	24
6.3 Unit 3 (SEZ).....	25
CHAPTER 7 RECOMMENDATIONS.....	26

List of Tables

Table 1 Project location details.....	3
Table 2 Project area details	3
Table 3 Raw material details	5
Table 4 Boundary conditions.....	10
Table 5 Emissions of Category 1 for unit 1	11
Table 6 Emissions of Category 2 for unit 1	11
Table 7 Emissions of Category 3 for unit 1	12
Table 8 Emissions of Category 4 for unit 1	13
Table 9 Total emissions for unit 1	13
Table 10 Emissions of Category 1 for unit 2.....	15
Table 11 Emissions of Category 2 for unit 2.....	15
Table 12 Emissions of Category 3 for unit 2.....	16
Table 13 Emissions of Category 4 for unit 2.....	17
Table 14 Total emissions for unit 2.....	17
Table 15 Emissions of Category 1 for unit 3.....	19
Table 16 Emissions of Category 2 for unit 3.....	19
Table 17 Emissions of Category 3 for unit 3.....	20
Table 18 Emissions of Category 4 for unit 3.....	21
Table 19 Total emissions for unit 3.....	21
Table 20 Avoided emissions	23

List of Graphs

Graph 1 Representation of emissions by category for unit 1	14
Graph 2 Representation of emissions by category for unit 2	18
Graph 3 Representation of emissions by category for unit 3	22

List of Figures

Figure 1 Images of project site	4
Figure 2 Process flow diagram.....	7

COMSYN

CHAPTER 1 INTRODUCTION

The Carbon Footprint (CF) is a parameter that represents the total emissions of CO₂ and other greenhouse gases (GHG), expressed in mass of CO₂ equivalent, caused directly or indirectly by a product, organization, service or event. The carbon footprint is important to try to quantify the main emission sources and to have a complete picture of the impact of an organization on climate change. It is also the first step to carry out a plan to reduce GHG emissions. The carbon footprint of an organization intends to quantify the GHG emissions implied by the activity flows of an interconnected entity or group of entities.

1.1 Intended user

The client is intended user of this report. This report is solely intended for internal use. The first step towards managing GHG emissions is to measure them. This report provides essential quantitative information on GHG emissions of Comsyn Industries Ltd. This report helps organization to enhance the environmental impacts of GHG quantification/removal which further helps to reduce the GHG emissions as measurement leads to management.

1.2 Standards/ guidelines used

This report is prepared in accordance with the principles set out by ISO 14064 for the quantification and reporting of GHG emissions and removals. ISO 14064 standards and guidance enables companies to measure, manage and report greenhouse gas emissions from their operations and value chains.

This standard details the principles and requirements for the design, development and management of GHG inventories for companies and organizations, and for the reporting of these inventories. It also includes the requirements to determine the GHG emission limits, quantify the emissions and removals of the organization's gases and identify the activities or specific actions of the company in order to improve the management of these gases. ISO 14064 focuses mainly on the facilities and activities subject to the entire organization, conducting a study of GHG emissions associated with the processes carried out by the company, leaving open the possibility of including scope 3 sources. In the case of Comsyn Industries Ltd., the year 2024 has been established as the base or reference year.

1.3 Objectives of Carbon Footprint Study

- To identify the main GHG emission sources of an organization.
- To quantify the emissions in each stage of the process due to fuel consumption, electricity consumption, water consumption, waste water generation and solid waste generation, etc.
- To identify the hotspots of environmental emissions and suggest the reduction measures for the same.
- To find out carbon sequestration mitigations.

COMSYN

CHAPTER 2 DESCRIPTION OF THE ORGANIZATION/ COMPANY

Comsyn is a manufacturer of FIBC, Tarpaulin, Woven Sacks, and BOPP Bags, located in Indore, a city in Central India. It is a member of 50 years old Choudhary Group, which has a wide range of business interests. The company is socially responsible towards its 2000 employees, who are the pillars of the company. Their manufacturing capacity is 14400 M.T. per annum and produces 4-5 million big bags annually. The company is located in the AKVN of the state. The government has provided all infrastructures like electrical power, continuous water supply with purification system, internal road network, external approach road, etc.

2.1 Project Location

Sr. No.	Description	Details
1	Name of the Project	Commercial Syn Bags Limited
2	Project type	Manufacturer of FIBC, Tarpaulin, Woven Sacks, and BOPP Bags
3	Location	Indore, Madhya Pradesh
4	Address of concerned executive (with address& contact)	Amrit Pritam Commercial House, 3-4, Jaora Compound, M.Y.H. Road, Indore - 452 001 (M.P.), India. Phone:91-731-2704007 / 4279525 Email: vtp@comsyn.com
5	Address	Commercial House, 3-4, Jaora Compound, M.Y.H. Road, Indore - 452 001 (M.P.), India.
6	Production capacity	14400 M.T. per annum

Table 1 Project location details


2.2 Area Statement

Sr. No.	Description	Area in Sq. m.
1.	Total plot Area	28658.7
2.	Built Up Area	19498.67
3.	Green Belt Area	6736.5

Table 2 Project area details



(a)



(b)


Figure 1 Images of project site


2.3 Raw material details

Sr. No.	Raw Material	Quantity (MT/ month)
1	Polypropylene (PP)	770
2	Low Density Poly Ethylene (LDPE)	98
3	Linear Low Density Poly Ethylene (LLDPE)	24
4	Recycled Plastic (RP)	82
5	Master Batch (MB)	103

Table 3 Raw material details

PROCESS FLOW CHART








Figure 2 Process flow diagram

CHAPTER 3 METHODOLOGY AND REPORTING BOUNDARIES

3.1 Methodology

3.1.1 Definition of Calculation Boundaries

To start measuring GHG emissions, all the units and departments of the organization will be included in the assessment of emissions.

In setting organizational boundaries, a company selects an approach for consolidating GHG emissions and then consistently applies the selected approach to define those businesses and operations that constitute the company for the purpose of accounting and reporting GHG emissions. For corporate reporting of GHG emissions, two distinct approaches can be taken: Equity Share Approach and Control Approach. The equity share approach accounts for emissions based on financial ownership or economic interest in an operation. The control approach accounts for emissions based on operational or financial control of an operation. The calculation boundaries are given in table 4.

3.1.2 Selection of Conversion Factors

Conversion factors facilitate the calculation of CO₂ emissions by multiplying activity data, expressed in their respective international units and converted into kilograms of carbon dioxide equivalent (Kg CO₂ eq.). CO₂ eq. is the universal unit of measurement to indicate the global warming potential (GWP) of GHGs, expressed in terms of the GWP of one unit of carbon dioxide. We consulted numerous reference sources to select the most appropriate conversion factors, considering certain selection criteria such as accessibility, consistency, and transparency in revisions and updates. Every year, during the first months of the year, conversion factors are reviewed and updated.

$$\text{GHG (t CO}_2\text{ eq.)} = \text{aspect quantity data} \times \text{conversion factor}$$

3.1.3 Application of Conversion Factors/ Emission Factors

Most conversion factors were used directly as defined in the chosen source. In certain instances, suitable factors needed to be calculated specifically, e.g. using average values when slight differences exist among the sources (e.g. hotel stays, rail travel, car trips, and the like) or using ad HOC factors that can be calculated for specific aspects and crosschecked against calculators from relevant sources (e.g. air travel).

Emission Factor: An emission factor is a coefficient which allows converting activity data into GHG emissions. It is the average emission rate of a given source, relative to units of activity or process/processes.

3.2 Operational boundaries considered for the project

Category	Description		Applicability
1	DIRECT GHG EMISSIONS AND REMOVALS		✓
	1.1	Direct emissions from stationary combustion	
	1.2	Direct emissions from mobile combustion	
	1.3	Direct process emissions and removals arising from industrial processes	
	1.4	Direct fugitive emissions arising from the release of greenhouse gases in anthropogenic systems	
	1.5	Direct emissions and removals from land use, land use change and forestry	
2	INDIRECT GHG EMISSIONS FROM IMPORTED ENERGY		✓
	2.1	Indirect emissions from imported electricity	
	2.2	Indirect emissions from imported energy	
3	INDIRECT GHG EMISSIONS FROM TRANSPORTATION		✓
	3.1	Emissions from upstream transport and distribution for goods	
	3.2	Emissions from downstream transport and distribution for goods	
	3.3	Emissions from employee commuting	
	3.4	Emissions from client and visitor transport	
	3.5	Emissions from business travel	
4	INDIRECT GHG EMISSIONS FROM PRODUCTS USED BY ORGANIZATION		✓
	4.1	Emissions from purchased goods	
	4.2	Emissions from capital goods	
	4.3	Emissions from disposal of solid and liquid waste	
	4.4	Emissions from the use of assets	
	4.5	Emissions from the use of services that are not described in the above subcategories (consulting, cleaning, maintenance, mail delivery, bank, etc.)	
5	INDIRECT GHG EMISSIONS ASSOCIATED WITH THE USE OF PRODUCTS FROM THE ORGANIZATION		NA
	5.1	Emissions or removals from the use stage of the product	
	5.2	Emissions from downstream leased assets	
	5.3	Emissions from end of life stage of the product	

	5.4	Emissions from investments	
6	INDIRECT GHG EMISSIONS FROM OTHER SOURCES		NA

Table 4 Boundary conditions

COMSYN

CHAPTER 4 GHG INVENTORY AND EMISSION QUANTIFICATION

4.1 Unit 1

4.1.1 Category 1

Direct GHG emissions due to fuel consumption

Fuel type	Fuel consumption	Total emissions(kg CO ₂ eq./year)	Total emissions (t CO ₂ eq. /year)
Diesel	2400 lit/ year	6336	6.336
LPG	3969.504 lit/ year	6180.87	6.180
Total Category 1 emissions (t CO₂ eq. /year)			12.516

Table 5 Emissions of Category 1 for unit 1

4.1.2 Category 2

Indirect GHG emissions due to purchased electricity

Category	Consumption (kWh/ year)	Total emissions (kg CO ₂ eq./year)	Total emissions (t CO ₂ eq. /year)
Electricity	4743240	4325834.88	4325.83
Total Category 2 emissions (t CO₂ eq. /year)			4325.83

Table 6 Emissions of Category 2 for unit 1

4.1.3 Category 3

Indirect GHG emissions due to transportation

(a) Employee Commuting

Types of vehicles	No. of vehicles	Distance (Km/day)	Total (Km/year)	Total emission (t CO ₂ eq. /year)
Car	4	70	25550	18.019
2 wheeler	4	20	29200	1.218
Bus	1	70	102200	13.514
Total emissions due to employee commuting (t CO₂ eq./year)				32.750

(b) Raw material Transportation

Material type	Means of Transportation	Material transported (t-Km/year)	Total emissions(t CO ₂ eq. /year)
Raw materials	By road	7314720	1233.262
Total emissions due to raw material distribution			1233.262

Total emissions due to employee commuting	32.750 t CO ₂ eq./year
Emissions due to raw material transportation	1233.262 t CO ₂ eq./year
Total Category 3 Emissions (t CO₂ eq. /year)	1251.585 t CO₂ eq./year

Table 7 Emissions of Category 3 for unit 1

4.1.4 Category 4

Indirect GHG emissions from purchased goods and disposal of solid and liquid waste

(a) Purchased goods

Sr. No.	Raw material	Quantity (MT/year)	Total embodied carbon (Kg CO ₂ eq./ year)	Total embodied carbon (t CO ₂ eq./ year)
1	PP	4800000	11424000	11424
2	LDPE	108000	277560	277.56
3	LLDPE	60000	139200	139.2
4	RP	600000	297000	297
5	MB	720000	4168800	4168.8
Emissions from purchased goods (t CO₂ eq./year)				16308.553

(b) Liquid waste

Category	Quantity (m ³ /year)	Total emissions (t CO ₂ eq. /year)
Water supply	7300	1.095
Waste water generation	3285	0.894

Emissions due to waste water generation and water supply (t CO₂ eq./year)	1.989
---	--------------

(c) Solid waste

Waste	Quantity (ton/year)	Total emissions (kg CO₂ eq. /year)	Total emissions (t CO₂ eq. /year)
Solid waste	0.192	4.088	0.004
Emissions due to solid waste generation (t CO₂ eq./year)			0.004


Total emissions from purchased goods	16306.56 t CO ₂ eq./year
Emissions due to water supply and waste water generation	1.989 t CO ₂ eq./year
Emissions due to solid waste generation	0.004 t CO ₂ eq./year
Total Category 4 Emissions (t CO₂ eq. /year)	16308.553 t CO₂ eq./year

Table 8 Emissions of Category 4 for unit 1

4.1.5 Total emissions

Category	Emissions (t CO₂ eq./year)
1	12.517
2	4325.83
3	1266.012
4	16308.553
Total emissions (t CO₂ eq. /year)	21912.912

Table 9 Total emissions for unit 1



Graph 1 Representation of emissions by category for unit 1



4.2 Unit 2

4.2.1 Category 1

Direct GHG emissions due to fuel consumption

Fuel type	Fuel consumption	Total emissions(kg CO ₂ eq./year)	Total emissions (t CO ₂ eq. /year)
Diesel	2400 lit/ year	6336	6.336
LPG	921.492 lit/ year	1434.85	1.434
Petrol	1200 lit/ year	2724	2.724
Total Category 1 emissions (t CO₂ eq. /year)			10.495

Table 10 Emissions of Category 1 for unit 2

4.2.2 Category 2

Indirect GHG emissions due to purchased electricity

Category	Consumption (kWh/ year)	Total emissions (kg CO ₂ eq./year)	Total emissions (t CO ₂ eq. /year)
Electricity	2559816	2334552.192	2334.55
Total Category 2 emissions (t CO₂ eq. /year)			2334.55

Table 11 Emissions of Category 2 for unit 2

4.2.3 Category 3

Indirect GHG emissions due to transportation

(a) Employee Commuting

Types of vehicles	No. of vehicles	Distance (Km/day)	Total (Km/year)	Total emission (t CO ₂ eq. /year)
Car	1	50	18250	3.218
2 wheeler	200	10	730000	30.441
Total emissions due to employee commuting (t CO₂ eq./year)				33.659

(b) Raw material Transportation

Material type	Means of Transportation	Material transported (t-Km/year)	Total emissions(t CO ₂ eq. /year)
Raw materials	By road	2282616	384.849
Total emissions due to raw material distribution			384.849

Total emissions due to employee commuting	33.659 t CO ₂ eq./year
Emissions due to raw material transportation	384.849 t CO ₂ eq./year
Total Category 3 Emissions (t CO₂ eq. /year)	1251.585 t CO₂ eq./year

Table 12 Emissions of Category 3 for unit 2

4.2.4 Category 4

Indirect GHG emissions from purchased goods and disposal of solid and liquid waste

(a) Purchased goods

Sr. No.	Raw material	Quantity (MT/year)	Total embodied carbon (Kg CO ₂ eq./ year)	Total embodied carbon (t CO ₂ eq./ year)
1	PP	1200000	2856000	2856
2	LDPE	168000	431760	431.76
3	LLDPE	960000	2227200	2227.2
5	MB	36000	208440	208.44
Emissions from purchased goods (t CO₂ eq./year)				5723.4

(b) Liquid waste

Category	Quantity (m ³ /year)	Total emissions (t CO ₂ eq. /year)
Water supply	4380	0.657
Waste water generation	3285	0.894
Emissions due to waste water generation and water supply (t CO₂ eq./year)		1.551

(c) Solid waste

Waste	Quantity (ton/year)	Total emissions (kg CO ₂ eq. /year)	Total emissions (t CO ₂ eq. /year)
Solid waste	0.168	3.577	0.0036
Emissions due to solid waste generation (t CO₂ eq./year)			0.0036


Total emissions from purchased goods	5723.4 t CO ₂ eq./year
Emissions due to water supply and waste water generation	1.551 t CO ₂ eq./year
Emissions due to solid waste generation	0.0036 t CO ₂ eq./year
Total Category 4 Emissions (t CO₂ eq. /year)	5724.955 t CO₂ eq./year

Table 13 Emissions of Category 4 for unit 2

4.2.5 Total emissions

Category	Emissions (t CO ₂ eq./year)
1	10.495
2	2334.55
3	418.508
4	5724.955
Total emissions (t CO₂ eq. /year)	8488.508

Table 14 Total emissions for unit 2



Graph 2 Representation of emissions by category for unit 2



4.3 Unit 3- SEZ

4.3.1 Category 1

Direct GHG emissions due to fuel consumption

Fuel type	Fuel consumption	Total emissions(kg CO ₂ eq./year)	Total emissions (t CO ₂ eq. /year)
Diesel	21600 lit/ year	57024	57.024
LPG	5907 lit/ year	9197.73	9.197
Petrol	600 lit/ year	1362	1.363
Total Category 1 emissions (t CO₂ eq. /year)			67.584

Table 15 Emissions of Category 1 for unit 3

4.3.2 Category 2

Indirect GHG emissions due to purchased electricity

Category	Consumption (kWh/ year)	Total emissions (kg CO ₂ eq./year)	Total emissions (t CO ₂ eq. /year)
Electricity	3833328	3495995.136	3496
Total Category 2 emissions (t CO₂ eq. /year)			3496

Table 16 Emissions of Category 2 for unit 3

4.3.3 Category 3

Indirect GHG emissions due to transportation

(a) Employee Commuting

Types of vehicles	No. of vehicles	Distance (Km/day)	Total (Km/year)	Total emission (t CO ₂ eq. /year)
Car	4	30	43800	7.722
2 wheeler	25	25	228125	9.513
Bus	5	20	36500	19.306
Total emissions due to employee commuting (t CO₂				36.541

eq./year)	
-----------	--

(b) Raw material Transportation

Material type	Means of Transportation	Material transported (t-Km/year)	Total emissions(t CO ₂ eq. /year)
Raw materials	By road	22582800	3807.460
Total emissions due to raw material distribution			3807.460

Total emissions due to employee commuting	36.541 t CO ₂ eq./year
Emissions due to raw material transportation	3807.460 t CO ₂ eq./year
Total Category 3 Emissions (t CO₂ eq. /year)	3844.001 t CO₂ eq./year

Table 17 Emissions of Category 3 for unit 3

4.3.4 Category 4

Indirect GHG emissions from purchased goods and disposal of solid and liquid waste

(a) Purchased goods

Sr. No.	Raw material	Quantity (MT/year)	Total embodied carbon (Kg CO ₂ eq./ year)	Total embodied carbon (t CO ₂ eq./ year)
1	PP	3240000	7711200	7711.2
2	LDPE	108000	277560	277.56
3	LLDPE	60000	139200	139.2
4	RP	384000	190080	190.08
5	MB	480000	2779200	2779.2
Emissions from purchased goods (t CO₂ eq./year)				11097.24

(b) Liquid waste

Category	Quantity (m ³ /year)	Total emissions (t CO ₂ eq. /year)
Water supply	7300	1.095
Waste water generation	2190	0.596
Emissions due to waste water generation and water supply (t CO₂ eq./year)		1.691

(c) Solid waste

Waste	Quantity (ton/year)	Total emissions (kg CO ₂ eq. /year)	Total emissions (t CO ₂ eq. /year)
Solid waste	1.779	37.882	0.038
Emissions due to solid waste generation (t CO₂ eq./year)			0.038


Total emissions from purchased goods	11097.24 t CO ₂ eq./year
Emissions due to water supply and waste water generation	1.691 t CO ₂ eq./year
Emissions due to solid waste generation	0.038 t CO ₂ eq./year
Total Category 4 Emissions (t CO₂ eq. /year)	11098.969 t CO₂ eq./year

Table 18 Emissions of Category 4 for unit 3

4.3.5 Total emissions

Category	Emissions (t CO ₂ eq./year)
1	67.584
2	3496
3	3844.001
4	11098.969
Total emissions (t CO₂ eq. /year)	18506.554

Table 19 Total emissions for unit 3



Graph 3 Representation of emissions by category for unit 3



CHAPTER 5 GHG REDUCTION INITIATIVES AND AVOIDED EMISSIONS

The GHG reduction initiatives practiced are sequestration of carbon by tree plantation and avoiding emissions by using renewable source of energy. Both the initiatives are given below.

5.1 Carbon Sequestration

At **Comsyn**, trees planted at unit 1, unit 2, and unit 3 (SEZ) are 130, 100, 250 respectively.

The total carbon sequestered through trees at unit 1 (130 trees) = **16.250 t CO₂ eq. /year**

The total carbon sequestered through trees at unit 2 (100 trees) = **12.500 t CO₂ eq. /year**

The total carbon sequestered through trees at unit 3 (SEZ) (250 trees) = **31.250 t CO₂ eq. /year**

5.2 Avoided emissions

Avoided emissions due to use of renewable energy i.e. solar panels installed on unit 2 is considered. (Solar power plant of capacity 475 kWp)

Renewable energy source	Quantity /Year	Unit	Emissions(t CO ₂ eq./year)
Solar energy + wind mill	652500	kWh	600.300
Total Avoided Emissions (t CO₂ eq./year)			600.300

Table 20 Avoided emissions

CHAPTER 6 CONCLUSION

6.1 Unit 1

Category	Emissions (t CO ₂ eq. /year)
Category 1	12.517
Category 2	4325.83
Category 3	1266.012
Category 4	16308.553
Gross emissions	21912.912
Emission reduction	16.250
Net emissions	21896.662

❖ The net emissions of Comsyn Unit 1 are **21896.662 t CO₂ eq. / year.**

6.2 Unit 2

Category	Emissions (t CO ₂ eq. /year)
Category 1	10.495
Category 2	2334.55
Category 3	418.508
Category 4	5724.955
Gross emissions	8488.508
Emission reduction	612.8
Net emissions	7875.708

❖ The net emissions of Comsyn Unit 2 are **7875.708 t CO₂ eq. / year.**

6.3 Unit 3 (SEZ)

Category	Emissions (t CO ₂ eq. /year)
Category 1	67.584
Category 2	3496
Category 3	3844.001
Category 4	11098.969
Gross emissions	18506.554
Emission reduction	31.250
Net emissions	18475.304

- ❖ The net emissions of Comsyn unit 3 (SEZ) are **18475.304 t CO₂ eq. / year.**
- ❖ The total gross emissions of Comsyn i.e. Unit 1, Unit 2 and Unit 3 (SEZ) collectively are 48907.974 t CO₂ eq. / year. The total emission reductions achieved by carbon sequestration and due to use of renewable source of energy are 660.30 t CO₂ eq. / year.
Therefore, the total net emissions of Comsyn are 48247.674 t CO₂ eq. / year. The total savings in emissions achieved are 1.35%.

CHAPTER 7 RECOMMENDATIONS

- 1) Tree plantation should be increased to sequester more carbon.
- 2) The capacity of electricity generation by solar plant can be increased if space is available to reduce the emissions.
- 3) Carbon footprint study should be done every year to track greenhouse gases emission and to set target of GHG gases reduction for next year.

COMSYN